Appendix D.5
External Combustion
Sources

Table D-12.2.2.1-5-1
Insignificant Activities
Summary of External Combustion Engines

Em. Source ID	Location	Emission Source	Rated Heat Input Capacity	Power Rating Units	Fuel	IDAPA 58.01.01.
EC0180.1	BLDG 180	Boiler	1	mmBtu/hr	NG	317.01.b.i(5)
EC0180.2	BLDG 180	Furnace	0.08	mmBtu/hr	NG	317.01.b.i(7)
EC0180.3	BLDG 180	Furnace	0.08	mmBtu/hr	NG	317.01.b.i(7)
EC0182.1	BLDG 182	DHW	0.04	mmBtu/hr	NG	317.01.b.i(7)
EC0182.2	BLDG 182	Furnace	0.04	mmBtu/hr	NG	317.01.b.i(7)
EC0182.3	BLDG 182	Furnace	0.08	mmBtu/hr	NG	317.01.b.i(7)
EC0182.4	BLDG 182	Furnace	0.08	mmBtu/hr	NG	317.01.b.i(7)
EC0195.1	BLDG 195	DHW	0.197	mmBtu/hr	NG	317.01.b.i(7)
EC0195.2	BLDG 195	DHW	0.197	mmBtu/hr	NG	317.01.b.i(7)
EC0195.3	BLDG 195	Boiler	2.45	mmBtu/hr	NG	317.01.b.i(5)
EC0195.4	BLDG 195	Boiler	0.85	mmBtu/hr	NG	317.01.b.i(7)
EC0196.1	BLDG 196	IR Heater	0.08	mmBtu/hr	NG	317.01.b.i(7)
EC0196.2	BLDG 196	IR Heater	0.08	mmBtu/hr	NG	317.01.b.i(7)
EC0196.3	BLDG 196	IR Heater	0.08	mmBtu/hr	NG	317.01.b.i(7)
EC0196.4	BLDG 196	IR Heater	0.08	mmBtu/hr	NG	317.01.b.i(7)
EC0196.5	BLDG 196	IR Heater	0.08	mmBtu/hr	NG	317.01.b.i(7)
EC0196.6	BLDG 196	Boiler	0.32	mmBtu/hr	NG	317.01.b.i(7)
EC0196.7	BLDG 196	Boiler	0.52	mmBtu/hr	NG	317.01.b.i(7)
EC0197.1	BLDG 197	Heater	0.027	mmBtu/hr	NG	317.01.b.i(7)
EC0197.2	BLDG 197	HWH	0.065	mmBtu/hr	NG	317.01.b.i(7)
EC0197.3	BLDG 197	Heater	0.027	mmBtu/hr	NG	317.01.b.i(7)
EC0198.1	BLDG 198	Boiler	1.5	mmBtu/hr	NG	317.01.b.i(5)
EC0198.2	BLDG 198	Boiler	1.5	mmBtu/hr	NG	317.01.b.i(5)
EC0198.3	BLDG 198	Boiler	1.5	mmBtu/hr	NG	317.01.b.i(5)
EC0198.4	BLDG 198	Boiler	1.5	mmBtu/hr	NG	317.01.b.i(5)
EC0198.5	BLDG 198	Heater	0.45	mmBtu/hr	NG	317.01.b.i(7)
EC0200.1	BLDG 200	Boiler	1.8	mmBtu/hr	NG	317.01.b.i(5)
EC0200.2	BLDG 200	Boiler	1.8	mmBtu/hr	NG	317.01.b.i(5)
EC0200.3	BLDG 200	Boiler	1.8	mmBtu/hr	NG	317.01.b.i(5)
EC0200.4	BLDG 200	Boiler	1.8	mmBtu/hr	NG	317.01.b.i(5)
EC0200.5	BLDG 200	Furnace	0.25	mmBtu/hr	NG	317.01.b.i(7)
EC0201.1	BLDG 201	Boiler	1.26	mmBtu/hr	NG	317.01.b.i(5)
EC0201.2	BLDG 201	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC0201.3	BLDG 201	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC0201.4	BLDG 201	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC0201.5	BLDG 201	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC0201.6	BLDG 201	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC0201.7	BLDG 201	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC0201.8	BLDG 201	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC0201.9	BLDG 201	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)

Table D-12.2.2.1-5-1
Insignificant Activities
Summary of External Combustion Engines

Em. Source ID	Location	Emission Source	Rated Heat Input Capacity	Power Rating Units	Fuel	IDAPA 58.01.01.
EC0201.10	BLDG 201	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC0201.11	BLDG 201	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC0201.12	BLDG 201	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC0201.13	BLDG 201	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC0201.14	BLDG 201	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC0201.15	BLDG 201	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC0201.16	BLDG 201	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC0201.17	BLDG 201	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC0204.1	BLDG 204	Boiler	0.42	mmBtu/hr	NG	317.01.b.i(7)
EC0204.2	BLDG 204	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC0204.3	BLDG 204	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC0204.4	BLDG 204	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC0204.5	BLDG 204	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC0204.6	BLDG 204	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC0204.7	BLDG 204	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC0204.8	BLDG 204	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC0204.9	BLDG 204	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC0204.10	BLDG 204	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC0204.11	BLDG 204	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC0204.12	BLDG 204	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC0204.13	BLDG 204	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC0204.14	BLDG 204	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC0204.15	BLDG 204	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC0204.16	BLDG 204	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC0204.17	BLDG 204	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC0205.1	BLDG 205	Boiler	0.42	mmBtu/hr	NG	317.01.b.i(7)
EC0205.2	BLDG 205	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC0205.3	BLDG 205	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC0205.4	BLDG 205	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC0205.5	BLDG 205	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC0205.6	BLDG 205	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC0205.7	BLDG 205	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC0205.8	BLDG 205	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC0205.9	BLDG 205	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC0205.10	BLDG 205	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC0205.11	BLDG 205	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC0205.12	BLDG 205	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC0205.13	BLDG 205	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC0205.14	BLDG 205	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC0205.15	BLDG 205	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC0205.16	BLDG 205	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC0205.17	BLDG 205	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC0206.1	BLDG 206	Boiler	0.645	mmBtu/hr	NG	317.01.b.i(7)
EC0206.2	BLDG 206	Steam Unit	0.325	mmBtu/hr	NG	317.01.b.i(7)
EC0206.3	BLDG 206	Steam Unit	0.325	mmBtu/hr	NG	317.01.b.i(7)
EC0206.4	BLDG 206	Boiler	1	mmBtu/hr	NG	317.01.b.i(5)
EC0206.5	BLDG 206	Boiler	1	mmBtu/hr	NG	317.01.b.i(5)
EC0206.6	BLDG 206	IR Heater	0.08	mmBtu/hr	NG	317.01.b.i(7)
EC0206.7	BLDG 206	IR Heater	0.08	mmBtu/hr	NG	317.01.b.i(7)
EC0206.8	BLDG 206	IR Heater	0.08	mmBtu/hr	NG	317.01.b.i(7)

Table D-12.2.2.1-5-1
Insignificant Activities
Summary of External Combustion Engines

Em. Source ID	Location	Emission Source	Rated Heat Input Capacity	Power Rating Units	Fuel	IDAPA 58.01.01.
EC0206.9	BLDG 206	IR Heater	0.08	mmBtu/hr	NG	317.01.b.i(7)
EC0206.10	BLDG 206	IR Heater	0.08	mmBtu/hr	NG	317.01.b.i(7)
EC0206.11	BLDG 206	IR Heater	0.08	mmBtu/hr	NG	317.01.b.i(7)
EC0206.12	BLDG 206	IR Heater	0.08	mmBtu/hr	NG	317.01.b.i(7)
EC0206.13	BLDG 206	IR Heater	0.08	mmBtu/hr	NG	317.01.b.i(7)
EC0206.14	BLDG 206	IR Heater	0.08	mmBtu/hr	NG	317.01.b.i(7)
EC0206.15	BLDG 206	IR Heater	0.08	mmBtu/hr	NG	317.01.b.i(7)
EC0206.16	BLDG 206	IR Heater	0.08	mmBtu/hr	NG	317.01.b.i(7)
EC0206.17	BLDG 206	IR Heater	0.08	mmBtu/hr	NG	317.01.b.i(7)
EC0208.1	BLDG 208	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC0208.2	BLDG 208	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC0208.3	BLDG 208	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC0208.4	BLDG 208	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC0208.5	BLDG 208	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC0208.6	BLDG 208	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC0208.7	BLDG 208	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC0208.8	BLDG 208	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC0208.9	BLDG 208	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC0208.10	BLDG 208	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC0208.11	BLDG 208	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC0208.12	BLDG 208	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC0208.13	BLDG 208	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC0208.14	BLDG 208	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC0208.15	BLDG 208	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC0208.16	BLDG 208	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC0210.1	BLDG 210	Boiler	0.1	mmBtu/hr	NG	317.01.b.i(7)
EC0210.2	BLDG 210	DHW	0.199	mmBtu/hr	NG	317.01.b.i(7)
EC0210.3	BLDG 210	IR Heater	0.04	mmBtu/hr	NG	317.01.b.i(7)
EC0210.4	BLDG 210	IR Heater	0.04	mmBtu/hr	NG	317.01.b.i(7)
EC0211.1	BLDG 211	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC0211.2	BLDG 211	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC0211.3	BLDG 211	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC0211.4	BLDG 211	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC0211.5	BLDG 211	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC0211.6	BLDG 211	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC0211.7	BLDG 211	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC0211.8	BLDG 211	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC0211.9	BLDG 211	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC0211.10	BLDG 211	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC0211.11	BLDG 211	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC0211.12	BLDG 211	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC0211.13	BLDG 211	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC0211.14	BLDG 211	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC0211.15	BLDG 211	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC0211.16	BLDG 211	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC0211.17	BLDG 211	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC0211.18	BLDG 211	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC0211.19	BLDG 211	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC0211.20	BLDG 211	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC0211.21	BLDG 211	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)

Table D-12.2.2.1-5-1
Insignificant Activities
Summary of External Combustion Engines

Em. Source ID	Location	Emission Source	Rated Heat Input Capacity	Power Rating Units	Fuel	IDAPA 58.01.01.
EC0211.22	BLDG 211	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC0211.23	BLDG 211	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC0211.24	BLDG 211	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC0211.25	BLDG 211	Furnace	0.15	mmBtu/hr	NG	317.01.b.i(7)
EC0211.26	BLDG 211	Furnace	0.15	mmBtu/hr	NG	317.01.b.i(7)
EC0211.27	BLDG 211	Furnace	0.296	mmBtu/hr	NG	317.01.b.i(7)
EC0211.28	BLDG 211	Furnace	0.296	mmBtu/hr	NG	317.01.b.i(7)
EC0224	BLDG 224	Furnace	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC0262	BLDG 262	Boiler	0.95	mmBtu/hr	NG	317.01.b.i(7)
EC0263.1	BLDG 263	Boiler	0.63	mmBtu/hr	NG	317.01.b.i(7)
EC0272	BLDG 272	Boiler	0.5	mmBtu/hr	NG	317.01.b.i(7)
EC0273	BLDG 273	Boiler	0.5	mmBtu/hr	NG	317.01.b.i(7)
EC0277	BLDG 277	Furnace	0.5	mmBtu/hr	NG	317.01.b.i(7)
EC0278	BLDG 278	Boiler	0.95	mmBtu/hr	NG	317.01.b.i(7)
EC0291.1	BLDG 291	Boiler	0.95	mmBtu/hr	NG	317.01.b.i(7)
EC0291.2	BLDG 291	Boiler	0.95	mmBtu/hr	NG	317.01.b.i(7)
EC0315.1	BLDG 315	Heater	0.1	mmBtu/hr	NG	317.01.b.i(7)
EC0315.2	BLDG 315	Heater	0.1	mmBtu/hr	NG	317.01.b.i(7)
EC0315.3	BLDG 315	Heater	0.1	mmBtu/hr	NG	317.01.b.i(7)
EC0315.4	BLDG 315	Heater	0.1	mmBtu/hr	NG	317.01.b.i(7)
EC0315.5	BLDG 315	FA Furnace	0.25	mmBtu/hr	NG	317.01.b.i(7)
EC0325	BLDG 325	Boiler	0.399	mmBtu/hr	NG	317.01.b.i(7)
EC0331	BLDG 331	Ceiling Heater	0.15	mmBtu/hr	NG	317.01.b.i(7)
EC0510	BLDG 510		0.3	mmBtu/hr	NG	317.01.b.i(7)
EC0512.1	BLDG 512	Boiler	1.4	mmBtu/hr	NG	317.01.b.i(5)
EC0512.2	BLDG 512	Boiler	1.4	mmBtu/hr	NG	317.01.b.i(5)
EC0603	BLDG 603	Boiler	1.26	mmBtu/hr	NG	317.01.b.i(5)
EC0605.1	BLDG 605	DHW	0.04	mmBtu/hr	NG	317.01.b.i(7)
EC0605.2	BLDG 605	FA Furnace	0.06	mmBtu/hr	NG	317.01.b.i(7)
EC0605.3	BLDG 605	FA Furnace	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC0608.1	BLDG 608		0.3	mmBtu/hr	NG	317.01.b.i(7)
EC0608.2	BLDG 608	FA Furnace	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC0608.3	BLDG 608	FA Furnace	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC0608.4	BLDG 608	Ceiling Heater	0.15	mmBtu/hr	NG	317.01.b.i(7)
EC0608.5	BLDG 608	Ceiling Heater	0.15	mmBtu/hr	NG	317.01.b.i(7)
EC0608.6	BLDG 608	Ceiling Heater	0.15	mmBtu/hr	NG	317.01.b.i(7)
EC0608.7	BLDG 608	Ceiling Heater	0.15	mmBtu/hr	NG	317.01.b.i(7)
EC0608.8	BLDG 608	Ceiling Heater	0.15	mmBtu/hr	NG	317.01.b.i(7)
EC0608.9	BLDG 608	Ceiling Heater	0.15	mmBtu/hr	NG	317.01.b.i(7)
EC0608.10	BLDG 608	Ceiling Heater	0.15	mmBtu/hr	NG	317.01.b.i(7)
EC0608.11	BLDG 608	Ceiling Heater	0.15	mmBtu/hr	NG	317.01.b.i(7)
EC0610	BLDG 610	Boiler	0.3	mmBtu/hr	NG	317.01.b.i(7)
EC0800	BLDG 800	Boiler	0.3	mmBtu/hr	NG	317.01.b.i(7)
EC0840.1	BLDG 840	Condensor	0.094	mmBtu/hr	NG	317.01.b.i(7)
EC0840.2	BLDG 840	Condensor	0.094	mmBtu/hr	NG	317.01.b.i(7)
EC0840.3	BLDG 840	FA Furnace	0.125	mmBtu/hr	NG	317.01.b.i(7)
EC0840.4	BLDG 840	Boiler	0.3	mmBtu/hr	NG	317.01.b.i(7)
EC0840.5	BLDG 840	Boiler	0.3	mmBtu/hr	NG	317.01.b.i(7)
EC0840.6	BLDG 840	DHW	0.04	mmBtu/hr	NG	317.01.b.i(7)
EC0840.7	BLDG 840	FA Furnace	0.072	mmBtu/hr	NG	317.01.b.i(7)

Table D-12.2.2.1-5-1
Insignificant Activities
Summary of External Combustion Engines

Em. Source ID	Location	Emission Source	Rated Heat Input Capacity	Power Rating Units	Fuel	IDAPA 58.01.01.
EC0840.8	BLDG 840	Boiler	0.224	mmBtu/hr	NG	317.01.b.i(7)
EC0900	BLDG 900	Boiler	0.399	mmBtu/hr	NG	317.01.b.i(7)
EC0910.1	BLDG 910	HWH	0.04	mmBtu/hr	NG	317.01.b.i(7)
EC0910.2	BLDG 910	Furnace	0.06	mmBtu/hr	NG	317.01.b.i(7)
EC0910.3	BLDG 910	Heater	0.09	mmBtu/hr	NG	317.01.b.i(7)
EC0910.4	BLDG 910	Heater	0.09	mmBtu/hr	NG	317.01.b.i(7)
EC0910.5	BLDG 910	Heater	0.09	mmBtu/hr	NG	317.01.b.i(7)
EC0910.6	BLDG 910	Heater	0.09	mmBtu/hr	NG	317.01.b.i(7)
EC0910.7	BLDG 910	Heater	0.09	mmBtu/hr	NG	317.01.b.i(7)
EC0920.1	BLDG 920	HWH	0.4	mmBtu/hr	NG	317.01.b.i(7)
EC0920.2	BLDG 920	Boiler	0.775	mmBtu/hr	NG	317.01.b.i(7)
EC0920.3	BLDG 920	Boiler	0.775	mmBtu/hr	NG	317.01.b.i(7)
EC0927.1	BLDG 927	Boiler	0.3	mmBtu/hr	NG	317.01.b.i(7)
EC0927.2	BLDG 927	Boiler	0.5	mmBtu/hr	NG	317.01.b.i(7)
EC0927.3	BLDG 927	Boiler	0.26	mmBtu/hr	NG	317.01.b.i(7)
EC0928.1	BLDG 928	Furnace	0.072	mmBtu/hr	NG	317.01.b.i(7)
EC0928.2	BLDG 928	Furnace	0.125	mmBtu/hr	NG	317.01.b.i(7)
EC1013	BLDG 1013	Boiler	0.3	mmBtu/hr	NG	317.01.b.i(7)
EC1100.1	BLDG 1100	IR Heater	0.06	mmBtu/hr	NG	317.01.b.i(7)
EC1100.2	BLDG 1100	IR Heater	0.06	mmBtu/hr	NG	317.01.b.i(7)
EC1100.3	BLDG 1100	IR Heater	0.06	mmBtu/hr	NG	317.01.b.i(7)
EC1100.4	BLDG 1100	IR Heater	0.06	mmBtu/hr	NG	317.01.b.i(7)
EC1100.5	BLDG 1100	IR Heater	0.06	mmBtu/hr	NG	317.01.b.i(7)
EC1100.6	BLDG 1100	IR Heater	0.06	mmBtu/hr	NG	317.01.b.i(7)
EC1100.7	BLDG 1100	IR Heater	0.06	mmBtu/hr	NG	317.01.b.i(7)
EC1100.8	BLDG 1100	IR Heater	0.06	mmBtu/hr	NG	317.01.b.i(7)
EC1100.9	BLDG 1100	IR Heater	0.06	mmBtu/hr	NG	317.01.b.i(7)
EC1100.10	BLDG 1100	IR Heater	0.06	mmBtu/hr	NG	317.01.b.i(7)
EC1100.11	BLDG 1100	IR Heater	0.06	mmBtu/hr	NG	317.01.b.i(7)
EC1100.12	BLDG 1100	IR Heater	0.06	mmBtu/hr	NG	317.01.b.i(7)
EC1100.13	BLDG 1100	IR Heater	0.08	mmBtu/hr	NG	317.01.b.i(7)
EC1100.14	BLDG 1100	IR Heater	0.08	mmBtu/hr	NG	317.01.b.i(7)
EC1100.15	BLDG 1100	IR Heater	0.08	mmBtu/hr	NG	317.01.b.i(7)
EC1100.16	BLDG 1100	IR Heater	0.125	mmBtu/hr	NG	317.01.b.i(7)
EC1100.17	BLDG 1100	IR Heater	0.125	mmBtu/hr	NG	317.01.b.i(7)
EC1100.18	BLDG 1100	IR Heater	0.125	mmBtu/hr	NG	317.01.b.i(7)
EC1100.19	BLDG 1100	IR Heater	0.125	mmBtu/hr	NG	317.01.b.i(7)
EC1100.20	BLDG 1100	IR Heater	0.125	mmBtu/hr	NG	317.01.b.i(7)
EC1100.21	BLDG 1100	Boiler	2.212	mmBtu/hr	NG	317.01.b.i(5)
EC1100.22	BLDG 1100	Furnace	0.075	mmBtu/hr	NG	317.01.b.i(7)
EC1100.23	BLDG 1100	Furnace	0.09	mmBtu/hr	NG	317.01.b.i(7)
EC1100.24	BLDG 1100	Furnace	0.09	mmBtu/hr	NG	317.01.b.i(7)
EC1100.25	BLDG 1100	Furnace	0.25	mmBtu/hr	NG	317.01.b.i(7)
EC1100.26	BLDG 1100	Furnace	0.09	mmBtu/hr	NG	317.01.b.i(7)
EC1100.27	BLDG 1100	Furnace	0.05	mmBtu/hr	NG	317.01.b.i(7)
EC1100.28	BLDG 1100		0.357	mmBtu/hr	NG	317.01.b.i(7)
EC1100.29	BLDG 1100	IR Heater	0.06	mmBtu/hr	NG	317.01.b.i(7)
EC1100.30	BLDG 1100	IR Heater	0.06	mmBtu/hr	NG	317.01.b.i(7)
EC1100.31	BLDG 1100	IR Heater	0.06	mmBtu/hr	NG	317.01.b.i(7)
EC1100.32	BLDG 1100	IR Heater	0.06	mmBtu/hr	NG	317.01.b.i(7)

Table D-12.2.2.1-5-1
Insignificant Activities
Summary of External Combustion Engines

Em. Source ID	Location	Emission Source	Rated Heat Input Capacity	Power Rating Units	Fuel	IDAPA 58.01.01.
EC1100.33	BLDG 1100	IR Heater	0.06	mmBtu/hr	NG	317.01.b.i(7)
EC1100.34	BLDG 1100	IR Heater	0.06	mmBtu/hr	NG	317.01.b.i(7)
EC1115.1	BLDG 1115	Ceiling Heater	0.28	mmBtu/hr	NG	317.01.b.i(7)
EC1115.2	BLDG 1115	Ceiling Heater	0.28	mmBtu/hr	NG	317.01.b.i(7)
EC1125	BLDG 1125	Boiler	0.63	mmBtu/hr	NG	317.01.b.i(7)
EC1126	BLDG 1126	Boiler	0.3	mmBtu/hr	NG	317.01.b.i(7)
EC1201.1	BLDG 1201	Broiler	0.09	mmBtu/hr	NG	317.01.b.i(7)
EC1201.2	BLDG 1201	Fryer	0.002	mmBtu/hr	NG	317.01.b.i(7)
EC1201.3	BLDG 1201	Fryer	0.002	mmBtu/hr	NG	317.01.b.i(7)
EC1201.4	BLDG 1201	Fryer	0.002	mmBtu/hr	NG	317.01.b.i(7)
EC1201.5	BLDG 1201	Fryer	0.002	mmBtu/hr	NG	317.01.b.i(7)
EC1201.6	BLDG 1201	Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC1201.7	BLDG 1201	Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC1201.8	BLDG 1201	Heater	0.125	mmBtu/hr	NG	317.01.b.i(7)
EC1208.1	BLDG 1208	FA Furnace	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC1208.2	BLDG 1208	FA Furnace	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC1208.3	BLDG 1208	FA Furnace	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC1208.4	BLDG 1208	Furnace	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC1208.5	BLDG 1208	Furnace	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC1208.6	BLDG 1208	Furnace	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC1212	BLDG 1212	Heater	0.2	mmBtu/hr	NG	317.01.b.i(7)
EC1213	BLDG 1212	Heater	0.2	mmBtu/hr	NG	317.01.b.i(7)
EC1214	BLDG 1212	Heater	0.2	mmBtu/hr	NG	317.01.b.i(7)
EC1222	BLDG 1222	DHW	0.399	mmBtu/hr	NG	317.01.b.i(7)
EC1224	BLDG 1224	Boiler	4.2	mmBtu/hr	NG	317.01.b.i(5)
EC1225.1	BLDG 1225	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC1225.2	BLDG 1225	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC1225.3	BLDG 1225	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC1225.4	BLDG 1225	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC1225.5	BLDG 1225	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC1225.6	BLDG 1225	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC1225.7	BLDG 1225	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC1225.8	BLDG 1225	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC1225.9	BLDG 1225	Boiler	0.3	mmBtu/hr	NG	317.01.b.i(7)
EC1225.10	BLDG 1225	IR Heater	0.1	mmBtu/hr	NG	317.01.b.i(7)
EC1225.11	BLDG 1225	IR Heater	0.1	mmBtu/hr	NG	317.01.b.i(7)
EC1225.12	BLDG 1225	Furnace	0.1	mmBtu/hr	NG	317.01.b.i(7)
EC1229	BLDG 1229	DHW	0.399	mmBtu/hr	NG	317.01.b.i(7)
EC1289.1	BLDG 1289	Furnace	0.125	mmBtu/hr	NG	317.01.b.i(7)
EC1289.2	BLDG 1289	Furnace	0.072	mmBtu/hr	NG	317.01.b.i(7)
EC1289.3	BLDG 1289	Boiler	0.04	mmBtu/hr	NG	317.01.b.i(7)
EC1289.4	BLDG 1289	IR Heater	0.205	mmBtu/hr	NG	317.01.b.i(7)
EC1289.5	BLDG 1289	Heater	0.15	mmBtu/hr	NG	317.01.b.i(7)
EC1289.6	BLDG 1289	Heater	0.15	mmBtu/hr	NG	317.01.b.i(7)
EC1292.1	BLDG 1292	IR Heater	0.09	mmBtu/hr	NG	317.01.b.i(7)
EC1292.2	BLDG 1292	IR Heater	0.09	mmBtu/hr	NG	317.01.b.i(7)
EC1292.3	BLDG 1292	IR Heater	0.09	mmBtu/hr	NG	317.01.b.i(7)
EC1292.4	BLDG 1292	IR Heater	0.09	mmBtu/hr	NG	317.01.b.i(7)
EC1293.1	BLDG 1293	Furnace	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC1293.2	BLDG 1293	Heater	0.06	mmBtu/hr	NG	317.01.b.i(7)

Table D-12.2.2.1-5-1
Insignificant Activities
Summary of External Combustion Engines

Em. Source ID	Location	Emission Source	Rated Heat Input Capacity	Power Rating Units	Fuel	IDAPA 58.01.01.
EC1293.3	BLDG 1293	Heater	0.06	mmBtu/hr	NG	317.01.b.i(7)
EC1293.4	BLDG 1293	Heater	0.06	mmBtu/hr	NG	317.01.b.i(7)
EC1296.1	BLDG 1296	Heater	0.15	mmBtu/hr	NG	317.01.b.i(7)
EC1296.2	BLDG 1296	Heater	0.115	mmBtu/hr	NG	317.01.b.i(7)
EC1297.1	BLDG 1297		0.115	mmBtu/hr	NG	317.01.b.i(7)
EC1297.2	BLDG 1297		0.115	mmBtu/hr	NG	317.01.b.i(7)
EC1300.1	BLDG 1300	AC Furnace	0.115	mmBtu/hr	NG	317.01.b.i(7)
EC1300.2	BLDG 1300	Boiler	0.95	mmBtu/hr	NG	317.01.b.i(7)
EC1301	BLDG 1301	Boiler	0.5	mmBtu/hr	NG	317.01.b.i(7)
EC1318.1	BLDG 1318	Heater	0.15	mmBtu/hr	NG	317.01.b.i(7)
EC1318.2	BLDG 1318	Heater	0.15	mmBtu/hr	NG	317.01.b.i(7)
EC1318.3	BLDG 1318	Heater	0.2	mmBtu/hr	NG	317.01.b.i(7)
EC1318.4	BLDG 1318	Heater	0.15	mmBtu/hr	NG	317.01.b.i(7)
EC1320.1	BLDG 1320	Heater	0.1	mmBtu/hr	NG	317.01.b.i(7)
EC1320.2	BLDG 1320	Heater	0.1	mmBtu/hr	NG	317.01.b.i(7)
EC1320.3	BLDG 1320	Heater	0.1	mmBtu/hr	NG	317.01.b.i(7)
EC1322.1	BLDG 1322	Heater	0.175	mmBtu/hr	NG	317.01.b.i(7)
EC1322.2	BLDG 1322	Heater	0.175	mmBtu/hr	NG	317.01.b.i(7)
EC1322.3	BLDG 1322	Heater	0.175	mmBtu/hr	NG	317.01.b.i(7)
EC1322.4	BLDG 1322	Furnace	0.08	mmBtu/hr	NG	317.01.b.i(7)
EC1323.1	BLDG 1323	Heater	0.1	mmBtu/hr	Propane	317.01.b.i(7)
EC1323.2	BLDG 1323	Heater	0.1	mmBtu/hr	Propane	317.01.b.i(7)
EC1323.3	BLDG 1323	Heater	0.1	mmBtu/hr	Propane	317.01.b.i(7)
EC1327	BLDG 1327	Furnace	0.5	mmBtu/hr	NG	317.01.b.i(7)
EC1329.1	BLDG 1329	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC1329.2	BLDG 1329	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC1329.3	BLDG 1329	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC1329.4	BLDG 1329	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC1329.5	BLDG 1329	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC1329.6	BLDG 1329	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC1329.7	BLDG 1329	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC1329.8	BLDG 1329	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC1329.9	BLDG 1329	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC1329.10	BLDG 1329	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC1329.11	BLDG 1329	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC1329.12	BLDG 1329	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC1329.13	BLDG 1329	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC1329.14	BLDG 1329	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC1329.15	BLDG 1329	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC1329.16	BLDG 1329	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC1329.17	BLDG 1329	Furnace	0.399	mmBtu/hr	NG	317.01.b.i(7)
EC1330.1	BLDG 1330	Ceiling Heater	0.34	mmBtu/hr	NG	317.01.b.i(7)
EC1330.2	BLDG 1330	Ceiling Heater	0.34	mmBtu/hr	NG	317.01.b.i(7)
EC1330.3	BLDG 1330	Ceiling Heater	0.34	mmBtu/hr	NG	317.01.b.i(7)
EC1330.4	BLDG 1330	Ceiling Heater	0.34	mmBtu/hr	NG	317.01.b.i(7)
EC1330.5	BLDG 1330	Ceiling Heater	0.34	mmBtu/hr	NG	317.01.b.i(7)
EC1330.6	BLDG 1330	Ceiling Heater	0.34	mmBtu/hr	NG	317.01.b.i(7)
EC1330.7	BLDG 1330	Boiler	0.399	mmBtu/hr	NG	317.01.b.i(7)
EC1330.8	BLDG 1330	DHW	0.4	mmBtu/hr	NG	317.01.b.i(7)
EC1330.9	BLDG 1330	DHW	0.4	mmBtu/hr	NG	317.01.b.i(7)

Table D-12.2.2.1-5-1
Insignificant Activities
Summary of External Combustion Engines

Em. Source ID	Location	Emission Source	Rated Heat Input Capacity	Power Rating Units	Fuel	IDAPA 58.01.01.
EC1330.10	BLDG 1330	Heater	2.916	mmBtu/hr	NG	317.01.b.i(5)
EC1330.11	BLDG 1330	Heater	1.948	mmBtu/hr	NG	317.01.b.i(5)
EC1331.1	BLDG 1331	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC1331.2	BLDG 1331	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC1331.3	BLDG 1331	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC1331.4	BLDG 1331	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC1331.5	BLDG 1331	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC1331.6	BLDG 1331	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC1331.7	BLDG 1331	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC1331.8	BLDG 1331	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC1331.9	BLDG 1331	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC1331.10	BLDG 1331	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC1331.11	BLDG 1331	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC1331.12	BLDG 1331	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC1331.13	BLDG 1331	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC1331.14	BLDG 1331	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC1331.15	BLDG 1331	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC1331.16	BLDG 1331	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC1331.17	BLDG 1331	Boiler	0.399	mmBtu/hr	NG	317.01.b.i(7)
EC1332.1	BLDG 1332	Furnace	0.125	mmBtu/hr	NG	317.01.b.i(7)
EC1332.2	BLDG 1332	Furnace	0.399	mmBtu/hr	NG	317.01.b.i(7)
EC1332.3	BLDG 1332	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC1332.4	BLDG 1332	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC1332.5	BLDG 1332	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC1332.6	BLDG 1332	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC1332.7	BLDG 1332	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC1332.8	BLDG 1332	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC1332.9	BLDG 1332	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC1332.10	BLDG 1332	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC1332.11	BLDG 1332	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC1332.12	BLDG 1332	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC1332.13	BLDG 1332	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC1332.14	BLDG 1332	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC1332.15	BLDG 1332	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC1332.16	BLDG 1332	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC1332.17	BLDG 1332	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC1332.18	BLDG 1332	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC1333.1	BLDG 1333	FA Furnace	0.1	mmBtu/hr	NG	317.01.b.i(7)
EC1333.2	BLDG 1333	Ceiling Heater	0.225	mmBtu/hr	NG	317.01.b.i(7)
EC1333.3	BLDG 1333	Furnace	0.08	mmBtu/hr	NG	317.01.b.i(7)
EC1333.4	BLDG 1333	Furnace	0.08	mmBtu/hr	NG	317.01.b.i(7)
EC1333.5	BLDG 1333	Furnace	0.08	mmBtu/hr	NG	317.01.b.i(7)
EC1333.6	BLDG 1333	IR Heater	0.1	mmBtu/hr	NG	317.01.b.i(7)
EC1333.7	BLDG 1333	IR Heater	0.1	mmBtu/hr	NG	317.01.b.i(7)
EC1333.8	BLDG 1333	IR Heater	0.1	mmBtu/hr	NG	317.01.b.i(7)
EC1333.9	BLDG 1333	IR Heater	0.1	mmBtu/hr	NG	317.01.b.i(7)
EC1333.10	BLDG 1333	IR Heater	0.1	mmBtu/hr	NG	317.01.b.i(7)
EC1333.11	BLDG 1333	IR Heater	0.1	mmBtu/hr	NG	317.01.b.i(7)
EC1333.12	BLDG 1333	IR Heater	0.1	mmBtu/hr	NG	317.01.b.i(7)
EC1333.13	BLDG 1333	IR Heater	0.1	mmBtu/hr	NG	317.01.b.i(7)

Table D-12.2.2.1-5-1
Insignificant Activities
Summary of External Combustion Engines

Em. Source ID	Location	Emission Source	Rated Heat Input Capacity	Power Rating Units	Fuel	IDAPA 58.01.01.
EC1333.14	BLDG 1333	IR Heater	0.1	mmBtu/hr	NG	317.01.b.i(7)
EC1333.15	BLDG 1333	IR Heater	0.1	mmBtu/hr	NG	317.01.b.i(7)
EC1333.16	BLDG 1333	IR Heater	0.1	mmBtu/hr	NG	317.01.b.i(7)
EC1333.17	BLDG 1333	IR Heater	0.1	mmBtu/hr	NG	317.01.b.i(7)
EC1333.18	BLDG 1333	IR Heater	0.1	mmBtu/hr	NG	317.01.b.i(7)
EC1333.19	BLDG 1333	IR Heater	0.1	mmBtu/hr	NG	317.01.b.i(7)
EC1333.20	BLDG 1333	IR Heater	0.1	mmBtu/hr	NG	317.01.b.i(7)
EC1333.21	BLDG 1333	IR Heater	0.1	mmBtu/hr	NG	317.01.b.i(7)
EC1333.22	BLDG 1333	IR Heater	0.1	mmBtu/hr	NG	317.01.b.i(7)
EC1333.23	BLDG 1333	IR Heater	0.1	mmBtu/hr	NG	317.01.b.i(7)
EC1333.24	BLDG 1333	Heater	0.35	mmBtu/hr	NG	317.01.b.i(7)
EC1333.25	BLDG 1333	Heater	0.125	mmBtu/hr	NG	317.01.b.i(7)
EC1333.26	BLDG 1333	Heater	0.15	mmBtu/hr	NG	317.01.b.i(7)
EC1333.27	BLDG 1333	Heater	0.3	mmBtu/hr	NG	317.01.b.i(7)
EC1333.28	BLDG 1333	Heater	0.125	mmBtu/hr	NG	317.01.b.i(7)
EC1333.29	BLDG 1333	Heater	0.15	mmBtu/hr	NG	317.01.b.i(7)
EC1333.30	BLDG 1333	Furnace	0.1	mmBtu/hr	NG	317.01.b.i(7)
EC1333.31	BLDG 1333	Furnace	0.1	mmBtu/hr	NG	317.01.b.i(7)
EC1335.1	BLDG 1335	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC1335.2	BLDG 1335	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC1335.3	BLDG 1335	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC1335.4	BLDG 1335	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC1335.5	BLDG 1335	Boiler	0.3	mmBtu/hr	NG	317.01.b.i(7)
EC1337	BLDG 1337	Furnace	0.3	mmBtu/hr	NG	317.01.b.i(7)
EC1339.1	BLDG 1339	AHU	0.962	mmBtu/hr	NG	317.01.b.i(7)
EC1339.2	BLDG 1339	Furnace	0.15	mmBtu/hr	NG	317.01.b.i(7)
EC1339.3	BLDG 1339	Furnace	0.125	mmBtu/hr	NG	317.01.b.i(7)
EC1339.4	BLDG 1339	Heater	0.04	mmBtu/hr	NG	317.01.b.i(7)
EC1339.5	BLDG 1339	Heater	0.04	mmBtu/hr	NG	317.01.b.i(7)
EC1339.6	BLDG 1339	Heater	0.04	mmBtu/hr	NG	317.01.b.i(7)
EC1339.7	BLDG 1339	Heater	0.04	mmBtu/hr	NG	317.01.b.i(7)
EC1339.8	BLDG 1339	Steam Unit	0.35	mmBtu/hr	NG	317.01.b.i(7)
EC1339.9	BLDG 1339	Furnace	0.074	mmBtu/hr	NG	317.01.b.i(7)
EC1339.10	BLDG 1339	Heater	0.15	mmBtu/hr	NG	317.01.b.i(7)
EC1339.11	BLDG 1339	HWH	0.08	mmBtu/hr	NG	317.01.b.i(7)
EC1351.1	BLDG 1351	FA Furnace	0.11	mmBtu/hr	NG	317.01.b.i(7)
EC1351.2	BLDG 1351	FA Furnace	0.11	mmBtu/hr	NG	317.01.b.i(7)
EC1351.3	BLDG 1351	FA Furnace	0.11	mmBtu/hr	NG	317.01.b.i(7)
EC1351.4	BLDG 1351	FA Furnace	0.11	mmBtu/hr	NG	317.01.b.i(7)
EC1352.1	BLDG 1352	FA Furnace	0.154	mmBtu/hr	NG	317.01.b.i(7)
EC1352.2	BLDG 1352	FA Furnace	0.154	mmBtu/hr	NG	317.01.b.i(7)
EC1353.1	BLDG 1353	FA Furnace	0.154	mmBtu/hr	NG	317.01.b.i(7)
EC1353.2	BLDG 1353	FA Furnace	0.154	mmBtu/hr	NG	317.01.b.i(7)
EC1353.3	BLDG 1353	FA Furnace	0.154	mmBtu/hr	NG	317.01.b.i(7)
EC1353.4	BLDG 1353	FA Furnace	0.154	mmBtu/hr	NG	317.01.b.i(7)
EC1354.1	BLDG 1354	High Pressure W	0.4	mmBtu/hr	Propane	317.01.b.i(7)
EC1354.2	BLDG 1354	High Pressure W	0.4	mmBtu/hr	Propane	317.01.b.i(7)
EC1354.3	BLDG 1354	FA Furnace	0.154	mmBtu/hr	NG	317.01.b.i(7)
EC1354.4	BLDG 1354	IR Heater	0.06	mmBtu/hr	NG	317.01.b.i(7)
EC1354.5	BLDG 1354	IR Heater	0.06	mmBtu/hr	NG	317.01.b.i(7)

Table D-12.2.2.1-5-1
Insignificant Activities
Summary of External Combustion Engines

Em. Source ID	Location	Emission Source	Rated Heat Input Capacity	Power Rating Units	Fuel	IDAPA 58.01.01.
EC1354.6	BLDG 1354	IR Heater	0.06	mmBtu/hr	NG	317.01.b.i(7)
EC1354.7	BLDG 1354	IR Heater	0.06	mmBtu/hr	NG	317.01.b.i(7)
EC1354.8	BLDG 1354	IR Heater	0.06	mmBtu/hr	NG	317.01.b.i(7)
EC1354.9	BLDG 1354	IR Heater	0.06	mmBtu/hr	NG	317.01.b.i(7)
EC1355	BLDG 1355	Heater	0.05	mmBtu/hr	NG	317.01.b.i(7)
EC1356.1	BLDG 1356	IR Heater	0.06	mmBtu/hr	NG	317.01.b.i(7)
EC1356.2	BLDG 1356	IR Heater	0.06	mmBtu/hr	NG	317.01.b.i(7)
EC1359.1	BLDG 1359	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC1359.2	BLDG 1359	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC1359.3	BLDG 1359	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC1359.4	BLDG 1359	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC1359.5	BLDG 1359	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC1359.6	BLDG 1359	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC1359.7	BLDG 1359	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC1359.8	BLDG 1359	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC1359.9	BLDG 1359	Heater	0.13	mmBtu/hr	NG	317.01.b.i(7)
EC1359.10	BLDG 1359	Heater	0.13	mmBtu/hr	NG	317.01.b.i(7)
EC1359.11	BLDG 1359	Steam Unit	0.44	mmBtu/hr	NG	317.01.b.i(7)
EC1359.12	BLDG 1359	Steam Unit	0.44	mmBtu/hr	NG	317.01.b.i(7)
EC1360.1	BLDG 1360	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC1360.2	BLDG 1360	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC1360.3	BLDG 1360	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC1360.4	BLDG 1360	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC1361.1	BLDG 1361	Heater	0.2	mmBtu/hr	NG	317.01.b.i(7)
EC1361.2	BLDG 1361	Heater	0.2	mmBtu/hr	NG	317.01.b.i(7)
EC1361.3	BLDG 1361	Heater	0.2	mmBtu/hr	NG	317.01.b.i(7)
EC1361.4	BLDG 1361	Heater	0.2	mmBtu/hr	NG	317.01.b.i(7)
EC1361.5	BLDG 1361	Heater	0.2	mmBtu/hr	NG	317.01.b.i(7)
EC1361.6	BLDG 1361	Heater	0.2	mmBtu/hr	NG	317.01.b.i(7)
EC1361.7	BLDG 1361	Heater	0.2	mmBtu/hr	NG	317.01.b.i(7)
EC1361.8	BLDG 1361	Heater	0.2	mmBtu/hr	NG	317.01.b.i(7)
EC1361.9	BLDG 1361	Heater	0.2	mmBtu/hr	NG	317.01.b.i(7)
EC1362.1	BLDG 1362	Heater	0.175	mmBtu/hr	NG	317.01.b.i(7)
EC1362.2	BLDG 1362	Heater	0.175	mmBtu/hr	NG	317.01.b.i(7)
EC1363.1	BLDG 1363	Boiler	0.3	mmBtu/hr	NG	317.01.b.i(7)
EC1363.2	BLDG 1363	Furnace	0.3	mmBtu/hr	NG	317.01.b.i(7)
EC1363.3	BLDG 1363	Furnace	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC1364.1	BLDG 1364	Boiler	0.3	mmBtu/hr	NG	317.01.b.i(7)
EC1364.2	BLDG 1364	Furnace	0.3	mmBtu/hr	NG	317.01.b.i(7)
EC1364.3	BLDG 1364	Furnace	0.08	mmBtu/hr	NG	317.01.b.i(7)
EC1365.1	BLDG 1365	Boiler	0.399	mmBtu/hr	NG	317.01.b.i(7)
EC1365.2	BLDG 1365	Furnace	0.399	mmBtu/hr	NG	317.01.b.i(7)
EC1367.1	BLDG 1367	Heater	0.2	mmBtu/hr	NG	317.01.b.i(7)
EC1367.2	BLDG 1367	Heater	0.2	mmBtu/hr	NG	317.01.b.i(7)
EC1390	BLDG 1390	FA Furnace	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC1402	BLDG 1402	Heater	0.05	mmBtu/hr	NG	317.01.b.i(7)
EC1506	BLDG 1506	HWH	0.563	mmBtu/hr	NG	317.01.b.i(7)
EC1610	BLDG 1610		0.3	mmBtu/hr	NG	317.01.b.i(7)
EC1612	BLDG 1612	HWH	1.037	mmBtu/hr	NG	317.01.b.i(5)
EC1613	BLDG 1613	Boiler	1	mmBtu/hr	NG	317.01.b.i(5)

Table D-12.2.2.1-5-1
Insignificant Activities
Summary of External Combustion Engines

Em. Source ID	Location	Emission Source	Rated Heat Input Capacity	Power Rating Units	Fuel	IDAPA 58.01.01.
EC1784.1	BLDG 1784		0.27	mmBtu/hr	NG	317.01.b.i(7)
EC1784.2	BLDG 1784		0.27	mmBtu/hr	NG	317.01.b.i(7)
EC1784.3	BLDG 1784	HWH	0.199	mmBtu/hr	NG	317.01.b.i(7)
EC1784.4	BLDG 1784		0.756	mmBtu/hr	NG	317.01.b.i(7)
EC1784.5	BLDG 1784		0.54	mmBtu/hr	NG	317.01.b.i(7)
EC1786.1	BLDG 1786		0.27	mmBtu/hr	NG	317.01.b.i(7)
EC1786.2	BLDG 1786	HWH	0.199	mmBtu/hr	NG	317.01.b.i(7)
EC1786.3	BLDG 1786		0.24	mmBtu/hr	NG	317.01.b.i(7)
EC1788.1	BLDG 1788		0.75	mmBtu/hr	NG	317.01.b.i(7)
EC1788.2	BLDG 1788	Ceiling Heater	0.249	mmBtu/hr	NG	317.01.b.i(7)
EC1788.3	BLDG 1788	DHW	0.154	mmBtu/hr	NG	317.01.b.i(7)
EC1790.1	BLDG 1790	Ceiling Heater	0.08	mmBtu/hr	NG	317.01.b.i(7)
EC1790.2	BLDG 1790	Ceiling Heater	0.08	mmBtu/hr	NG	317.01.b.i(7)
EC1790.3	BLDG 1790	Ceiling Heater	0.08	mmBtu/hr	NG	317.01.b.i(7)
EC1790.4	BLDG 1790	Ceiling Heater	0.08	mmBtu/hr	NG	317.01.b.i(7)
EC1790.5	BLDG 1790	Ceiling Heater	0.08	mmBtu/hr	NG	317.01.b.i(7)
EC1790.6	BLDG 1790	Ceiling Heater	0.08	mmBtu/hr	NG	317.01.b.i(7)
EC1790.7	BLDG 1790	HWH	0.04	mmBtu/hr	NG	317.01.b.i(7)
EC1794.1	BLDG 1794		0.08	mmBtu/hr	NG	317.01.b.i(7)
EC1794.2	BLDG 1794		0.08	mmBtu/hr	NG	317.01.b.i(7)
EC1800.1	BLDG 1800	Ceiling Heater	0.15	mmBtu/hr	NG	317.01.b.i(7)
EC1800.2	BLDG 1800	Ceiling Heater	0.15	mmBtu/hr	NG	317.01.b.i(7)
EC1804	BLDG 1804	FA Furnace	0.35	mmBtu/hr	Diesel	317.01.b.i(7)
EC1806	BLDG 1806	Furnace	0.085	mmBtu/hr	Diesel	317.01.b.i(7)
EC2192.1	BLDG 2192	Ceiling Heater	0.025	mmBtu/hr	NG	317.01.b.i(7)
EC2192.2	BLDG 2192	Ceiling Heater	0.025	mmBtu/hr	NG	317.01.b.i(7)
EC2206.1	BLDG 2206	Boiler	0.225	mmBtu/hr	NG	317.01.b.i(7)
EC2206.2	BLDG 2206	DHW	0.35	mmBtu/hr	NG	317.01.b.i(7)
EC2209.1	BLDG 2209	Boiler	1.4	mmBtu/hr	NG	317.01.b.i(5)
EC2209.2	BLDG 2209	Hot Water Spray	0.245	mmBtu/hr	Liquid Petroleum	317.01.b.i(7)
EC2215.1	BLDG 2215	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC2215.2	BLDG 2215	IR Heater	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC2215.3	BLDG 2215	Boiler	0.91	mmBtu/hr	NG	317.01.b.i(7)
EC2215.4	BLDG 2215	Furnace	1	mmBtu/hr	NG	317.01.b.i(5)
EC2310.1	BLDG 2310		0.3	mmBtu/hr	NG	317.01.b.i(7)
EC2310.2	BLDG 2310		1	mmBtu/hr	NG	317.01.b.i(5)
EC2312.1	BLDG 2312		1	mmBtu/hr	NG	317.01.b.i(5)
EC2312.2	BLDG 2312		1.2	mmBtu/hr	NG	317.01.b.i(5)
EC2314.1	BLDG 2314		1.4	mmBtu/hr	NG	317.01.b.i(5)
EC2314.2	BLDG 2314		1.4	mmBtu/hr	NG	317.01.b.i(5)
EC2314.3	BLDG 2314		1.825	mmBtu/hr	NG	317.01.b.i(5)
EC2316.1	BLDG 2316		1	mmBtu/hr	NG	317.01.b.i(5)
EC2316.2	BLDG 2316		1.4	mmBtu/hr	NG	317.01.b.i(5)
EC2316.3	BLDG 2316		1.999	mmBtu/hr	NG	317.01.b.i(5)
EC2316.4	BLDG 2316		1.2	mmBtu/hr	NG	317.01.b.i(5)
EC2316.5	BLDG 2316		2.1	mmBtu/hr	NG	317.01.b.i(5)
EC2318.1	BLDG 2318		1.255	mmBtu/hr	NG	317.01.b.i(5)
EC2318.2	BLDG 2318		1.255	mmBtu/hr	NG	317.01.b.i(5)
EC2320.1	BLDG 2320		0.12	mmBtu/hr	NG	317.01.b.i(7)
EC2320.2	BLDG 2320		1	mmBtu/hr	NG	317.01.b.i(5)

Table D-12.2.2.1-5-1
Insignificant Activities
Summary of External Combustion Engines

Em. Source ID	Location	Emission Source	Rated Heat Input Capacity	Power Rating Units	Fuel	IDAPA 58.01.01.
EC2370.1	BLDG 2370	Boiler	0.348	mmBtu/hr	NG	317.01.b.i(7)
EC2370.2	BLDG 2370	DHW	1.999	mmBtu/hr	NG	317.01.b.i(5)
EC2370.3	BLDG 2370	Furnace	1	mmBtu/hr	NG	317.01.b.i(5)
EC2370.4	BLDG 2370	Furnace	1.01	mmBtu/hr	NG	317.01.b.i(5)
EC2370.5	BLDG 2370	Furnace	0.224	mmBtu/hr	NG	317.01.b.i(5)
EC2370.6	BLDG 2370	Furnace	0.5	mmBtu/hr	NG	317.01.b.i(7)
EC2370.7	BLDG 2370	HWH	1	mmBtu/hr	NG	317.01.b.i(5)
EC2371	BLDG 2371	Furnace	1.4	mmBtu/hr	NG	317.01.b.i(5)
EC2408	BLDG 2408		0.399	mmBtu/hr	NG	317.01.b.i(7)
EC2412.1	BLDG 2412	DHW	1.2	mmBtu/hr	NG	317.01.b.i(5)
EC2412.2	BLDG 2412	Boiler	1.5	mmBtu/hr	NG	317.01.b.i(5)
EC2412.3	BLDG 2412	Boiler	1.5	mmBtu/hr	NG	317.01.b.i(5)
EC2416.1	BLDG 2416	DHW	1	mmBtu/hr	NG	317.01.b.i(5)
EC2416.2	BLDG 2416	Boiler	1.255	mmBtu/hr	NG	317.01.b.i(5)
EC2422.1	BLDG 2422	Boiler	1.255	mmBtu/hr	NG	317.01.b.i(5)
EC2422.2	BLDG 2422	Boiler	1.255	mmBtu/hr	NG	317.01.b.i(5)
EC2425.1	BLDG 2425	Boiler	1.255	mmBtu/hr	NG	317.01.b.i(5)
EC2425.2	BLDG 2425	Boiler	1.255	mmBtu/hr	NG	317.01.b.i(5)
EC2427	BLDG 2427		0.3	mmBtu/hr	NG	317.01.b.i(7)
EC2428	BLDG 2428		0.95	mmBtu/hr	NG	317.01.b.i(7)
EC2601.1	BLDG 2601	DHW	0.52	mmBtu/hr	NG	317.01.b.i(7)
EC2601.2	BLDG 2601	Boiler	1	mmBtu/hr	NG	317.01.b.i(5)
EC2603.1	BLDG 2603	DHW	0.52	mmBtu/hr	NG	317.01.b.i(7)
EC2603.2	BLDG 2603	Boiler	1	mmBtu/hr	NG	317.01.b.i(5)
EC2604.1	BLDG 2604	DHW	0.52	mmBtu/hr	NG	317.01.b.i(7)
EC2604.2	BLDG 2604	Boiler	1	mmBtu/hr	NG	317.01.b.i(5)
EC2606.1	BLDG 2606		0.25	mmBtu/hr	NG	317.01.b.i(7)
EC2606.2	BLDG 2606		0.12	mmBtu/hr	NG	317.01.b.i(7)
EC2606.3	BLDG 2606		0.84	mmBtu/hr	NG	317.01.b.i(7)
EC2607	BLDG 2607		1.4	mmBtu/hr	NG	317.01.b.i(5)
EC2610.1	BLDG 2610		0.95	mmBtu/hr	NG	317.01.b.i(7)
EC2610.2	BLDG 2610		0.95	mmBtu/hr	NG	317.01.b.i(7)
EC2610.3	BLDG 2610		0.163	mmBtu/hr	NG	317.01.b.i(7)
EC2610.4	BLDG 2610		0.163	mmBtu/hr	NG	317.01.b.i(7)
EC2618.1	BLDG 2618		0.329	mmBtu/hr	NG	317.01.b.i(7)
EC2618.2	BLDG 2618		0.95	mmBtu/hr	NG	317.01.b.i(7)
EC2618.3	BLDG 2618		0.95	mmBtu/hr	NG	317.01.b.i(7)
EC2623	BLDG 2623		0.75	mmBtu/hr	NG	317.01.b.i(7)
EC2630.1	BLDG 2630	FA Furnace	0.075	mmBtu/hr	NG	317.01.b.i(7)
EC2630.2	BLDG 2630	FA Furnace	0.075	mmBtu/hr	NG	317.01.b.i(7)
EC2630.3	BLDG 2630	FA Furnace	0.075	mmBtu/hr	NG	317.01.b.i(7)
EC2630.4	BLDG 2630	Ceiling Heater	0.03	mmBtu/hr	NG	317.01.b.i(7)
EC2630.5	BLDG 2630	HWH	0.075	mmBtu/hr	NG	317.01.b.i(7)
EC2700.1	BLDG 2700	Fryer	0.075	mmBtu/hr	NG	317.01.b.i(7)
EC2700.2	BLDG 2700	Fryer	0.075	mmBtu/hr	NG	317.01.b.i(7)
EC2700.3	BLDG 2700	Fryer	0.075	mmBtu/hr	NG	317.01.b.i(7)
EC2700.4	BLDG 2700	Fryer	0.075	mmBtu/hr	NG	317.01.b.i(7)
EC2700.5	BLDG 2700	Fryer	0.075	mmBtu/hr	NG	317.01.b.i(7)
EC2700.6	BLDG 2700	Fryer	0.08	mmBtu/hr	NG	317.01.b.i(7)
EC2706.1	BLDG 2706	DHW	0.199	mmBtu/hr	NG	317.01.b.i(7)

Table D-12.2.2.1-5-1
Insignificant Activities
Summary of External Combustion Engines

Em. Source ID	Location	Emission Source	Rated Heat Input Capacity	Power Rating Units	Fuel	IDAPA 58.01.01.
EC2706.2	BLDG 2706	Boiler	3.55	mmBtu/hr	NG	317.01.b.i(5)
EC2805.1	BLDG 2805	Boiler	0.26	mmBtu/hr	NG	317.01.b.i(7)
EC2805.2	BLDG 2805	Boiler	0.688	mmBtu/hr	NG	317.01.b.i(7)
EC2806	BLDG 2806	Boiler	0.5	mmBtu/hr	NG	317.01.b.i(7)
EC2807	BLDG 2807	Boiler	0.6	mmBtu/hr	NG	317.01.b.i(7)
EC2830	BLDG 2830	Boiler	0.95	mmBtu/hr	NG	317.01.b.i(7)
EC2990.1	BLDG 2990		0.85	mmBtu/hr	NG	317.01.b.i(7)
EC2990.2	BLDG 2990		0.06	mmBtu/hr	NG	317.01.b.i(7)
EC3016	BLDG 3016	Boiler	0.1	mmBtu/hr	NG	317.01.b.i(7)
EC3018	BLDG 3018	Boiler	0.25	mmBtu/hr	NG	317.01.b.i(7)
EC3020.1	BLDG 3020	Boiler	0.789	mmBtu/hr	NG	317.01.b.i(7)
EC3020.2	BLDG 3020	Boiler	0.789	mmBtu/hr	NG	317.01.b.i(7)
EC3023	BLDG 3023	Boiler	1.025	mmBtu/hr	NG	317.01.b.i(5)
EC3509	BLDG 3509	Furnace	0.188	mmBtu/hr	Deisel	317.01.b.i(7)
EC4109	BLDG 4109	Boiler	0.325	mmBtu/hr	NG	317.01.b.i(7)
EC4200.1	BLDG 4200	Boiler	0.5	mmBtu/hr	NG	317.01.b.i(7)
EC4200.2	BLDG 4200	Furnace	0.125	mmBtu/hr	NG	317.01.b.i(7)
EC4401.1	BLDG 4401	FA Furnace	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC4401.2	BLDG 4401	FA Furnace	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC4827.1	BLDG 4827	Ceiling Heater	0.025	mmBtu/hr	NG	317.01.b.i(7)
EC4827.2	BLDG 4827	Ceiling Heater	0.025	mmBtu/hr	NG	317.01.b.i(7)
EC6000.1	BLDG 6000	Dual Fuel Boiler	0.105	mmBtu/hr	NG	317.01.b.i(7)
EC6000.2	BLDG 6000	Dual Fuel Boiler	5.231	mmBtu/hr	NG	317.01.b.i(5)
EC6000.3	BLDG 6000	Dual Fuel Boiler	5.231	mmBtu/hr	NG	317.01.b.i(5)
EC6000.4	BLDG 6000	Dual Fuel Boiler	5.231	mmBtu/hr	NG	317.01.b.i(5)
EC6003.1	BLDG 6003	Furnace	0.06	mmBtu/hr	NG	317.01.b.i(7)
EC6003.2	BLDG 6003	IR Heater	0.084	mmBtu/hr	NG	317.01.b.i(7)
EC6003.3	BLDG 6003	IR Heater	0.084	mmBtu/hr	NG	317.01.b.i(7)
EC6003.4	BLDG 6003	IR Heater	0.084	mmBtu/hr	NG	317.01.b.i(7)
EC6003.5	BLDG 6003	IR Heater	0.084	mmBtu/hr	NG	317.01.b.i(7)
EC6003.6	BLDG 6003	IR Heater	0.084	mmBtu/hr	NG	317.01.b.i(7)
EC6003.7	BLDG 6003	IR Heater	0.084	mmBtu/hr	NG	317.01.b.i(7)
EC6003.8	BLDG 6003	IR Heater	0.084	mmBtu/hr	NG	317.01.b.i(7)
EC6003.9	BLDG 6003	IR Heater	0.084	mmBtu/hr	NG	317.01.b.i(7)
EC6210.1	BLDG 6210	IR Heater	0.075	mmBtu/hr	NG	317.01.b.i(7)
EC6210.2	BLDG 6210	Heater	0.03	mmBtu/hr	NG	317.01.b.i(7)
EC6300.1	BLDG 6300	DHW	0.08	mmBtu/hr	NG	317.01.b.i(7)
EC6300.2	BLDG 6300	FA Furnace	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC6300.3	BLDG 6300	FA Furnace	0.12	mmBtu/hr	NG	317.01.b.i(7)
EC6300.4	BLDG 6300	IR Heater	0.07	mmBtu/hr	NG	317.01.b.i(7)
EC6300.5	BLDG 6300	IR Heater	0.07	mmBtu/hr	NG	317.01.b.i(7)
EC7001	BLDG 7001	FA Furnace	0.08	mmBtu/hr	NG	317.01.b.i(7)
EC31074	BLDG 31074	Boiler	1.35	mmBtu/hr	NG	317.01.b.i(5)
EC31075	BLDG 31075	Boiler	0.95	mmBtu/hr	NG	317.01.b.i(7)

Table D-12.2.2.1-5-2
Insignificant Activities
External Combustion Criteria Pollutant PTE

Em. Source ID	Location	Emission Source	Controlled (Low NOx)	Rated Heat Input Capacity	Heat inupt Units	Rated Heat Input Capacity	Heat inupt Units	Fuel	NOx tpy	CO tpy	SOx tpy	PM_{10} tpy	VOC tpy
EC0180.1	BLDG 180	Boiler		1	mmBtu/hr	8.34	10^6 scf/yr	NG	0.417	0.350	0.003	0.032	0.023
EC0180.2	BLDG 180	Furnace		0.08	mmBtu/hr	0.67	10^6 scf/yr	NG	0.031	0.013	0.000	0.003	0.002
EC0180.3	BLDG 180	Furnace		0.08	mmBtu/hr	0.67	10^6 scf/yr	NG	0.031	0.013	0.000	0.003	0.002
EC0182.1	BLDG 182	DHW		0.04	mmBtu/hr	0.33	10^6 scf/yr	NG	0.016	0.007	0.000	0.001	0.001
EC0182.2	BLDG 182	Furnace		0.04	mmBtu/hr	0.33	10^6 scf/yr	NG	0.016	0.007	0.000	0.001	0.001
EC0182.3	BLDG 182	Furnace		0.08	mmBtu/hr	0.67	10^6 scf/yr	NG	0.031	0.013	0.000	0.003	0.002
EC0182.4	BLDG 182	Furnace		0.08	mmBtu/hr	0.67	10^6 scf/yr	NG	0.031	0.013	0.000	0.003	0.002
EC0195.1	BLDG 195	DHW		0.197	mmBtu/hr	1.64	10^6 scf/yr	NG	0.077	0.033	0.000	0.006	0.005
EC0195.2	BLDG 195	DHW		0.197	mmBtu/hr	1.64	10^6 scf/yr	NG	0.077	0.033	0.000	0.006	0.005
EC0195.3	BLDG 195	Boiler		2.45	mmBtu/hr	20.44	10^6 scf/yr	NG	1.022	0.858	0.006	0.078	0.056
EC0195.4	BLDG 195	Boiler		0.85	mmBtu/hr	7.09	10^6 scf/yr	NG	0.355	0.298	0.002	0.027	0.020
EC0196.1	BLDG 196	IR Heater		0.08	mmBtu/hr	0.67	10^6 scf/yr	NG	0.031	0.013	0.000	0.003	0.002
EC0196.2	BLDG 196	IR Heater		0.08	mmBtu/hr	0.67	10^6 scf/yr	NG	0.031	0.013	0.000	0.003	0.002
EC0196.3	BLDG 196	IR Heater		0.08	mmBtu/hr	0.67	10^6 scf/yr	NG	0.031	0.013	0.000	0.003	0.002
EC0196.4	BLDG 196	IR Heater		0.08	mmBtu/hr	0.67	10^6 scf/yr	NG	0.031	0.013	0.000	0.003	0.002
EC0196.5	BLDG 196	IR Heater		0.08	mmBtu/hr	0.67	10^6 scf/yr	NG	0.031	0.013	0.000	0.003	0.002
EC0196.6	BLDG 196	Boiler		0.32	mmBtu/hr	2.67	10^6 scf/yr	NG	0.133	0.112	0.001	0.010	0.007
EC0196.7	BLDG 196	Boiler		0.52	mmBtu/hr	4.34	10^6 scf/yr	NG	0.217	0.182	0.001	0.016	0.012
EC0197.1	BLDG 197	Heater		0.027	mmBtu/hr	0.23	10^6 scf/yr	NG	0.011	0.005	0.000	0.001	0.001
EC0197.2	BLDG 197	HWH		0.065	mmBtu/hr	0.54	10^6 scf/yr	NG	0.025	0.011	0.000	0.002	0.001
EC0197.3	BLDG 197	Heater		0.027	mmBtu/hr	0.23	10^6 scf/yr	NG	0.011	0.005	0.000	0.001	0.001
EC0198.1	BLDG 198	Boiler	Low NOx	1.5	mmBtu/hr	12.51	10^6 scf/yr	NG	0.313	0.526	0.004	0.048	0.034
EC0198.2	BLDG 198	Boiler	Low NOx	1.5	mmBtu/hr	12.51	10^6 scf/yr	NG	0.313	0.526	0.004	0.048	0.034
EC0198.3	BLDG 198	Boiler	Low NOx	1.5	mmBtu/hr	12.51	10^6 scf/yr	NG	0.313	0.526	0.004	0.048	0.034
EC0198.4	BLDG 198	Boiler	Low NOx	1.5	mmBtu/hr	12.51	10^6 scf/yr	NG	0.313	0.526	0.004	0.048	0.034
EC0198.5	BLDG 198	Heater		0.45	mmBtu/hr	3.75	10^6 scf/yr	NG	0.188	0.158	0.001	0.014	0.010
EC0200.1	BLDG 200	Boiler		1.8	mmBtu/hr	15.02	10^6 scf/yr	NG	0.706	0.300	0.005	0.057	0.041
EC0200.2	BLDG 200	Boiler		1.8	mmBtu/hr	15.02	10^6 scf/yr	NG	0.706	0.300	0.005	0.057	0.041
EC0200.3	BLDG 200	Boiler		1.8	mmBtu/hr	15.02	10^6 scf/yr	NG	0.706	0.300	0.005	0.057	0.041
EC0200.4	BLDG 200	Boiler		1.8	mmBtu/hr	15.02	10^6 scf/yr	NG	0.706	0.300	0.005	0.057	0.041
EC0200.5	BLDG 200	Furnace		0.25	mmBtu/hr	2.09	10^6 scf/yr	NG	0.098	0.042	0.001	0.008	0.006
EC0201.1	BLDG 201	Boiler		1.26	mmBtu/hr	10.51	10^6 scf/yr	NG	0.526	0.442	0.003	0.040	0.029
EC0201.2	BLDG 201	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC0201.3	BLDG 201	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC0201.4	BLDG 201	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC0201.5	BLDG 201	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC0201.6	BLDG 201	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC0201.7	BLDG 201	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC0201.8	BLDG 201	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC0201.9	BLDG 201	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC0201.10	BLDG 201	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC0201.11	BLDG 201	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC0201.12	BLDG 201	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003

Table D-12.2.2.1-5-2
Insignificant Activities
External Combustion Criteria Pollutant PTE

Em. Source ID	Location	Emission Source	Controlled (Low NOx)	Rated Heat Input Capacity	Heat inupt Units	Rated Heat Input Capacity	Heat inupt Units	Fuel	NOx tpy	CO tpy	SOx tpy	PM_{10} tpy	VOC tpy
EC0180.1	BLDG 180	Boiler		1	mmBtu/hr	8.34	10^6 scf/yr	NG	0.417	0.350	0.003	0.032	0.023
EC0201.13	BLDG 201	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC0201.14	BLDG 201	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC0201.15	BLDG 201	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC0201.16	BLDG 201	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC0201.17	BLDG 201	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC0204.1	BLDG 204	Boiler		0.42	mmBtu/hr	3.50	10^6 scf/yr	NG	0.175	0.147	0.001	0.013	0.010
EC0204.2	BLDG 204	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC0204.3	BLDG 204	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC0204.4	BLDG 204	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC0204.5	BLDG 204	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC0204.6	BLDG 204	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC0204.7	BLDG 204	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC0204.8	BLDG 204	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC0204.9	BLDG 204	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC0204.10	BLDG 204	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC0204.11	BLDG 204	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC0204.12	BLDG 204	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC0204.13	BLDG 204	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC0204.14	BLDG 204	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC0204.15	BLDG 204	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC0204.16	BLDG 204	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC0204.17	BLDG 204	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC0205.1	BLDG 205	Boiler		0.42	mmBtu/hr	3.50	10^6 scf/yr	NG	0.175	0.147	0.001	0.013	0.010
EC0205.2	BLDG 205	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC0205.3	BLDG 205	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC0205.4	BLDG 205	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC0205.5	BLDG 205	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC0205.6	BLDG 205	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC0205.7	BLDG 205	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC0205.8	BLDG 205	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC0205.9	BLDG 205	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC0205.10	BLDG 205	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC0205.11	BLDG 205	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC0205.12	BLDG 205	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC0205.13	BLDG 205	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC0205.14	BLDG 205	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC0205.15	BLDG 205	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC0205.16	BLDG 205	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC0205.17	BLDG 205	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC0206.1	BLDG 206	Boiler		0.645	mmBtu/hr	5.38	10^6 scf/yr	NG	0.269	0.226	0.002	0.020	0.015
EC0206.2	BLDG 206	Steam Unit		0.325	mmBtu/hr	2.71	10^6 scf/yr	NG	0.136	0.114	0.001	0.010	0.007
EC0206.3	BLDG 206	Steam Unit		0.325	mmBtu/hr	2.71	10^6 scf/yr	NG	0.136	0.114	0.001	0.010	0.007

Table D-12.2.2.1-5-2
Insignificant Activities
External Combustion Criteria Pollutant PTE

Em. Source ID	Location	Emission Source	Controlled (Low NOx)	Rated Heat Input Capacity	Heat inupt Units	Rated Heat Input Capacity	Heat inupt Units	Fuel	NOx tpy	CO tpy	SOx tpy	PM_{10} tpy	VOC tpy
EC0180.1	BLDG 180	Boiler		1	mmBtu/hr	8.34	10^6 scf/yr	NG	0.417	0.350	0.003	0.032	0.023
EC0206.4	BLDG 206	Boiler		1	mmBtu/hr	8.34	10^6 scf/yr	NG	0.417	0.350	0.003	0.032	0.023
EC0206.5	BLDG 206	Boiler		1	mmBtu/hr	8.34	10^6 scf/yr	NG	0.417	0.350	0.003	0.032	0.023
EC0206.6	BLDG 206	IR Heater		0.08	mmBtu/hr	0.67	10^6 scf/yr	NG	0.031	0.013	0.000	0.003	0.002
EC0206.7	BLDG 206	IR Heater		0.08	mmBtu/hr	0.67	10^6 scf/yr	NG	0.031	0.013	0.000	0.003	0.002
EC0206.8	BLDG 206	IR Heater		0.08	mmBtu/hr	0.67	10^6 scf/yr	NG	0.031	0.013	0.000	0.003	0.002
EC0206.9	BLDG 206	IR Heater		0.08	mmBtu/hr	0.67	10^6 scf/yr	NG	0.031	0.013	0.000	0.003	0.002
EC0206.10	BLDG 206	IR Heater		0.08	mmBtu/hr	0.67	10^6 scf/yr	NG	0.031	0.013	0.000	0.003	0.002
EC0206.11	BLDG 206	IR Heater		0.08	mmBtu/hr	0.67	10^6 scf/yr	NG	0.031	0.013	0.000	0.003	0.002
EC0206.12	BLDG 206	IR Heater		0.08	mmBtu/hr	0.67	10^6 scf/yr	NG	0.031	0.013	0.000	0.003	0.002
EC0206.13	BLDG 206	IR Heater		0.08	mmBtu/hr	0.67	10^6 scf/yr	NG	0.031	0.013	0.000	0.003	0.002
EC0206.14	BLDG 206	IR Heater		0.08	mmBtu/hr	0.67	10^6 scf/yr	NG	0.031	0.013	0.000	0.003	0.002
EC0206.15	BLDG 206	IR Heater		0.08	mmBtu/hr	0.67	10^6 scf/yr	NG	0.031	0.013	0.000	0.003	0.002
EC0206.16	BLDG 206	IR Heater		0.08	mmBtu/hr	0.67	10^6 scf/yr	NG	0.031	0.013	0.000	0.003	0.002
EC0206.17	BLDG 206	IR Heater		0.08	mmBtu/hr	0.67	10^6 scf/yr	NG	0.031	0.013	0.000	0.003	0.002
EC0208.1	BLDG 208	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC0208.2	BLDG 208	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC0208.3	BLDG 208	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC0208.4	BLDG 208	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC0208.5	BLDG 208	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC0208.6	BLDG 208	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC0208.7	BLDG 208	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC0208.8	BLDG 208	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC0208.9	BLDG 208	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC0208.10	BLDG 208	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC0208.11	BLDG 208	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC0208.12	BLDG 208	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC0208.13	BLDG 208	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC0208.14	BLDG 208	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC0208.15	BLDG 208	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC0208.16	BLDG 208	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC0210.1	BLDG 210	Boiler		0.1	mmBtu/hr	0.83	10^6 scf/yr	NG	0.039	0.017	0.000	0.003	0.002
EC0210.2	BLDG 210	DHW		0.199	mmBtu/hr	1.66	10^6 scf/yr	NG	0.078	0.033	0.000	0.006	0.005
EC0210.3	BLDG 210	IR Heater		0.04	mmBtu/hr	0.33	10^6 scf/yr	NG	0.016	0.007	0.000	0.001	0.001
EC0210.4	BLDG 210	IR Heater		0.04	mmBtu/hr	0.33	10^6 scf/yr	NG	0.016	0.007	0.000	0.001	0.001
EC0211.1	BLDG 211	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC0211.2	BLDG 211	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC0211.3	BLDG 211	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC0211.4	BLDG 211	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC0211.5	BLDG 211	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC0211.6	BLDG 211	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC0211.7	BLDG 211	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC0211.8	BLDG 211	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003

Table D-12.2.2.1-5-2
Insignificant Activities
External Combustion Criteria Pollutant PTE

Em. Source ID	Location	Emission Source	Controlled (Low NOx)	Rated Heat Input Capacity	Heat inupt Units	Rated Heat Input Capacity	Heat inupt Units	Fuel	NOx tpy	CO tpy	SOx tpy	PM_{10} tpy	VOC tpy
EC0180.1	BLDG 180	Boiler		1	mmBtu/hr	8.34	10^6 scf/yr	NG	0.417	0.350	0.003	0.032	0.023
EC0211.9	BLDG 211	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC0211.10	BLDG 211	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC0211.11	BLDG 211	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC0211.12	BLDG 211	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC0211.13	BLDG 211	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC0211.14	BLDG 211	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC0211.15	BLDG 211	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC0211.16	BLDG 211	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC0211.17	BLDG 211	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC0211.18	BLDG 211	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC0211.19	BLDG 211	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC0211.20	BLDG 211	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC0211.21	BLDG 211	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC0211.22	BLDG 211	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC0211.23	BLDG 211	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC0211.24	BLDG 211	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC0211.25	BLDG 211	Furnace		0.15	mmBtu/hr	1.25	10^6 scf/yr	NG	0.059	0.025	0.000	0.005	0.003
EC0211.26	BLDG 211	Furnace		0.15	mmBtu/hr	1.25	10^6 scf/yr	NG	0.059	0.025	0.000	0.005	0.003
EC0211.27	BLDG 211	Furnace		0.296	mmBtu/hr	2.47	10^6 scf/yr	NG	0.116	0.049	0.001	0.009	0.007
EC0211.28	BLDG 211	Furnace		0.296	mmBtu/hr	2.47	10^6 scf/yr	NG	0.116	0.049	0.001	0.009	0.007
EC0224	BLDG 224	Furnace		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC0262	BLDG 262	Boiler		0.95	mmBtu/hr	7.93	10^6 scf/yr	NG	0.396	0.333	0.002	0.030	0.022
EC0263.1	BLDG 263	Boiler		0.63	mmBtu/hr	5.26	10^6 scf/yr	NG	0.263	0.221	0.002	0.020	0.014
EC0263.2	BLDG 263			0	mmBtu/hr	0.00	10^6 scf/yr	NG	0.000	0.000	0.000	0.000	0.000
EC0263.3	BLDG 263			0	mmBtu/hr	0.00	10^6 scf/yr	NG	0.000	0.000	0.000	0.000	0.000
EC0272	BLDG 272	Boiler		0.5	mmBtu/hr	4.17	10^6 scf/yr	NG	0.209	0.175	0.001	0.016	0.011
EC0273	BLDG 273	Boiler		0.5	mmBtu/hr	4.17	10^6 scf/yr	NG	0.209	0.175	0.001	0.016	0.011
EC0277	BLDG 277	Furnace		0.5	mmBtu/hr	4.17	10^6 scf/yr	NG	0.209	0.175	0.001	0.016	0.011
EC0278	BLDG 278	Boiler		0.95	mmBtu/hr	7.93	10^6 scf/yr	NG	0.396	0.333	0.002	0.030	0.022
EC0291.1	BLDG 291	Boiler		0.95	mmBtu/hr	7.93	10^6 scf/yr	NG	0.396	0.333	0.002	0.030	0.022
EC0291.2	BLDG 291	Boiler		0.95	mmBtu/hr	7.93	10^6 scf/yr	NG	0.396	0.333	0.002	0.030	0.022
EC0315.1	BLDG 315	Heater		0.1	mmBtu/hr	0.83	10^6 scf/yr	NG	0.039	0.017	0.000	0.003	0.002
EC0315.2	BLDG 315	Heater		0.1	mmBtu/hr	0.83	10^6 scf/yr	NG	0.039	0.017	0.000	0.003	0.002
EC0315.3	BLDG 315	Heater		0.1	mmBtu/hr	0.83	10^6 scf/yr	NG	0.039	0.017	0.000	0.003	0.002
EC0315.4	BLDG 315	Heater		0.1	mmBtu/hr	0.83	10^6 scf/yr	NG	0.039	0.017	0.000	0.003	0.002
EC0315.5	BLDG 315	FA Furnace		0.25	mmBtu/hr	2.09	10^6 scf/yr	NG	0.098	0.042	0.001	0.008	0.006
EC0325	BLDG 325	Boiler	Low NOx	0.399	mmBtu/hr	3.33	10^6 scf/yr	NG	0.083	0.140	0.001	0.013	0.009
EC0331	BLDG 331	Ceiling Heater		0.15	mmBtu/hr	1.25	10^6 scf/yr	NG	0.059	0.025	0.000	0.005	0.003
EC0510	BLDG 510		Low NOx	0.3	mmBtu/hr	2.50	10^6 scf/yr	NG	0.063	0.105	0.001	0.010	0.007
EC0512.1	BLDG 512	Boiler	Low NOx	1.4	mmBtu/hr	11.68	10^6 scf/yr	NG	0.292	0.491	0.004	0.044	0.032
EC0512.2	BLDG 512	Boiler	Low NOx	1.4	mmBtu/hr	11.68	10^6 scf/yr	NG	0.292	0.491	0.004	0.044	0.032
EC0603	BLDG 603	Boiler		1.26	mmBtu/hr	10.51	10^6 scf/yr	NG	0.526	0.442	0.003	0.040	0.029

Table D-12.2.2.1-5-2
Insignificant Activities
External Combustion Criteria Pollutant PTE

Em. Source ID	Location	Emission Source	Controlled (Low NOx)	Rated Heat Input Capacity	Heat inupt Units	Rated Heat Input Capacity	Heat inupt Units	Fuel	NOx tpy	CO tpy	SOx tpy	PM_{10} tpy	VOC tpy
EC0180.1	BLDG 180	Boiler		1	mmBtu/hr	8.34	10^6 scf/yr	NG	0.417	0.350	0.003	0.032	0.023
EC0605.1	BLDG 605	DHW		0.04	mmBtu/hr	0.33	10^6 scf/yr	NG	0.016	0.007	0.000	0.001	0.001
EC0605.2	BLDG 605	FA Furnace		0.06	mmBtu/hr	0.50	10^6 scf/yr	NG	0.024	0.010	0.000	0.002	0.001
EC0605.3	BLDG 605	FA Furnace		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC0608.1	BLDG 608			0.3	mmBtu/hr	2.50	10^6 scf/yr	NG	0.125	0.105	0.001	0.010	0.007
EC0608.2	BLDG 608	FA Furnace		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC0608.3	BLDG 608	FA Furnace		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC0608.4	BLDG 608	Ceiling Heater		0.15	mmBtu/hr	1.25	10^6 scf/yr	NG	0.059	0.025	0.000	0.005	0.003
EC0608.5	BLDG 608	Ceiling Heater		0.15	mmBtu/hr	1.25	10^6 scf/yr	NG	0.059	0.025	0.000	0.005	0.003
EC0608.6	BLDG 608	Ceiling Heater		0.15	mmBtu/hr	1.25	10^6 scf/yr	NG	0.059	0.025	0.000	0.005	0.003
EC0608.7	BLDG 608	Ceiling Heater		0.15	mmBtu/hr	1.25	10^6 scf/yr	NG	0.059	0.025	0.000	0.005	0.003
EC0608.8	BLDG 608	Ceiling Heater		0.15	mmBtu/hr	1.25	10^6 scf/yr	NG	0.059	0.025	0.000	0.005	0.003
EC0608.9	BLDG 608	Ceiling Heater		0.15	mmBtu/hr	1.25	10^6 scf/yr	NG	0.059	0.025	0.000	0.005	0.003
EC0608.10	BLDG 608	Ceiling Heater		0.15	mmBtu/hr	1.25	10^6 scf/yr	NG	0.059	0.025	0.000	0.005	0.003
EC0608.11	BLDG 608	Ceiling Heater		0.15	mmBtu/hr	1.25	10^6 scf/yr	NG	0.059	0.025	0.000	0.005	0.003
EC0610	BLDG 610	Boiler	Low NOx	0.3	mmBtu/hr	2.50	10^6 scf/yr	NG	0.063	0.105	0.001	0.010	0.007
EC0800	BLDG 800	Boiler	Low NOx	0.3	mmBtu/hr	2.50	10^6 scf/yr	NG	0.063	0.105	0.001	0.010	0.007
EC0840.1	BLDG 840	Condensor		0.094	mmBtu/hr	0.78	10^6 scf/yr	NG	0.037	0.016	0.000	0.003	0.002
EC0840.2	BLDG 840	Condensor		0.094	mmBtu/hr	0.78	10^6 scf/yr	NG	0.037	0.016	0.000	0.003	0.002
EC0840.3	BLDG 840	FA Furnace		0.125	mmBtu/hr	1.04	10^6 scf/yr	NG	0.049	0.021	0.000	0.004	0.003
EC0840.4	BLDG 840	Boiler		0.3	mmBtu/hr	2.50	10^6 scf/yr	NG	0.125	0.105	0.001	0.010	0.007
EC0840.5	BLDG 840	Boiler		0.3	mmBtu/hr	2.50	10^6 scf/yr	NG	0.125	0.105	0.001	0.010	0.007
EC0840.6	BLDG 840	DHW		0.04	mmBtu/hr	0.33	10^6 scf/yr	NG	0.016	0.007	0.000	0.001	0.001
EC0840.7	BLDG 840	FA Furnace		0.072	mmBtu/hr	0.60	10^6 scf/yr	NG	0.028	0.012	0.000	0.002	0.002
EC0840.8	BLDG 840	Boiler		0.224	mmBtu/hr	1.87	10^6 scf/yr	NG	0.088	0.037	0.001	0.007	0.005
EC0900	BLDG 900	Boiler		0.399	mmBtu/hr	3.33	10^6 scf/yr	NG	0.166	0.140	0.001	0.013	0.009
EC0910.1	BLDG 910	HWH		0.04	mmBtu/hr	0.33	10^6 scf/yr	NG	0.016	0.007	0.000	0.001	0.001
EC0910.2	BLDG 910	Furnace		0.06	mmBtu/hr	0.50	10^6 scf/yr	NG	0.024	0.010	0.000	0.002	0.001
EC0910.3	BLDG 910	Heater		0.09	mmBtu/hr	0.75	10^6 scf/yr	NG	0.035	0.015	0.000	0.003	0.002
EC0910.4	BLDG 910	Heater		0.09	mmBtu/hr	0.75	10^6 scf/yr	NG	0.035	0.015	0.000	0.003	0.002
EC0910.5	BLDG 910	Heater		0.09	mmBtu/hr	0.75	10^6 scf/yr	NG	0.035	0.015	0.000	0.003	0.002
EC0910.6	BLDG 910	Heater		0.09	mmBtu/hr	0.75	10^6 scf/yr	NG	0.035	0.015	0.000	0.003	0.002
EC0910.7	BLDG 910	Heater		0.09	mmBtu/hr	0.75	10^6 scf/yr	NG	0.035	0.015	0.000	0.003	0.002
EC0920.1	BLDG 920	HWH		0.4	mmBtu/hr	3.34	10^6 scf/yr	NG	0.167	0.140	0.001	0.013	0.009
EC0920.2	BLDG 920	Boiler		0.775	mmBtu/hr	6.47	10^6 scf/yr	NG	0.323	0.272	0.002	0.025	0.018
EC0920.3	BLDG 920	Boiler		0.775	mmBtu/hr	6.47	10^6 scf/yr	NG	0.323	0.272	0.002	0.025	0.018
EC0927.1	BLDG 927	Boiler		0.3	mmBtu/hr	2.50	10^6 scf/yr	NG	0.125	0.105	0.001	0.010	0.007
EC0927.2	BLDG 927	Boiler		0.5	mmBtu/hr	4.17	10^6 scf/yr	NG	0.209	0.175	0.001	0.016	0.011
EC0927.3	BLDG 927	Boiler		0.26	mmBtu/hr	2.17	10^6 scf/yr	NG	0.102	0.043	0.001	0.008	0.006
EC0928.1	BLDG 928	Furnace		0.072	mmBtu/hr	0.60	10^6 scf/yr	NG	0.028	0.012	0.000	0.002	0.002
EC0928.2	BLDG 928	Furnace		0.125	mmBtu/hr	1.04	10^6 scf/yr	NG	0.049	0.021	0.000	0.004	0.003
EC1013	BLDG 1013	Boiler		0.3	mmBtu/hr	2.50	10^6 scf/yr	NG	0.125	0.105	0.001	0.010	0.007
EC1100.1	BLDG 1100	IR Heater		0.06	mmBtu/hr	0.50	10^6 scf/yr	NG	0.024	0.010	0.000	0.002	0.001

Table D-12.2.2.1-5-2
Insignificant Activities
External Combustion Criteria Pollutant PTE

Em. Source ID	Location	Emission Source	Controlled (Low NOx)	Rated Heat Input Capacity	Heat inupt Units	Rated Heat Input Capacity	Heat inupt Units	Fuel	NOx tpy	CO tpy	SOx tpy	PM_{10} tpy	VOC tpy
EC0180.1	BLDG 180	Boiler		1	mmBtu/hr	8.34	10^6 scf/yr	NG	0.417	0.350	0.003	0.032	0.023
EC1100.2	BLDG 1100	IR Heater		0.06	mmBtu/hr	0.50	10^6 scf/yr	NG	0.024	0.010	0.000	0.002	0.001
EC1100.3	BLDG 1100	IR Heater		0.06	mmBtu/hr	0.50	10^6 scf/yr	NG	0.024	0.010	0.000	0.002	0.001
EC1100.4	BLDG 1100	IR Heater		0.06	mmBtu/hr	0.50	10^6 scf/yr	NG	0.024	0.010	0.000	0.002	0.001
EC1100.5	BLDG 1100	IR Heater		0.06	mmBtu/hr	0.50	10^6 scf/yr	NG	0.024	0.010	0.000	0.002	0.001
EC1100.6	BLDG 1100	IR Heater		0.06	mmBtu/hr	0.50	10^6 scf/yr	NG	0.024	0.010	0.000	0.002	0.001
EC1100.7	BLDG 1100	IR Heater		0.06	mmBtu/hr	0.50	10^6 scf/yr	NG	0.024	0.010	0.000	0.002	0.001
EC1100.8	BLDG 1100	IR Heater		0.06	mmBtu/hr	0.50	10^6 scf/yr	NG	0.024	0.010	0.000	0.002	0.001
EC1100.9	BLDG 1100	IR Heater		0.06	mmBtu/hr	0.50	10^6 scf/yr	NG	0.024	0.010	0.000	0.002	0.001
EC1100.10	BLDG 1100	IR Heater		0.06	mmBtu/hr	0.50	10^6 scf/yr	NG	0.024	0.010	0.000	0.002	0.001
EC1100.11	BLDG 1100	IR Heater		0.06	mmBtu/hr	0.50	10^6 scf/yr	NG	0.024	0.010	0.000	0.002	0.001
EC1100.12	BLDG 1100	IR Heater		0.06	mmBtu/hr	0.50	10^6 scf/yr	NG	0.024	0.010	0.000	0.002	0.001
EC1100.13	BLDG 1100	IR Heater		0.08	mmBtu/hr	0.67	10^6 scf/yr	NG	0.031	0.013	0.000	0.003	0.002
EC1100.14	BLDG 1100	IR Heater		0.08	mmBtu/hr	0.67	10^6 scf/yr	NG	0.031	0.013	0.000	0.003	0.002
EC1100.15	BLDG 1100	IR Heater		0.08	mmBtu/hr	0.67	10^6 scf/yr	NG	0.031	0.013	0.000	0.003	0.002
EC1100.16	BLDG 1100	IR Heater		0.125	mmBtu/hr	1.04	10^6 scf/yr	NG	0.049	0.021	0.000	0.004	0.003
EC1100.17	BLDG 1100	IR Heater		0.125	mmBtu/hr	1.04	10^6 scf/yr	NG	0.049	0.021	0.000	0.004	0.003
EC1100.18	BLDG 1100	IR Heater		0.125	mmBtu/hr	1.04	10^6 scf/yr	NG	0.049	0.021	0.000	0.004	0.003
EC1100.19	BLDG 1100	IR Heater		0.125	mmBtu/hr	1.04	10^6 scf/yr	NG	0.049	0.021	0.000	0.004	0.003
EC1100.20	BLDG 1100	IR Heater		0.125	mmBtu/hr	1.04	10^6 scf/yr	NG	0.049	0.021	0.000	0.004	0.003
EC1100.21	BLDG 1100	Boiler		2.212	mmBtu/hr	18.45	10^6 scf/yr	NG	0.923	0.775	0.006	0.070	0.051
EC1100.22	BLDG 1100	Furnace		0.075	mmBtu/hr	0.63	10^6 scf/yr	NG	0.029	0.013	0.000	0.002	0.002
EC1100.23	BLDG 1100	Furnace		0.09	mmBtu/hr	0.75	10^6 scf/yr	NG	0.035	0.015	0.000	0.003	0.002
EC1100.24	BLDG 1100	Furnace		0.09	mmBtu/hr	0.75	10^6 scf/yr	NG	0.035	0.015	0.000	0.003	0.002
EC1100.25	BLDG 1100	Furnace		0.25	mmBtu/hr	2.09	10^6 scf/yr	NG	0.098	0.042	0.001	0.008	0.006
EC1100.26	BLDG 1100	Furnace		0.09	mmBtu/hr	0.75	10^6 scf/yr	NG	0.035	0.015	0.000	0.003	0.002
EC1100.27	BLDG 1100	Furnace		0.05	mmBtu/hr	0.42	10^6 scf/yr	NG	0.020	0.008	0.000	0.002	0.001
EC1100.28	BLDG 1100			0.357	mmBtu/hr	2.98	10^6 scf/yr	NG	0.149	0.125	0.001	0.011	0.008
EC1100.29	BLDG 1100	IR Heater		0.06	mmBtu/hr	0.50	10^6 scf/yr	NG	0.024	0.010	0.000	0.002	0.001
EC1100.30	BLDG 1100	IR Heater		0.06	mmBtu/hr	0.50	10^6 scf/yr	NG	0.024	0.010	0.000	0.002	0.001
EC1100.31	BLDG 1100	IR Heater		0.06	mmBtu/hr	0.50	10^6 scf/yr	NG	0.024	0.010	0.000	0.002	0.001
EC1100.32	BLDG 1100	IR Heater		0.06	mmBtu/hr	0.50	10^6 scf/yr	NG	0.024	0.010	0.000	0.002	0.001
EC1100.33	BLDG 1100	IR Heater		0.06	mmBtu/hr	0.50	10^6 scf/yr	NG	0.024	0.010	0.000	0.002	0.001
EC1100.34	BLDG 1100	IR Heater		0.06	mmBtu/hr	0.50	10^6 scf/yr	NG	0.024	0.010	0.000	0.002	0.001
EC1115.1	BLDG 1115	Ceiling Heater		0.28	mmBtu/hr	2.34	10^6 scf/yr	NG	0.110	0.047	0.001	0.009	0.006
EC1115.2	BLDG 1115	Ceiling Heater		0.28	mmBtu/hr	2.34	10^6 scf/yr	NG	0.110	0.047	0.001	0.009	0.006
EC1125	BLDG 1125	Boiler		0.63	mmBtu/hr	5.26	10^6 scf/yr	NG	0.263	0.221	0.002	0.020	0.014
EC1126	BLDG 1126	Boiler		0.3	mmBtu/hr	2.50	10^6 scf/yr	NG	0.125	0.105	0.001	0.010	0.007
EC1201.1	BLDG 1201	Broiler		0.09	mmBtu/hr	0.75	10^6 scf/yr	NG	0.035	0.015	0.000	0.003	0.002
EC1201.2	BLDG 1201	Fryer		0.002	mmBtu/hr	0.02	10^6 scf/yr	NG	0.001	0.000	0.000	0.000	0.000
EC1201.3	BLDG 1201	Fryer		0.002	mmBtu/hr	0.02	10^6 scf/yr	NG	0.001	0.000	0.000	0.000	0.000
EC1201.4	BLDG 1201	Fryer		0.002	mmBtu/hr	0.02	10^6 scf/yr	NG	0.001	0.000	0.000	0.000	0.000
EC1201.5	BLDG 1201	Fryer		0.002	mmBtu/hr	0.02	10^6 scf/yr	NG	0.001	0.000	0.000	0.000	0.000

Table D-12.2.2.1-5-2
Insignificant Activities
External Combustion Criteria Pollutant PTE

Em. Source ID	Location	Emission Source	Controlled (Low NOx)	Rated Heat Input Capacity	Heat inupt Units	Rated Heat Input Capacity	Heat inupt Units	Fuel	NOx tpy	CO tpy	SOx tpy	PM_{10} tpy	VOC tpy
EC0180.1	BLDG 180	Boiler		1	mmBtu/hr	8.34	10^6 scf/yr	NG	0.417	0.350	0.003	0.032	0.023
EC1201.6	BLDG 1201	Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC1201.7	BLDG 1201	Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC1201.8	BLDG 1201	Heater		0.125	mmBtu/hr	1.04	10^6 scf/yr	NG	0.049	0.021	0.000	0.004	0.003
EC1208.1	BLDG 1208	FA Furnace		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC1208.2	BLDG 1208	FA Furnace		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC1208.3	BLDG 1208	FA Furnace		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC1208.4	BLDG 1208	Furnace		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC1208.5	BLDG 1208	Furnace		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC1208.6	BLDG 1208	Furnace		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC1212	BLDG 1212	Heater		0.2	mmBtu/hr	1.67	10^6 scf/yr	NG	0.078	0.033	0.001	0.006	0.005
EC1213	BLDG 1212	Heater		0.2	mmBtu/hr	1.67	10^6 scf/yr	NG	0.078	0.033	0.001	0.006	0.005
EC1214	BLDG 1212	Heater		0.2	mmBtu/hr	1.67	10^6 scf/yr	NG	0.078	0.033	0.001	0.006	0.005
EC1222	BLDG 1222	DHW		0.399	mmBtu/hr	3.33	10^6 scf/yr	NG	0.166	0.140	0.001	0.013	0.009
EC1224	BLDG 1224	Boiler		4.2	mmBtu/hr	35.04	10^6 scf/yr	NG	1.752	1.472	0.011	0.133	0.096
EC1225.1	BLDG 1225	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC1225.2	BLDG 1225	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC1225.3	BLDG 1225	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC1225.4	BLDG 1225	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC1225.5	BLDG 1225	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC1225.6	BLDG 1225	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC1225.7	BLDG 1225	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC1225.8	BLDG 1225	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC1225.9	BLDG 1225	Boiler	Low NOx	0.3	mmBtu/hr	2.50	10^6 scf/yr	NG	0.063	0.105	0.001	0.010	0.007
EC1225.10	BLDG 1225	IR Heater		0.1	mmBtu/hr	0.83	10^6 scf/yr	NG	0.039	0.017	0.000	0.003	0.002
EC1225.11	BLDG 1225	IR Heater		0.1	mmBtu/hr	0.83	10^6 scf/yr	NG	0.039	0.017	0.000	0.003	0.002
EC1225.12	BLDG 1225	Furnace		0.1	mmBtu/hr	0.83	10^6 scf/yr	NG	0.039	0.017	0.000	0.003	0.002
EC1229	BLDG 1229	DHW		0.399	mmBtu/hr	3.33	10^6 scf/yr	NG	0.166	0.140	0.001	0.013	0.009
EC1289.1	BLDG 1289	Furnace		0.125	mmBtu/hr	1.04	10^6 scf/yr	NG	0.049	0.021	0.000	0.004	0.003
EC1289.2	BLDG 1289	Furnace		0.072	mmBtu/hr	0.60	10^6 scf/yr	NG	0.028	0.012	0.000	0.002	0.002
EC1289.3	BLDG 1289	Boiler		0.04	mmBtu/hr	0.33	10^6 scf/yr	NG	0.016	0.007	0.000	0.001	0.001
EC1289.4	BLDG 1289	IR Heater		0.205	mmBtu/hr	1.71	10^6 scf/yr	NG	0.080	0.034	0.001	0.006	0.005
EC1289.5	BLDG 1289	Heater		0.15	mmBtu/hr	1.25	10^6 scf/yr	NG	0.059	0.025	0.000	0.005	0.003
EC1289.6	BLDG 1289	Heater		0.15	mmBtu/hr	1.25	10^6 scf/yr	NG	0.059	0.025	0.000	0.005	0.003
EC1292.1	BLDG 1292	IR Heater		0.09	mmBtu/hr	0.75	10^6 scf/yr	NG	0.035	0.015	0.000	0.003	0.002
EC1292.2	BLDG 1292	IR Heater		0.09	mmBtu/hr	0.75	10^6 scf/yr	NG	0.035	0.015	0.000	0.003	0.002
EC1292.3	BLDG 1292	IR Heater		0.09	mmBtu/hr	0.75	10^6 scf/yr	NG	0.035	0.015	0.000	0.003	0.002
EC1292.4	BLDG 1292	IR Heater		0.09	mmBtu/hr	0.75	10^6 scf/yr	NG	0.035	0.015	0.000	0.003	0.002
EC1293.1	BLDG 1293	Furnace		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC1293.2	BLDG 1293	Heater		0.06	mmBtu/hr	0.50	10^6 scf/yr	NG	0.024	0.010	0.000	0.002	0.001
EC1293.3	BLDG 1293	Heater		0.06	mmBtu/hr	0.50	10^6 scf/yr	NG	0.024	0.010	0.000	0.002	0.001
EC1293.4	BLDG 1293	Heater		0.06	mmBtu/hr	0.50	10^6 scf/yr	NG	0.024	0.010	0.000	0.002	0.001
EC1296.1	BLDG 1296	Heater		0.15	mmBtu/hr	1.25	10^6 scf/yr	NG	0.059	0.025	0.000	0.005	0.003

Table D-12.2.2.1-5-2
Insignificant Activities
External Combustion Criteria Pollutant PTE

Em. Source ID	Location	Emission Source	Controlled (Low NOx)	Rated Heat Input Capacity	Heat inupt Units	Rated Heat Input Capacity	Heat inupt Units	Fuel	NOx tpy	CO tpy	SOx tpy	PM_{10} tpy	VOC tpy
EC0180.1	BLDG 180	Boiler		1	mmBtu/hr	8.34	10^6 scf/yr	NG	0.417	0.350	0.003	0.032	0.023
EC1296.2	BLDG 1296	Heater		0.115	mmBtu/hr	0.96	10^6 scf/yr	NG	0.045	0.019	0.000	0.004	0.003
EC1297.1	BLDG 1297			0.115	mmBtu/hr	0.96	10^6 scf/yr	NG	0.045	0.019	0.000	0.004	0.003
EC1297.2	BLDG 1297			0.115	mmBtu/hr	0.96	10^6 scf/yr	NG	0.045	0.019	0.000	0.004	0.003
EC1300.1	BLDG 1300	AC Furnace		0.115	mmBtu/hr	0.96	10^6 scf/yr	NG	0.045	0.019	0.000	0.004	0.003
EC1300.2	BLDG 1300	Boiler		0.95	mmBtu/hr	7.93	10^6 scf/yr	NG	0.396	0.333	0.002	0.030	0.022
EC1301	BLDG 1301	Boiler		0.5	mmBtu/hr	4.17	10^6 scf/yr	NG	0.209	0.175	0.001	0.016	0.011
EC1318.1	BLDG 1318	Heater		0.15	mmBtu/hr	1.25	10^6 scf/yr	NG	0.059	0.025	0.000	0.005	0.003
EC1318.2	BLDG 1318	Heater		0.15	mmBtu/hr	1.25	10^6 scf/yr	NG	0.059	0.025	0.000	0.005	0.003
EC1318.3	BLDG 1318	Heater		0.2	mmBtu/hr	1.67	10^6 scf/yr	NG	0.078	0.033	0.001	0.006	0.005
EC1318.4	BLDG 1318	Heater		0.15	mmBtu/hr	1.25	10^6 scf/yr	NG	0.059	0.025	0.000	0.005	0.003
EC1320.1	BLDG 1320	Heater		0.1	mmBtu/hr	0.83	10^6 scf/yr	NG	0.039	0.017	0.000	0.003	0.002
EC1320.2	BLDG 1320	Heater		0.1	mmBtu/hr	0.83	10^6 scf/yr	NG	0.039	0.017	0.000	0.003	0.002
EC1320.3	BLDG 1320	Heater		0.1	mmBtu/hr	0.83	10^6 scf/yr	NG	0.039	0.017	0.000	0.003	0.002
EC1322.1	BLDG 1322	Heater		0.175	mmBtu/hr	1.46	10^6 scf/yr	NG	0.069	0.029	0.000	0.006	0.004
EC1322.2	BLDG 1322	Heater		0.175	mmBtu/hr	1.46	10^6 scf/yr	NG	0.069	0.029	0.000	0.006	0.004
EC1322.3	BLDG 1322	Heater		0.175	mmBtu/hr	1.46	10^6 scf/yr	NG	0.069	0.029	0.000	0.006	0.004
EC1322.4	BLDG 1322	Furnace		0.08	mmBtu/hr	0.67	10^6 scf/yr	NG	0.031	0.013	0.000	0.003	0.002
EC1323.1	BLDG 1323	Heater		0.1	mmBtu/hr	0.0011	1000 Gal/h	Propane	0.067	0.009	0.000	0.002	0.002
EC1323.2	BLDG 1323	Heater		0.1	mmBtu/hr	0.0011	1000 Gal/h	Propane	0.067	0.009	0.000	0.002	0.002
EC1323.3	BLDG 1323	Heater		0.1	mmBtu/hr	0.0011	1000 Gal/h	Propane	0.067	0.009	0.000	0.002	0.002
EC1327	BLDG 1327	Furnace		0.5	mmBtu/hr	4.17	10^6 scf/yr	NG	0.196	0.083	0.001	0.016	0.011
EC1329.1	BLDG 1329	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC1329.2	BLDG 1329	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC1329.3	BLDG 1329	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC1329.4	BLDG 1329	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC1329.5	BLDG 1329	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC1329.6	BLDG 1329	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC1329.7	BLDG 1329	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC1329.8	BLDG 1329	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC1329.9	BLDG 1329	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC1329.10	BLDG 1329	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC1329.11	BLDG 1329	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC1329.12	BLDG 1329	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC1329.13	BLDG 1329	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC1329.14	BLDG 1329	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC1329.15	BLDG 1329	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC1329.16	BLDG 1329	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC1329.17	BLDG 1329	Furnace	Low NOx	0.399	mmBtu/hr	3.33	10^6 scf/yr	NG	0.083	0.140	0.001	0.013	0.009
EC1330.1	BLDG 1330	Ceiling Heater		0.34	mmBtu/hr	2.84	10^6 scf/yr	NG	0.142	0.119	0.001	0.011	0.008
EC1330.2	BLDG 1330	Ceiling Heater		0.34	mmBtu/hr	2.84	10^6 scf/yr	NG	0.142	0.119	0.001	0.011	0.008
EC1330.3	BLDG 1330	Ceiling Heater		0.34	mmBtu/hr	2.84	10^6 scf/yr	NG	0.142	0.119	0.001	0.011	0.008
EC1330.4	BLDG 1330	Ceiling Heater		0.34	mmBtu/hr	2.84	10^6 scf/yr	NG	0.142	0.119	0.001	0.011	0.008

Table D-12.2.2.1-5-2
Insignificant Activities
External Combustion Criteria Pollutant PTE

Em. Source ID	Location	Emission Source	Controlled (Low NOx)	Rated Heat Input Capacity	Heat inupt Units	Rated Heat Input Capacity	Heat inupt Units	Fuel	NOx tpy	CO tpy	SOx tpy	PM_{10} tpy	VOC tpy
EC0180.1	BLDG 180	Boiler		1	mmBtu/hr	8.34	10^6 scf/yr	NG	0.417	0.350	0.003	0.032	0.023
EC1330.5	BLDG 1330	Ceiling Heater		0.34	mmBtu/hr	2.84	10^6 scf/yr	NG	0.142	0.119	0.001	0.011	0.008
EC1330.6	BLDG 1330	Ceiling Heater		0.34	mmBtu/hr	2.84	10^6 scf/yr	NG	0.142	0.119	0.001	0.011	0.008
EC1330.7	BLDG 1330	Boiler		0.399	mmBtu/hr	3.33	10^6 scf/yr	NG	0.166	0.140	0.001	0.013	0.009
EC1330.8	BLDG 1330	DHW		0.4	mmBtu/hr	3.34	10^6 scf/yr	NG	0.167	0.140	0.001	0.013	0.009
EC1330.9	BLDG 1330	DHW		0.4	mmBtu/hr	3.34	10^6 scf/yr	NG	0.167	0.140	0.001	0.013	0.009
EC1330.10	BLDG 1330	Heater		2.916	mmBtu/hr	24.33	10^6 scf/yr	NG	1.216	1.022	0.007	0.092	0.067
EC1330.11	BLDG 1330	Heater		1.948	mmBtu/hr	16.25	10^6 scf/yr	NG	0.813	0.683	0.005	0.062	0.045
EC1331.1	BLDG 1331	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC1331.2	BLDG 1331	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC1331.3	BLDG 1331	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC1331.4	BLDG 1331	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC1331.5	BLDG 1331	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC1331.6	BLDG 1331	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC1331.7	BLDG 1331	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC1331.8	BLDG 1331	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC1331.9	BLDG 1331	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC1331.10	BLDG 1331	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC1331.11	BLDG 1331	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC1331.12	BLDG 1331	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC1331.13	BLDG 1331	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC1331.14	BLDG 1331	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC1331.15	BLDG 1331	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC1331.16	BLDG 1331	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC1331.17	BLDG 1331	Boiler		0.399	mmBtu/hr	3.33	10^6 scf/yr	NG	0.166	0.140	0.001	0.013	0.009
EC1332.1	BLDG 1332	Furnace		0.125	mmBtu/hr	1.04	10^6 scf/yr	NG	0.052	0.044	0.000	0.004	0.003
EC1332.2	BLDG 1332	Furnace		0.399	mmBtu/hr	3.33	10^6 scf/yr	NG	0.166	0.140	0.001	0.013	0.009
EC1332.3	BLDG 1332	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC1332.4	BLDG 1332	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC1332.5	BLDG 1332	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC1332.6	BLDG 1332	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC1332.7	BLDG 1332	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC1332.8	BLDG 1332	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC1332.9	BLDG 1332	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC1332.10	BLDG 1332	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC1332.11	BLDG 1332	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC1332.12	BLDG 1332	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC1332.13	BLDG 1332	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC1332.14	BLDG 1332	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC1332.15	BLDG 1332	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC1332.16	BLDG 1332	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC1332.17	BLDG 1332	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC1332.18	BLDG 1332	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003

Table D-12.2.2.1-5-2
Insignificant Activities
External Combustion Criteria Pollutant PTE

Em. Source ID	Location	Emission Source	Controlled (Low NOx)	Rated Heat Input Capacity	Heat inupt Units	Rated Heat Input Capacity	Heat inupt Units	Fuel	NOx tpy	CO tpy	SOx tpy	PM_{10} tpy	VOC tpy
EC0180.1	BLDG 180	Boiler		1	mmBtu/hr	8.34	10^6 scf/yr	NG	0.417	0.350	0.003	0.032	0.023
EC1333.1	BLDG 1333	FA Furnace		0.1	mmBtu/hr	0.83	10^6 scf/yr	NG	0.039	0.017	0.000	0.003	0.002
EC1333.2	BLDG 1333	Ceiling Heater		0.225	mmBtu/hr	1.88	10^6 scf/yr	NG	0.088	0.038	0.001	0.007	0.005
EC1333.3	BLDG 1333	Furnace		0.08	mmBtu/hr	0.67	10^6 scf/yr	NG	0.031	0.013	0.000	0.003	0.002
EC1333.4	BLDG 1333	Furnace		0.08	mmBtu/hr	0.67	10^6 scf/yr	NG	0.031	0.013	0.000	0.003	0.002
EC1333.5	BLDG 1333	Furnace		0.08	mmBtu/hr	0.67	10^6 scf/yr	NG	0.031	0.013	0.000	0.003	0.002
EC1333.6	BLDG 1333	IR Heater		0.1	mmBtu/hr	0.83	10^6 scf/yr	NG	0.039	0.017	0.000	0.003	0.002
EC1333.7	BLDG 1333	IR Heater		0.1	mmBtu/hr	0.83	10^6 scf/yr	NG	0.039	0.017	0.000	0.003	0.002
EC1333.8	BLDG 1333	IR Heater		0.1	mmBtu/hr	0.83	10^6 scf/yr	NG	0.039	0.017	0.000	0.003	0.002
EC1333.9	BLDG 1333	IR Heater		0.1	mmBtu/hr	0.83	10^6 scf/yr	NG	0.039	0.017	0.000	0.003	0.002
EC1333.10	BLDG 1333	IR Heater		0.1	mmBtu/hr	0.83	10^6 scf/yr	NG	0.039	0.017	0.000	0.003	0.002
EC1333.11	BLDG 1333	IR Heater		0.1	mmBtu/hr	0.83	10^6 scf/yr	NG	0.039	0.017	0.000	0.003	0.002
EC1333.12	BLDG 1333	IR Heater		0.1	mmBtu/hr	0.83	10^6 scf/yr	NG	0.039	0.017	0.000	0.003	0.002
EC1333.13	BLDG 1333	IR Heater		0.1	mmBtu/hr	0.83	10^6 scf/yr	NG	0.039	0.017	0.000	0.003	0.002
EC1333.14	BLDG 1333	IR Heater		0.1	mmBtu/hr	0.83	10^6 scf/yr	NG	0.039	0.017	0.000	0.003	0.002
EC1333.15	BLDG 1333	IR Heater		0.1	mmBtu/hr	0.83	10^6 scf/yr	NG	0.039	0.017	0.000	0.003	0.002
EC1333.16	BLDG 1333	IR Heater		0.1	mmBtu/hr	0.83	10^6 scf/yr	NG	0.039	0.017	0.000	0.003	0.002
EC1333.17	BLDG 1333	IR Heater		0.1	mmBtu/hr	0.83	10^6 scf/yr	NG	0.039	0.017	0.000	0.003	0.002
EC1333.18	BLDG 1333	IR Heater		0.1	mmBtu/hr	0.83	10^6 scf/yr	NG	0.039	0.017	0.000	0.003	0.002
EC1333.19	BLDG 1333	IR Heater		0.1	mmBtu/hr	0.83	10^6 scf/yr	NG	0.039	0.017	0.000	0.003	0.002
EC1333.20	BLDG 1333	IR Heater		0.1	mmBtu/hr	0.83	10^6 scf/yr	NG	0.039	0.017	0.000	0.003	0.002
EC1333.21	BLDG 1333	IR Heater		0.1	mmBtu/hr	0.83	10^6 scf/yr	NG	0.039	0.017	0.000	0.003	0.002
EC1333.22	BLDG 1333	IR Heater		0.1	mmBtu/hr	0.83	10^6 scf/yr	NG	0.039	0.017	0.000	0.003	0.002
EC1333.23	BLDG 1333	IR Heater		0.1	mmBtu/hr	0.83	10^6 scf/yr	NG	0.039	0.017	0.000	0.003	0.002
EC1333.24	BLDG 1333	Heater		0.35	mmBtu/hr	2.92	10^6 scf/yr	NG	0.146	0.123	0.001	0.011	0.008
EC1333.25	BLDG 1333	Heater		0.125	mmBtu/hr	1.04	10^6 scf/yr	NG	0.049	0.021	0.000	0.004	0.003
EC1333.26	BLDG 1333	Heater		0.15	mmBtu/hr	1.25	10^6 scf/yr	NG	0.059	0.025	0.000	0.005	0.003
EC1333.27	BLDG 1333	Heater		0.3	mmBtu/hr	2.50	10^6 scf/yr	NG	0.125	0.105	0.001	0.010	0.007
EC1333.28	BLDG 1333	Heater		0.125	mmBtu/hr	1.04	10^6 scf/yr	NG	0.049	0.021	0.000	0.004	0.003
EC1333.29	BLDG 1333	Heater		0.15	mmBtu/hr	1.25	10^6 scf/yr	NG	0.059	0.025	0.000	0.005	0.003
EC1333.30	BLDG 1333	Furnace		0.1	mmBtu/hr	0.83	10^6 scf/yr	NG	0.039	0.017	0.000	0.003	0.002
EC1333.31	BLDG 1333	Furnace		0.1	mmBtu/hr	0.83	10^6 scf/yr	NG	0.039	0.017	0.000	0.003	0.002
EC1335.1	BLDG 1335	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC1335.2	BLDG 1335	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC1335.3	BLDG 1335	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC1335.4	BLDG 1335	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC1335.5	BLDG 1335	Boiler	Low NOx	0.3	mmBtu/hr	2.50	10^6 scf/yr	NG	0.063	0.105	0.001	0.010	0.007
EC1337	BLDG 1337	Furnace		0.3	mmBtu/hr	2.50	10^6 scf/yr	NG	0.125	0.105	0.001	0.010	0.007
EC1339.1	BLDG 1339	AHU		0.962	mmBtu/hr	8.03	10^6 scf/yr	NG	0.401	0.337	0.002	0.030	0.022
EC1339.2	BLDG 1339	Furnace		0.15	mmBtu/hr	1.25	10^6 scf/yr	NG	0.059	0.025	0.000	0.005	0.003
EC1339.3	BLDG 1339	Furnace		0.125	mmBtu/hr	1.04	10^6 scf/yr	NG	0.049	0.021	0.000	0.004	0.003
EC1339.4	BLDG 1339	Heater		0.04	mmBtu/hr	0.33	10^6 scf/yr	NG	0.016	0.007	0.000	0.001	0.001
EC1339.5	BLDG 1339	Heater		0.04	mmBtu/hr	0.33	10^6 scf/yr	NG	0.016	0.007	0.000	0.001	0.001

Table D-12.2.2.1-5-2
Insignificant Activities
External Combustion Criteria Pollutant PTE

Em. Source ID	Location	Emission Source	Controlled (Low NOx)	Rated Heat Input Capacity	Heat inupt Units	Rated Heat Input Capacity	Heat inupt Units	Fuel	NOx tpy	CO tpy	SOx tpy	PM_{10} tpy	VOC tpy
EC0180.1	BLDG 180	Boiler		1	mmBtu/hr	8.34	10^6 scf/yr	NG	0.417	0.350	0.003	0.032	0.023
EC1339.6	BLDG 1339	Heater		0.04	mmBtu/hr	0.33	10^6 scf/yr	NG	0.016	0.007	0.000	0.001	0.001
EC1339.7	BLDG 1339	Heater		0.04	mmBtu/hr	0.33	10^6 scf/yr	NG	0.016	0.007	0.000	0.001	0.001
EC1339.8	BLDG 1339	Steam Unit		0.35	mmBtu/hr	2.92	10^6 scf/yr	NG	0.146	0.123	0.001	0.011	0.008
EC1339.9	BLDG 1339	Furnace		0.074	mmBtu/hr	0.62	10^6 scf/yr	NG	0.029	0.012	0.000	0.002	0.002
EC1339.10	BLDG 1339	Heater		0.15	mmBtu/hr	1.25	10^6 scf/yr	NG	0.059	0.025	0.000	0.005	0.003
EC1339.11	BLDG 1339	HWH		0.08	mmBtu/hr	0.67	10^6 scf/yr	NG	0.031	0.013	0.000	0.003	0.002
EC1351.1	BLDG 1351	FA Furnace		0.11	mmBtu/hr	0.92	10^6 scf/yr	NG	0.043	0.018	0.000	0.003	0.003
EC1351.2	BLDG 1351	FA Furnace		0.11	mmBtu/hr	0.92	10^6 scf/yr	NG	0.043	0.018	0.000	0.003	0.003
EC1351.3	BLDG 1351	FA Furnace		0.11	mmBtu/hr	0.92	10^6 scf/yr	NG	0.043	0.018	0.000	0.003	0.003
EC1351.4	BLDG 1351	FA Furnace		0.11	mmBtu/hr	0.92	10^6 scf/yr	NG	0.043	0.018	0.000	0.003	0.003
EC1352.1	BLDG 1352	FA Furnace		0.154	mmBtu/hr	1.28	10^6 scf/yr	NG	0.060	0.026	0.000	0.005	0.004
EC1352.2	BLDG 1352	FA Furnace		0.154	mmBtu/hr	1.28	10^6 scf/yr	NG	0.060	0.026	0.000	0.005	0.004
EC1353.1	BLDG 1353	FA Furnace		0.154	mmBtu/hr	1.28	10^6 scf/yr	NG	0.060	0.026	0.000	0.005	0.004
EC1353.2	BLDG 1353	FA Furnace		0.154	mmBtu/hr	1.28	10^6 scf/yr	NG	0.060	0.026	0.000	0.005	0.004
EC1353.3	BLDG 1353	FA Furnace		0.154	mmBtu/hr	1.28	10^6 scf/yr	NG	0.060	0.026	0.000	0.005	0.004
EC1353.4	BLDG 1353	FA Furnace		0.154	mmBtu/hr	1.28	10^6 scf/yr	NG	0.060	0.026	0.000	0.005	0.004
EC1354.1	BLDG 1354	High Pressure Washer		0.4	mmBtu/hr	0.004	1000 Gal/h	Propane	0.268	0.036	0.000	0.008	0.010
EC1354.2	BLDG 1354	High Pressure Washer		0.4	mmBtu/hr	0.004	1000 Gal/h	Propane	0.268	0.036	0.000	0.008	0.010
EC1354.3	BLDG 1354	FA Furnace		0.154	mmBtu/hr	1.28	10^6 scf/yr	NG	0.060	0.026	0.000	0.005	0.004
EC1354.4	BLDG 1354	IR Heater		0.06	mmBtu/hr	0.50	10^6 scf/yr	NG	0.024	0.010	0.000	0.002	0.001
EC1354.5	BLDG 1354	IR Heater		0.06	mmBtu/hr	0.50	10^6 scf/yr	NG	0.024	0.010	0.000	0.002	0.001
EC1354.6	BLDG 1354	IR Heater		0.06	mmBtu/hr	0.50	10^6 scf/yr	NG	0.024	0.010	0.000	0.002	0.001
EC1354.7	BLDG 1354	IR Heater		0.06	mmBtu/hr	0.50	10^6 scf/yr	NG	0.024	0.010	0.000	0.002	0.001
EC1354.8	BLDG 1354	IR Heater		0.06	mmBtu/hr	0.50	10^6 scf/yr	NG	0.024	0.010	0.000	0.002	0.001
EC1354.9	BLDG 1354	IR Heater		0.06	mmBtu/hr	0.50	10^6 scf/yr	NG	0.024	0.010	0.000	0.002	0.001
EC1355	BLDG 1355	Heater		0.05	mmBtu/hr	0.42	10^6 scf/yr	NG	0.020	0.008	0.000	0.002	0.001
EC1356.1	BLDG 1356	IR Heater		0.06	mmBtu/hr	0.50	10^6 scf/yr	NG	0.024	0.010	0.000	0.002	0.001
EC1356.2	BLDG 1356	IR Heater		0.06	mmBtu/hr	0.50	10^6 scf/yr	NG	0.024	0.010	0.000	0.002	0.001
EC1359.1	BLDG 1359	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC1359.2	BLDG 1359	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC1359.3	BLDG 1359	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC1359.4	BLDG 1359	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC1359.5	BLDG 1359	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC1359.6	BLDG 1359	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC1359.7	BLDG 1359	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC1359.8	BLDG 1359	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC1359.9	BLDG 1359	Heater		0.13	mmBtu/hr	1.08	10^6 scf/yr	NG	0.051	0.022	0.000	0.004	0.003
EC1359.10	BLDG 1359	Heater		0.13	mmBtu/hr	1.08	10^6 scf/yr	NG	0.051	0.022	0.000	0.004	0.003
EC1359.11	BLDG 1359	Steam Unit		0.44	mmBtu/hr	3.67	10^6 scf/yr	NG	0.184	0.154	0.001	0.014	0.010
EC1359.12	BLDG 1359	Steam Unit		0.44	mmBtu/hr	3.67	10^6 scf/yr	NG	0.184	0.154	0.001	0.014	0.010
EC1360.1	BLDG 1360	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC1360.2	BLDG 1360	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003

Table D-12.2.2.1-5-2
Insignificant Activities
External Combustion Criteria Pollutant PTE

Em. Source ID	Location	Emission Source	Controlled (Low NOx)	Rated Heat Input Capacity	Heat inupt Units	Rated Heat Input Capacity	Heat inupt Units	Fuel	NOx tpy	CO tpy	SOx tpy	PM_{10} tpy	VOC tpy
EC0180.1	BLDG 180	Boiler		1	mmBtu/hr	8.34	10^6 scf/yr	NG	0.417	0.350	0.003	0.032	0.023
EC1360.3	BLDG 1360	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC1360.4	BLDG 1360	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC1361.1	BLDG 1361	Heater		0.2	mmBtu/hr	1.67	10^6 scf/yr	NG	0.078	0.033	0.001	0.006	0.005
EC1361.2	BLDG 1361	Heater		0.2	mmBtu/hr	1.67	10^6 scf/yr	NG	0.078	0.033	0.001	0.006	0.005
EC1361.3	BLDG 1361	Heater		0.2	mmBtu/hr	1.67	10^6 scf/yr	NG	0.078	0.033	0.001	0.006	0.005
EC1361.4	BLDG 1361	Heater		0.2	mmBtu/hr	1.67	10^6 scf/yr	NG	0.078	0.033	0.001	0.006	0.005
EC1361.5	BLDG 1361	Heater		0.2	mmBtu/hr	1.67	10^6 scf/yr	NG	0.078	0.033	0.001	0.006	0.005
EC1361.6	BLDG 1361	Heater		0.2	mmBtu/hr	1.67	10^6 scf/yr	NG	0.078	0.033	0.001	0.006	0.005
EC1361.7	BLDG 1361	Heater		0.2	mmBtu/hr	1.67	10^6 scf/yr	NG	0.078	0.033	0.001	0.006	0.005
EC1361.8	BLDG 1361	Heater		0.2	mmBtu/hr	1.67	10^6 scf/yr	NG	0.078	0.033	0.001	0.006	0.005
EC1361.9	BLDG 1361	Heater		0.2	mmBtu/hr	1.67	10^6 scf/yr	NG	0.078	0.033	0.001	0.006	0.005
EC1362.1	BLDG 1362	Heater		0.175	mmBtu/hr	1.46	10^6 scf/yr	NG	0.069	0.029	0.000	0.006	0.004
EC1362.2	BLDG 1362	Heater		0.175	mmBtu/hr	1.46	10^6 scf/yr	NG	0.069	0.029	0.000	0.006	0.004
EC1363.1	BLDG 1363	Boiler	Low NOx	0.3	mmBtu/hr	2.50	10^6 scf/yr	NG	0.063	0.105	0.001	0.010	0.007
EC1363.2	BLDG 1363	Furnace	Low NOx	0.3	mmBtu/hr	2.50	10^6 scf/yr	NG	0.063	0.105	0.001	0.010	0.007
EC1363.3	BLDG 1363	Furnace		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC1364.1	BLDG 1364	Boiler	Low NOx	0.3	mmBtu/hr	2.50	10^6 scf/yr	NG	0.063	0.105	0.001	0.010	0.007
EC1364.2	BLDG 1364	Furnace	Low NOx	0.3	mmBtu/hr	2.50	10^6 scf/yr	NG	0.063	0.105	0.001	0.010	0.007
EC1364.3	BLDG 1364	Furnace		0.08	mmBtu/hr	0.67	10^6 scf/yr	NG	0.031	0.013	0.000	0.003	0.002
EC1365.1	BLDG 1365	Boiler		0.399	mmBtu/hr	3.33	10^6 scf/yr	NG	0.166	0.140	0.001	0.013	0.009
EC1365.2	BLDG 1365	Furnace	Low NOx	0.399	mmBtu/hr	3.33	10^6 scf/yr	NG	0.083	0.140	0.001	0.013	0.009
EC1367.1	BLDG 1367	Heater		0.2	mmBtu/hr	1.67	10^6 scf/yr	NG	0.078	0.033	0.001	0.006	0.005
EC1367.2	BLDG 1367	Heater		0.2	mmBtu/hr	1.67	10^6 scf/yr	NG	0.078	0.033	0.001	0.006	0.005
EC1390	BLDG 1390	FA Furnace		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC1402	BLDG 1402	Heater		0.05	mmBtu/hr	0.42	10^6 scf/yr	NG	0.020	0.008	0.000	0.002	0.001
EC1506	BLDG 1506	HWH		0.563	mmBtu/hr	4.70	10^6 scf/yr	NG	0.235	0.197	0.001	0.018	0.013
EC1610	BLDG 1610		Low NOx	0.3	mmBtu/hr	2.50	10^6 scf/yr	NG	0.063	0.105	0.001	0.010	0.007
EC1612	BLDG 1612	HWH		1.037	mmBtu/hr	8.65	10^6 scf/yr	NG	0.433	0.363	0.003	0.033	0.024
EC1613	BLDG 1613	Boiler	Low NOx	1	mmBtu/hr	8.34	10^6 scf/yr	NG	0.209	0.350	0.003	0.032	0.023
EC1784.1	BLDG 1784			0.27	mmBtu/hr	2.25	10^6 scf/yr	NG	0.106	0.045	0.001	0.009	0.006
EC1784.2	BLDG 1784			0.27	mmBtu/hr	2.25	10^6 scf/yr	NG	0.106	0.045	0.001	0.009	0.006
EC1784.3	BLDG 1784	HWH		0.199	mmBtu/hr	1.66	10^6 scf/yr	NG	0.078	0.033	0.000	0.006	0.005
EC1784.4	BLDG 1784			0.756	mmBtu/hr	6.31	10^6 scf/yr	NG	0.315	0.265	0.002	0.024	0.017
EC1784.5	BLDG 1784			0.54	mmBtu/hr	4.51	10^6 scf/yr	NG	0.225	0.189	0.001	0.017	0.012
EC1786.1	BLDG 1786			0.27	mmBtu/hr	2.25	10^6 scf/yr	NG	0.106	0.045	0.001	0.009	0.006
EC1786.2	BLDG 1786	HWH		0.199	mmBtu/hr	1.66	10^6 scf/yr	NG	0.078	0.033	0.000	0.006	0.005
EC1786.3	BLDG 1786			0.24	mmBtu/hr	2.00	10^6 scf/yr	NG	0.094	0.040	0.001	0.008	0.006
EC1788.1	BLDG 1788			0.75	mmBtu/hr	6.26	10^6 scf/yr	NG	0.313	0.263	0.002	0.024	0.017
EC1788.2	BLDG 1788	Ceiling Heater		0.249	mmBtu/hr	2.08	10^6 scf/yr	NG	0.098	0.042	0.001	0.008	0.006
EC1788.3	BLDG 1788	DHW		0.154	mmBtu/hr	1.28	10^6 scf/yr	NG	0.060	0.026	0.000	0.005	0.004
EC1790.1	BLDG 1790	Ceiling Heater		0.08	mmBtu/hr	0.67	10^6 scf/yr	NG	0.031	0.013	0.000	0.003	0.002
EC1790.2	BLDG 1790	Ceiling Heater		0.08	mmBtu/hr	0.67	10^6 scf/yr	NG	0.031	0.013	0.000	0.003	0.002

Table D-12.2.2.1-5-2
Insignificant Activities
External Combustion Criteria Pollutant PTE

Em. Source ID	Location	Emission Source	Controlled (Low NOx)	Rated Heat Input Capacity	Heat inupt Units	Rated Heat Input Capacity	Heat inupt Units	Fuel	NOx tpy	CO tpy	SOx tpy	PM_{10} tpy	VOC tpy
EC0180.1	BLDG 180	Boiler		1	mmBtu/hr	8.34	10^6 scf/yr	NG	0.417	0.350	0.003	0.032	0.023
EC1790.3	BLDG 1790	Ceiling Heater		0.08	mmBtu/hr	0.67	10^6 scf/yr	NG	0.031	0.013	0.000	0.003	0.002
EC1790.4	BLDG 1790	Ceiling Heater		0.08	mmBtu/hr	0.67	10^6 scf/yr	NG	0.031	0.013	0.000	0.003	0.002
EC1790.5	BLDG 1790	Ceiling Heater		0.08	mmBtu/hr	0.67	10^6 scf/yr	NG	0.031	0.013	0.000	0.003	0.002
EC1790.6	BLDG 1790	Ceiling Heater		0.08	mmBtu/hr	0.67	10^6 scf/yr	NG	0.031	0.013	0.000	0.003	0.002
EC1790.7	BLDG 1790	HWH		0.04	mmBtu/hr	0.33	10^6 scf/yr	NG	0.016	0.007	0.000	0.001	0.001
EC1794.1	BLDG 1794			0.08	mmBtu/hr	0.67	10^6 scf/yr	NG	0.031	0.013	0.000	0.003	0.002
EC1794.2	BLDG 1794			0.08	mmBtu/hr	0.67	10^6 scf/yr	NG	0.031	0.013	0.000	0.003	0.002
EC1800.1	BLDG 1800	Ceiling Heater		0.15	mmBtu/hr	1.25	10^6 scf/yr	NG	0.059	0.025	0.000	0.005	0.003
EC1800.2	BLDG 1800	Ceiling Heater		0.15	mmBtu/hr	1.25	10^6 scf/yr	NG	0.059	0.025	0.000	0.005	0.003
EC1804	BLDG 1804	FA Furnace		0.35	mmBtu/hr	0.00253	1000 Gal/h	Diesel	0.221	0.055	0.786	0.014	0.004
EC1806	BLDG 1806	Furnace		0.085	mmBtu/hr	0.00061	1000 Gal/h	Diesel	0.054	0.013	0.191	0.003	0.001
EC2192.1	BLDG 2192	Ceiling Heater		0.025	mmBtu/hr	0.21	10^6 scf/yr	NG	0.010	0.004	0.000	0.001	0.001
EC2192.2	BLDG 2192	Ceiling Heater		0.025	mmBtu/hr	0.21	10^6 scf/yr	NG	0.010	0.004	0.000	0.001	0.001
EC2206.1	BLDG 2206	Boiler		0.225	mmBtu/hr	1.88	10^6 scf/yr	NG	0.088	0.038	0.001	0.007	0.005
EC2206.2	BLDG 2206	DHW		0.35	mmBtu/hr	2.92	10^6 scf/yr	NG	0.146	0.123	0.001	0.011	0.008
EC2209.1	BLDG 2209	Boiler		1.4	mmBtu/hr	11.68	10^6 scf/yr	NG	0.584	0.491	0.004	0.044	0.032
EC2209.2	BLDG 2209	Hot Water Spray		0.245	mmBtu/hr	0.0027	1000 Gal/h	Liquid Petroleum	0.176	0.025	0.001	0.006	0.007
EC2215.1	BLDG 2215	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC2215.2	BLDG 2215	IR Heater		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC2215.3	BLDG 2215	Boiler		0.91	mmBtu/hr	7.59	10^6 scf/yr	NG	0.380	0.319	0.002	0.029	0.021
EC2215.4	BLDG 2215	Furnace		1	mmBtu/hr	8.34	10^6 scf/yr	NG	0.392	0.167	0.003	0.032	0.023
EC2310.1	BLDG 2310			0.3	mmBtu/hr	2.50	10^6 scf/yr	NG	0.125	0.105	0.001	0.010	0.007
EC2310.2	BLDG 2310		Low NOx	1	mmBtu/hr	8.34	10^6 scf/yr	NG	0.209	0.350	0.003	0.032	0.023
EC2312.1	BLDG 2312		Low NOx	1	mmBtu/hr	8.34	10^6 scf/yr	NG	0.209	0.350	0.003	0.032	0.023
EC2312.2	BLDG 2312			1.2	mmBtu/hr	10.01	10^6 scf/yr	NG	0.501	0.420	0.003	0.038	0.028
EC2314.1	BLDG 2314		Low NOx	1.4	mmBtu/hr	11.68	10^6 scf/yr	NG	0.292	0.491	0.004	0.044	0.032
EC2314.2	BLDG 2314		Low NOx	1.4	mmBtu/hr	11.68	10^6 scf/yr	NG	0.292	0.491	0.004	0.044	0.032
EC2314.3	BLDG 2314			1.825	mmBtu/hr	15.23	10^6 scf/yr	NG	0.761	0.639	0.005	0.058	0.042
EC2316.1	BLDG 2316		Low NOx	1	mmBtu/hr	8.34	10^6 scf/yr	NG	0.209	0.350	0.003	0.032	0.023
EC2316.2	BLDG 2316		Low NOx	1.4	mmBtu/hr	11.68	10^6 scf/yr	NG	0.292	0.491	0.004	0.044	0.032
EC2316.3	BLDG 2316			1.999	mmBtu/hr	16.68	10^6 scf/yr	NG	0.834	0.700	0.005	0.063	0.046
EC2316.4	BLDG 2316			1.2	mmBtu/hr	10.01	10^6 scf/yr	NG	0.501	0.420	0.003	0.038	0.028
EC2316.5	BLDG 2316			2.1	mmBtu/hr	17.52	10^6 scf/yr	NG	0.876	0.736	0.005	0.067	0.048
EC2318.1	BLDG 2318			1.255	mmBtu/hr	10.47	10^6 scf/yr	NG	0.524	0.440	0.003	0.040	0.029
EC2318.2	BLDG 2318			1.255	mmBtu/hr	10.47	10^6 scf/yr	NG	0.524	0.440	0.003	0.040	0.029
EC2320.1	BLDG 2320			0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC2320.2	BLDG 2320			1	mmBtu/hr	8.34	10^6 scf/yr	NG	0.417	0.350	0.003	0.032	0.023
EC2370.1	BLDG 2370	Boiler		0.348	mmBtu/hr	2.90	10^6 scf/yr	NG	0.145	0.122	0.001	0.011	0.008
EC2370.2	BLDG 2370	dhw		1.999	mmBtu/hr	16.68	10^6 scf/yr	NG	0.834	0.700	0.005	0.063	0.046
EC2370.3	BLDG 2370	Furnace		1	mmBtu/hr	8.34	10^6 scf/yr	NG	0.417	0.350	0.003	0.032	0.023
EC2370.4	BLDG 2370	Furnace		1.01	mmBtu/hr	8.43	10^6 scf/yr	NG	0.421	0.354	0.003	0.032	0.023
EC2370.5	BLDG 2370	Furnace		0.224	mmBtu/hr	1.87	10^6 scf/yr	NG	0.088	0.037	0.001	0.007	0.005

Table D-12.2.2.1-5-2
Insignificant Activities
External Combustion Criteria Pollutant PTE

Em. Source ID	Location	Emission Source	Controlled (Low NOx)	Rated Heat Input Capacity	Heat inupt Units	Rated Heat Input Capacity	Heat inupt Units	Fuel	NOx tpy	CO tpy	SOx tpy	PM_{10} tpy	VOC tpy
EC0180.1	BLDG 180	Boiler		1	mmBtu/hr	8.34	10^6 scf/yr	NG	0.417	0.350	0.003	0.032	0.023
EC2370.6	BLDG 2370	Furnace		0.5	mmBtu/hr	4.17	10^6 scf/yr	NG	0.209	0.175	0.001	0.016	0.011
EC2370.7	BLDG 2370	HWH		1	mmBtu/hr	8.34	10^6 scf/yr	NG	0.417	0.350	0.003	0.032	0.023
EC2371	BLDG 2371	Furnace		1.4	mmBtu/hr	11.68	10^6 scf/yr	NG	0.584	0.491	0.004	0.044	0.032
EC2408	BLDG 2408			0.399	mmBtu/hr	3.33	10^6 scf/yr	NG	0.166	0.140	0.001	0.013	0.009
EC2412.1	BLDG 2412	DHW		1.2	mmBtu/hr	10.01	10^6 scf/yr	NG	0.501	0.420	0.003	0.038	0.028
EC2412.2	BLDG 2412	Boiler		1.5	mmBtu/hr	12.51	10^6 scf/yr	NG	0.626	0.526	0.004	0.048	0.034
EC2412.3	BLDG 2412	Boiler		1.5	mmBtu/hr	12.51	10^6 scf/yr	NG	0.626	0.526	0.004	0.048	0.034
EC2416.1	BLDG 2416	DHW		1	mmBtu/hr	8.34	10^6 scf/yr	NG	0.417	0.350	0.003	0.032	0.023
EC2416.2	BLDG 2416	Boiler		1.255	mmBtu/hr	10.47	10^6 scf/yr	NG	0.524	0.440	0.003	0.040	0.029
EC2422.1	BLDG 2422	Boiler		1.255	mmBtu/hr	10.47	10^6 scf/yr	NG	0.524	0.440	0.003	0.040	0.029
EC2422.2	BLDG 2422	Boiler		1.255	mmBtu/hr	10.47	10^6 scf/yr	NG	0.524	0.440	0.003	0.040	0.029
EC2425.1	BLDG 2425	Boiler		1.255	mmBtu/hr	10.47	10^6 scf/yr	NG	0.524	0.440	0.003	0.040	0.029
EC2425.2	BLDG 2425	Boiler		1.255	mmBtu/hr	10.47	10^6 scf/yr	NG	0.524	0.440	0.003	0.040	0.029
EC2427	BLDG 2427		Low NOx	0.3	mmBtu/hr	2.50	10^6 scf/yr	NG	0.063	0.105	0.001	0.010	0.007
EC2428	BLDG 2428		Low NOx	0.95	mmBtu/hr	7.93	10^6 scf/yr	NG	0.198	0.333	0.002	0.030	0.022
EC2601.1	BLDG 2601	DHW		0.52	mmBtu/hr	4.34	10^6 scf/yr	NG	0.217	0.182	0.001	0.016	0.012
EC2601.2	BLDG 2601	Boiler		1	mmBtu/hr	8.34	10^6 scf/yr	NG	0.417	0.350	0.003	0.032	0.023
EC2603.1	BLDG 2603	DHW		0.52	mmBtu/hr	4.34	10^6 scf/yr	NG	0.217	0.182	0.001	0.016	0.012
EC2603.2	BLDG 2603	Boiler		1	mmBtu/hr	8.34	10^6 scf/yr	NG	0.417	0.350	0.003	0.032	0.023
EC2604.1	BLDG 2604	DHW		0.52	mmBtu/hr	4.34	10^6 scf/yr	NG	0.217	0.182	0.001	0.016	0.012
EC2604.2	BLDG 2604	Boiler		1	mmBtu/hr	8.34	10^6 scf/yr	NG	0.417	0.350	0.003	0.032	0.023
EC2606.1	BLDG 2606			0.25	mmBtu/hr	2.09	10^6 scf/yr	NG	0.098	0.042	0.001	0.008	0.006
EC2606.2	BLDG 2606			0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC2606.3	BLDG 2606		Low NOx	0.84	mmBtu/hr	7.01	10^6 scf/yr	NG	0.175	0.294	0.002	0.027	0.019
EC2607	BLDG 2607		Low NOx	1.4	mmBtu/hr	11.68	10^6 scf/yr	NG	0.292	0.491	0.004	0.044	0.032
EC2610.1	BLDG 2610		Low NOx	0.95	mmBtu/hr	7.93	10^6 scf/yr	NG	0.198	0.333	0.002	0.030	0.022
EC2610.2	BLDG 2610		Low NOx	0.95	mmBtu/hr	7.93	10^6 scf/yr	NG	0.198	0.333	0.002	0.030	0.022
EC2610.3	BLDG 2610			0.163	mmBtu/hr	1.36	10^6 scf/yr	NG	0.064	0.027	0.000	0.005	0.004
EC2610.4	BLDG 2610			0.163	mmBtu/hr	1.36	10^6 scf/yr	NG	0.064	0.027	0.000	0.005	0.004
EC2618.1	BLDG 2618			0.329	mmBtu/hr	2.74	10^6 scf/yr	NG	0.137	0.115	0.001	0.010	0.008
EC2618.2	BLDG 2618		Low NOx	0.95	mmBtu/hr	7.93	10^6 scf/yr	NG	0.198	0.333	0.002	0.030	0.022
EC2618.3	BLDG 2618		Low NOx	0.95	mmBtu/hr	7.93	10^6 scf/yr	NG	0.198	0.333	0.002	0.030	0.022
EC2623	BLDG 2623		Low NOx	0.75	mmBtu/hr	6.26	10^6 scf/yr	NG	0.156	0.263	0.002	0.024	0.017
EC2630.1	BLDG 2630	FA Furnace		0.075	mmBtu/hr	0.63	10^6 scf/yr	NG	0.029	0.013	0.000	0.002	0.002
EC2630.2	BLDG 2630	FA Furnace		0.075	mmBtu/hr	0.63	10^6 scf/yr	NG	0.029	0.013	0.000	0.002	0.002
EC2630.3	BLDG 2630	FA Furnace		0.075	mmBtu/hr	0.63	10^6 scf/yr	NG	0.029	0.013	0.000	0.002	0.002
EC2630.4	BLDG 2630	Ceiling Heater		0.03	mmBtu/hr	0.25	10^6 scf/yr	NG	0.012	0.005	0.000	0.001	0.001
EC2630.5	BLDG 2630	HWH		0.075	mmBtu/hr	0.63	10^6 scf/yr	NG	0.029	0.013	0.000	0.002	0.002
EC2700.1	BLDG 2700	Fryer		0.075	mmBtu/hr	0.63	10^6 scf/yr	NG	0.029	0.013	0.000	0.002	0.002
EC2700.2	BLDG 2700	Fryer		0.075	mmBtu/hr	0.63	10^6 scf/yr	NG	0.029	0.013	0.000	0.002	0.002
EC2700.3	BLDG 2700	Fryer		0.075	mmBtu/hr	0.63	10^6 scf/yr	NG	0.029	0.013	0.000	0.002	0.002
EC2700.4	BLDG 2700	Fryer		0.075	mmBtu/hr	0.63	10^6 scf/yr	NG	0.029	0.013	0.000	0.002	0.002

Table D-12.2.2.1-5-2
Insignificant Activities
External Combustion Criteria Pollutant PTE

Em. Source ID	Location	Emission Source	Controlled (Low NOx)	Rated Heat Input Capacity	Heat inupt Units	Rated Heat Input Capacity	Heat inupt Units	Fuel	NOx tpy	CO tpy	SOx tpy	PM_{10} tpy	VOC tpy
EC0180.1	BLDG 180	Boiler		1	mmBtu/hr	8.34	10^6 scf/yr	NG	0.417	0.350	0.003	0.032	0.023
EC2700.5	BLDG 2700	Fryer		0.075	mmBtu/hr	0.63	10^6 scf/yr	NG	0.029	0.013	0.000	0.002	0.002
EC2700.6	BLDG 2700	Fryer		0.08	mmBtu/hr	0.67	10^6 scf/yr	NG	0.031	0.013	0.000	0.003	0.002
EC2706.1	BLDG 2706	dhw		0.199	mmBtu/hr	1.66	10^6 scf/yr	NG	0.078	0.033	0.000	0.006	0.005
EC2706.2	BLDG 2706	Boiler		3.55	mmBtu/hr	29.62	10^6 scf/yr	NG	1.481	1.244	0.009	0.113	0.081
EC2805.1	BLDG 2805	Boiler		0.26	mmBtu/hr	2.17	10^6 scf/yr	NG	0.102	0.043	0.001	0.008	0.006
EC2805.2	BLDG 2805	Boiler		0.688	mmBtu/hr	5.74	10^6 scf/yr	NG	0.287	0.241	0.002	0.022	0.016
EC2806	BLDG 2806	Boiler		0.5	mmBtu/hr	4.17	10^6 scf/yr	NG	0.209	0.175	0.001	0.016	0.011
EC2807	BLDG 2807	Boiler		0.6	mmBtu/hr	5.01	10^6 scf/yr	NG	0.250	0.210	0.002	0.019	0.014
EC2830	BLDG 2830	Boiler		0.95	mmBtu/hr	7.93	10^6 scf/yr	NG	0.396	0.333	0.002	0.030	0.022
EC2990.1	BLDG 2990			0.85	mmBtu/hr	7.09	10^6 scf/yr	NG	0.355	0.298	0.002	0.027	0.020
EC2990.2	BLDG 2990			0.06	mmBtu/hr	0.50	10^6 scf/yr	NG	0.024	0.010	0.000	0.002	0.001
EC3016	BLDG 3016	Boiler		0.1	mmBtu/hr	0.83	10^6 scf/yr	NG	0.039	0.017	0.000	0.003	0.002
EC3018	BLDG 3018	Boiler		0.25	mmBtu/hr	2.09	10^6 scf/yr	NG	0.098	0.042	0.001	0.008	0.006
EC3020.1	BLDG 3020	Boiler		0.789	mmBtu/hr	6.58	10^6 scf/yr	NG	0.329	0.276	0.002	0.025	0.018
EC3020.2	BLDG 3020	Boiler		0.789	mmBtu/hr	6.58	10^6 scf/yr	NG	0.329	0.276	0.002	0.025	0.018
EC3023	BLDG 3023	Boiler		1.025	mmBtu/hr	8.55	10^6 scf/yr	NG	0.428	0.359	0.003	0.032	0.024
EC3509	BLDG 3509	Furnace		0.188	mmBtu/hr	0.0014	1000 Gal/h	Deisel	0.119	0.030	0.422	0.008	0.002
EC4109	BLDG 4109	Boiler		0.325	mmBtu/hr	2.71	10^6 scf/yr	NG	0.136	0.114	0.001	0.010	0.007
EC4200.1	BLDG 4200	Boiler		0.5	mmBtu/hr	4.17	10^6 scf/yr	NG	0.209	0.175	0.001	0.016	0.011
EC4200.2	BLDG 4200	Furnace		0.125	mmBtu/hr	1.04	10^6 scf/yr	NG	0.049	0.021	0.000	0.004	0.003
EC4401.1	BLDG 4401	FA Furnace		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC4401.2	BLDG 4401	FA Furnace		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC4827.1	BLDG 4827	Ceiling Heater		0.025	mmBtu/hr	0.21	10^6 scf/yr	NG	0.010	0.004	0.000	0.001	0.001
EC4827.2	BLDG 4827	Ceiling Heater		0.025	mmBtu/hr	0.21	10^6 scf/yr	NG	0.010	0.004	0.000	0.001	0.001
EC6003.1	BLDG 6003	Furnace		0.06	mmBtu/hr	0.50	10^6 scf/yr	NG	0.024	0.010	0.000	0.002	0.001
EC6003.2	BLDG 6003	IR Heater		0.084	mmBtu/hr	0.70	10^6 scf/yr	NG	0.033	0.014	0.000	0.003	0.002
EC6003.3	BLDG 6003	IR Heater		0.084	mmBtu/hr	0.70	10^6 scf/yr	NG	0.033	0.014	0.000	0.003	0.002
EC6003.4	BLDG 6003	IR Heater		0.084	mmBtu/hr	0.70	10^6 scf/yr	NG	0.033	0.014	0.000	0.003	0.002
EC6003.5	BLDG 6003	IR Heater		0.084	mmBtu/hr	0.70	10^6 scf/yr	NG	0.033	0.014	0.000	0.003	0.002
EC6003.6	BLDG 6003	IR Heater		0.084	mmBtu/hr	0.70	10^6 scf/yr	NG	0.033	0.014	0.000	0.003	0.002
EC6003.7	BLDG 6003	IR Heater		0.084	mmBtu/hr	0.70	10^6 scf/yr	NG	0.033	0.014	0.000	0.003	0.002
EC6003.8	BLDG 6003	IR Heater		0.084	mmBtu/hr	0.70	10^6 scf/yr	NG	0.033	0.014	0.000	0.003	0.002
EC6003.9	BLDG 6003	IR Heater		0.084	mmBtu/hr	0.70	10^6 scf/yr	NG	0.033	0.014	0.000	0.003	0.002
EC6210.1	BLDG 6210	IR Heater		0.075	mmBtu/hr	0.63	10^6 scf/yr	NG	0.029	0.013	0.000	0.002	0.002
EC6210.2	BLDG 6210	Heater		0.03	mmBtu/hr	0.25	10^6 scf/yr	NG	0.012	0.005	0.000	0.001	0.001
EC6300.1	BLDG 6300			0.08	mmBtu/hr	0.67	10^6 scf/yr	NG	0.031	0.013	0.000	0.003	0.002
EC6300.2	BLDG 6300	FA Furnace		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC6300.3	BLDG 6300	FA Furnace		0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	0.047	0.020	0.000	0.004	0.003
EC6300.4	BLDG 6300	IR Heater		0.07	mmBtu/hr	0.58	10^6 scf/yr	NG	0.027	0.012	0.000	0.002	0.002
EC6300.5	BLDG 6300	IR Heater		0.07	mmBtu/hr	0.58	10^6 scf/yr	NG	0.027	0.012	0.000	0.002	0.002
EC7001	BLDG 7001	FA Furnace		0.08	mmBtu/hr	0.67	10^6 scf/yr	NG	0.031	0.013	0.000	0.003	0.002
EC31074	BLDG 31074	Boiler		1.35	mmBtu/hr	11.26	10^6 scf/yr	NG	0.563	0.473	0.003	0.043	0.031

Table D-12.2.2.1-5-2
Insignificant Activities
External Combustion Criteria Pollutant PTE

Em. Source ID	Location	Emission Source	Controlled (Low NOx)	Rated Heat Input Capacity	Heat inupt Units	Rated Heat Input Capacity	Heat inupt Units	Fuel	NOx tpy	CO tpy	SOx tpy	PM_{10} tpy	VOC tpy
EC0180.1	BLDG 180	Boiler		1	mmBtu/hr	8.34	10^6 scf/yr	NG	0.417	0.350	0.003	0.032	0.023
EC31075	BLDG 31075	Boiler		0.95	mmBtu/hr	7.93	10^6 scf/yr	NG	0.396	0.333	0.002	0.030	0.022
TOTALS									73.4	55.9	1.9	6.1	4.4

Table 12.2.2.1-5-3
Insignificant Activities
External Combustion HAP PTE

Em. Source ID	Location	Emission Source	Power Rating	Power Rating Units	Power Rating	Power Rating Units	Fuel	Acrolein tpy	Arsenic Compounds tpy	Benzene tpy	Beryllium tpy	Cadmium tpy	Chromium Compounds tpy	Cobalt tpy	1,4-Dichlorobenzene tpy	Ethyl Benzene tpy	Formaldehyde tpy	Hexane tpy	Hexavalent Chromium tpy	Hydrogen Chloride tpy	Lead and Compounds tpy	Manganese tpy	Mercury tpy	Methyl Chloroform tpy	Naphthalene tpy	Nickel tpy	O-Xylene tpy	Selenium tpy	Toluene tpy	Xylenes (o, m, p) tpy
EC0180.1	BLDG 180	Boiler	1	mmBtu/hr	8.34	10^6 scf/yr	NG	5.46E-05	8.34E-07	0.00E+00	2.50E-08	4.59E-06	5.84E-06	3.50E-07	5.01E-06	0.00E+00	3.13E-04	7.51E-03	0.00E+00	0.00E+00	2.09E-06	1.59E-06	1.08E-06	0.00E+00	2.54E-06	8.76E-06	0.00E+00	5.01E-08	1.42E-05	9.18E-06
EC0180.2	BLDG 180	Furnace	0.08	mmBtu/hr	0.67	10^6 scf/yr	NG	4.37E-06	6.67E-08	0.00E+00	2.00E-09	3.67E-07	4.67E-07	2.80E-08	4.00E-07	0.00E+00	2.50E-05	6.01E-04	0.00E+00	0.00E+00	1.67E-07	1.27E-07	8.68E-08	0.00E+00	2.04E-07	7.01E-07	0.00E+00	4.00E-09	1.13E-06	7.34E-07
EC0180.3	BLDG 180	Furnace	0.08	mmBtu/hr	0.67	10^6 scf/yr	NG	4.37E-06	6.67E-08	0.00E+00	2.00E-09	3.67E-07	4.67E-07	2.80E-08	4.00E-07	0.00E+00	2.50E-05	6.01E-04	0.00E+00	0.00E+00	1.67E-07	1.27E-07	8.68E-08	0.00E+00	2.04E-07	7.01E-07	0.00E+00	4.00E-09	1.13E-06	7.34E-07
EC0182.1	BLDG 182	DHW	0.04	mmBtu/hr	0.33	10^6 scf/yr	NG	2.19E-06	3.34E-08	0.00E+00	1.00E-09	1.84E-07	2.34E-07	1.40E-08	2.00E-07	0.00E+00	1.25E-05	3.00E-04	0.00E+00	0.00E+00	8.34E-08	6.34E-08	4.34E-08	0.00E+00	1.02E-07	3.50E-07	0.00E+00	2.00E-09	5.67E-07	3.67E-07
EC0182.2	BLDG 182	Furnace	0.04	mmBtu/hr	0.33	10^6 scf/yr	NG	2.19E-06	3.34E-08	0.00E+00	1.00E-09	1.84E-07	2.34E-07	1.40E-08	2.00E-07	0.00E+00	1.25E-05	3.00E-04	0.00E+00	0.00E+00	8.34E-08	6.34E-08	4.34E-08	0.00E+00	1.02E-07	3.50E-07	0.00E+00	2.00E-09	5.67E-07	3.67E-07
EC0182.3	BLDG 182	Furnace	0.08	mmBtu/hr	0.67	10^6 scf/yr	NG	4.37E-06	6.67E-08	0.00E+00	2.00E-09	3.67E-07	4.67E-07	2.80E-08	4.00E-07	0.00E+00	2.50E-05	6.01E-04	0.00E+00	0.00E+00	1.67E-07	1.27E-07	8.68E-08	0.00E+00	2.04E-07	7.01E-07	0.00E+00	4.00E-09	1.13E-06	7.34E-07
EC0182.4	BLDG 182	Furnace	0.08	mmBtu/hr	0.67	10^6 scf/yr	NG	4.37E-06	6.67E-08	0.00E+00	2.00E-09	3.67E-07	4.67E-07	2.80E-08	4.00E-07	0.00E+00	2.50E-05	6.01E-04	0.00E+00	0.00E+00	1.67E-07	1.27E-07	8.68E-08	0.00E+00	2.04E-07	7.01E-07	0.00E+00	4.00E-09	1.13E-06	7.34E-07
EC0195.1	BLDG 195	DHW	0.197	mmBtu/hr	1.64	10^6 scf/yr	NG	1.08E-05	1.64E-07	0.00E+00	4.93E-09	9.04E-07	1.15E-06	6.90E-08	9.86E-07	0.00E+00	6.16E-05	1.48E-03	0.00E+00	0.00E+00	4.11E-07	3.12E-07	2.14E-07	0.00E+00	5.01E-07	1.73E-06	0.00E+00	9.86E-09	2.79E-06	1.81E-06
EC0195.2	BLDG 195	DHW	0.197	mmBtu/hr	1.64	10^6 scf/yr	NG	1.08E-05	1.64E-07	0.00E+00	4.93E-09	9.04E-07	1.15E-06	6.90E-08	9.86E-07	0.00E+00	6.16E-05	1.48E-03	0.00E+00	0.00E+00	4.11E-07	3.12E-07	2.14E-07	0.00E+00	5.01E-07	1.73E-06	0.00E+00	9.86E-09	2.79E-06	1.81E-06
EC0195.3	BLDG 195	Boiler	2.45	mmBtu/hr	20.44	10^6 scf/yr	NG	1.34E-04	2.04E-06	0.00E+00	6.13E-08	1.12E-05	1.43E-05	8.58E-07	1.23E-05	0.00E+00	7.67E-04	1.84E-02	0.00E+00	0.00E+00	5.11E-06	3.88E-06	2.66E-06	0.00E+00	6.23E-06	2.15E-05	0.00E+00	1.23E-07	3.47E-05	2.25E-05
EC0195.4	BLDG 195	Boiler	0.85	mmBtu/hr	7.09	10^6 scf/yr	NG	4.64E-05	7.09E-07	0.00E+00	2.13E-08	3.90E-06	4.96E-06	2.98E-07	4.25E-06	0.00E+00	2.66E-04	6.38E-03	0.00E+00	0.00E+00	1.77E-06	1.35E-06	9.22E-07	0.00E+00	2.16E-06	7.45E-06	0.00E+00	4.25E-08	1.21E-05	7.80E-06
EC0196.1	BLDG 196	IR Heater	0.08	mmBtu/hr	0.67	10^6 scf/yr	NG	4.37E-06	6.67E-08	0.00E+00	2.00E-09	3.67E-07	4.67E-07	2.80E-08	4.00E-07	0.00E+00	2.50E-05	6.01E-04	0.00E+00	0.00E+00	1.67E-07	1.27E-07	8.68E-08	0.00E+00	2.04E-07	7.01E-07	0.00E+00	4.00E-09	1.13E-06	7.34E-07
EC0196.2	BLDG 196	IR Heater	0.08	mmBtu/hr	0.67	10^6 scf/yr	NG	4.37E-06	6.67E-08	0.00E+00	2.00E-09	3.67E-07	4.67E-07	2.80E-08	4.00E-07	0.00E+00	2.50E-05	6.01E-04	0.00E+00	0.00E+00	1.67E-07	1.27E-07	8.68E-08	0.00E+00	2.04E-07	7.01E-07	0.00E+00	4.00E-09	1.13E-06	7.34E-07
EC0196.3	BLDG 196	IR Heater	0.08	mmBtu/hr	0.67	10^6 scf/yr	NG	4.37E-06	6.67E-08	0.00E+00	2.00E-09	3.67E-07	4.67E-07	2.80E-08	4.00E-07	0.00E+00	2.50E-05	6.01E-04	0.00E+00	0.00E+00	1.67E-07	1.27E-07	8.68E-08	0.00E+00	2.04E-07	7.01E-07	0.00E+00	4.00E-09	1.13E-06	7.34E-07
EC0196.4	BLDG 196	IR Heater	0.08	mmBtu/hr	0.67	10^6 scf/yr	NG	4.37E-06	6.67E-08	0.00E+00	2.00E-09	3.67E-07	4.67E-07	2.80E-08	4.00E-07	0.00E+00	2.50E-05	6.01E-04	0.00E+00	0.00E+00	1.67E-07	1.27E-07	8.68E-08	0.00E+00	2.04E-07	7.01E-07	0.00E+00	4.00E-09	1.13E-06	7.34E-07
EC0196.5	BLDG 196	IR Heater	0.08	mmBtu/hr	0.67	10^6 scf/yr	NG	4.37E-06	6.67E-08	0.00E+00	2.00E-09	3.67E-07	4.67E-07	2.80E-08	4.00E-07	0.00E+00	2.50E-05	6.01E-04	0.00E+00	0.00E+00	1.67E-07	1.27E-07	8.68E-08	0.00E+00	2.04E-07	7.01E-07	0.00E+00	4.00E-09	1.13E-06	7.34E-07
EC0196.6	BLDG 196	Boiler	0.32	mmBtu/hr	2.67	10^6 scf/yr	NG	1.75E-05	2.67E-07	0.00E+00	8.01E-09	1.47E-06	1.87E-06	1.12E-07	1.60E-06	0.00E+00	1.00E-04	2.40E-03	0.00E+00	0.00E+00	6.67E-07	5.07E-07	3.47E-07	0.00E+00	8.14E-07	2.80E-06	0.00E+00	1.60E-08	4.54E-06	2.94E-06
EC0196.7	BLDG 196	Boiler	0.52	mmBtu/hr	4.34	10^6 scf/yr	NG	2.84E-05	4.34E-07	0.00E+00	1.30E-08	2.39E-06	3.04E-06	1.82E-07	2.60E-06	0.00E+00	1.63E-04	3.90E-03	0.00E+00	0.00E+00	1.08E-06	8.24E-07	5.64E-07	0.00E+00	1.32E-06	4.56E-06	0.00E+00	2.60E-08	7.38E-06	4.77E-06
EC0197.1	BLDG 197	Heater	0.027	mmBtu/hr	0.23	10^6 scf/yr	NG	1.48E-06	2.25E-08	0.00E+00	6.76E-10	1.24E-07	1.58E-07	9.46E-09	1.35E-07	0.00E+00	8.45E-06	2.03E-04	0.00E+00	0.00E+00	5.63E-08	4.28E-08	2.93E-08	0.00E+00	6.87E-08	2.37E-07	0.00E+00	1.35E-09	3.83E-07	2.48E-07
EC0197.2	BLDG 197	HWH	0.065	mmBtu/hr	0.54	10^6 scf/yr	NG	3.55E-06	5.42E-08	0.00E+00	1.63E-09	2.98E-07	3.80E-07	2.28E-08	3.25E-07	0.00E+00	2.03E-05	4.88E-04	0.00E+00	0.00E+00	1.36E-07	1.03E-07	7.05E-08	0.00E+00	1.65E-07	5.69E-07	0.00E+00	3.25E-09	9.22E-07	5.97E-07
EC0197.3	BLDG 197	Heater	0.027	mmBtu/hr	0.23	10^6 scf/yr	NG	1.48E-06	2.25E-08	0.00E+00	6.76E-10	1.24E-07	1.58E-07	9.46E-09	1.35E-07	0.00E+00	8.45E-06	2.03E-04	0.00E+00	0.00E+00	5.63E-08	4.28E-08	2.93E-08	0.00E+00	6.87E-08	2.37E-07	0.00E+00	1.35E-09	3.83E-07	2.48E-07
EC0198.1	BLDG 198	Boiler	1.5	mmBtu/hr	12.51	10^6 scf/yr	NG	8.20E-05	1.25E-06	0.00E+00	3.75E-08	6.88E-06	8.76E-06	5.26E-07	7.51E-06	0.00E+00	4.69E-04	1.13E-02	0.00E+00	0.00E+00	3.13E-06	2.38E-06	1.63E-06	0.00E+00	3.82E-06	1.31E-05	0.00E+00	7.51E-08	2.13E-05	1.38E-05
EC0198.2	BLDG 198	Boiler	1.5	mmBtu/hr	12.51	10^6 scf/yr	NG	8.20E-05	1.25E-06	0.00E+00	3.75E-08	6.88E-06	8.76E-06	5.26E-07	7.51E-06	0.00E+00	4.69E-04	1.13E-02	0.00E+00	0.00E+00	3.13E-06	2.38E-06	1.63E-06	0.00E+00	3.82E-06	1.31E-05	0.00E+00	7.51E-08	2.13E-05	1.38E-05
EC0198.3	BLDG 198	Boiler	1.5	mmBtu/hr	12.51	10^6 scf/yr	NG	8.20E-05	1.25E-06	0.00E+00	3.75E-08	6.88E-06	8.76E-06	5.26E-07	7.51E-06	0.00E+00	4.69E-04	1.13E-02	0.00E+00	0.00E+00	3.13E-06	2.38E-06	1.63E-06	0.00E+00	3.82E-06	1.31E-05	0.00E+00	7.51E-08	2.13E-05	1.38E-05
EC0198.4	BLDG 198	Boiler	1.5	mmBtu/hr	12.51	10^6 scf/yr	NG	8.20E-05	1.25E-06	0.00E+00	3.75E-08	6.88E-06	8.76E-06	5.26E-07	7.51E-06	0.00E+00	4.69E-04	1.13E-02	0.00E+00	0.00E+00	3.13E-06	2.38E-06	1.63E-06	0.00E+00	3.82E-06	1.31E-05	0.00E+00	7.51E-08	2.13E-05	1.38E-05
EC0198.5	BLDG 198	Heater	0.45	mmBtu/hr	3.75	10^6 scf/yr	NG	2.46E-05	3.75E-07	0.00E+00	1.13E-08	2.06E-06	2.63E-06	1.58E-07	2.25E-06	0.00E+00	1.41E-04	3.38E-03	0.00E+00	0.00E+00	9.39E-07	7.13E-07	4.88E-07	0.00E+00	1.15E-06	3.94E-06	0.00E+00	2.25E-08	6.38E-06	4.13E-06
EC0200.1	BLDG 200	Boiler	1.8	mmBtu/hr	15.02	10^6 scf/yr	NG	9.84E-05	1.50E-06	0.00E+00	4.51E-08	8.26E-06	1.05E-05	6.31E-07	9.01E-06	0.00E+00	5.63E-04	1.35E-02	0.00E+00	0.00E+00	3.75E-06	2.85E-06	1.95E-06	0.00E+00	4.58E-06	1.58E-05	0.00E+00	9.01E-08	2.55E-05	1.65E-05
EC0200.2	BLDG 200	Boiler	1.8	mmBtu/hr	15.02	10^6 scf/yr	NG	9.84E-05	1.50E-06	0.00E+00	4.51E-08	8.26E-06	1.05E-05	6.31E-07	9.01E-06	0.00E+00	5.63E-04	1.35E-02	0.00E+00	0.00E+00	3.75E-06	2.85E-06	1.95E-06	0.00E+00	4.58E-06	1.58E-05	0.00E+00	9.01E-08	2.55E-05	1.65E-05
EC0200.3	BLDG 200	Boiler	1.8	mmBtu/hr	15.02	10^6 scf/yr	NG	9.84E-05	1.50E-06	0.00E+00	4.51E-08	8.26E-06	1.05E-05	6.31E-07	9.01E-06	0.00E+00	5.63E-04	1.35E-02	0.00E+00	0.00E+00	3.75E-06	2.85E-06	1.95E-06	0.00E+00	4.58E-06	1.58E-05	0.00E+00	9.01E-08	2.55E-05	1.65E-05
EC0200.4	BLDG 200	Boiler	1.8	mmBtu/hr	15.02	10^6 scf/yr	NG	9.84E-05	1.50E-06	0.00E+00	4.51E-08	8.26E-06	1.05E-05	6.31E-07	9.01E-06	0.00E+00	5.63E-04	1.35E-02	0.00E+00	0.00E+00	3.75E-06	2.85E-06	1.95E-06	0.00E+00	4.58E-06	1.58E-05	0.00E+00	9.01E-08	2.55E-05	1.65E-05
EC0200.5	BLDG 200	Furnace	0.25	mmBtu/hr	2.09	10^6 scf/yr	NG	1.37E-05	2.09E-07	0.00E+00	6.26E-09	1.15E-06	1.46E-06	8.76E-08	1.25E-06	0.00E+00	7.82E-05	1.88E-03	0.00E+00	0.00E+00	5.21E-07	3.96E-07	2.71E-07	0.00E+00	6.36E-07	2.19E-06	0.00E+00	1.25E-08	3.55E-06	2.29E-06
EC0201.1	BLDG 201	Boiler	1.26	mmBtu/hr	10.51	10^6 scf/yr	NG	6.89E-05	1.05E-06	0.00E+00	3.15E-08	5.78E-06	7.36E-06	4.42E-07	6.31E-06	0.00E+00	3.94E-04	9.46E-03	0.00E+00	0.00E+00	2.63E-06	2.00E-06	1.37E-06	0.00E+00	3.21E-06	1.10E-05	0.00E+00	6.31E-08	1.79E-05	1.16E-05
EC0201.2	BLDG 201	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC0201.3	BLDG 201	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC0201.4	BLDG 201	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC0201.5	BLDG 201	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC0201.6	BLDG 201	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC0201.7	BLDG 201	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC0201.8	BLDG 201	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC0201.9	BLDG 201	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC0201.10	BLDG 201	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC0201.11	BLDG 201	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC0201.12	BLDG 201	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC0201.13	BLDG 201	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC0201.14	BLDG 201	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC0201.15	BLDG 201	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC0201.16	BLDG 201	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC0201.17	BLDG 201	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC0204.1	BLDG 204	Boiler	0.42	mmBtu/hr	3.50	10^6 scf/yr	NG	2.30E-05	3.50E-07	0.00E+00	1.05E-08	1.93E-06	2.45E-06	1.47E-07	2.10E-06	0.00E+00	1.31E-04	3.15E-03	0.00E+00	0.00E+00	8.76E-07	6.66E-07	4.56E-07	0.00E+00	1.07E-06	3.68E-06	0.00E+00	2.10E-08	5.96E-06	3.85E-06
EC0204.2	BLDG 204	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC0204.3	BLDG 204	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC0204.4	BLDG 204	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC0204.5	BLDG 204	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC0204.6	BLDG 204	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC0204.7	BLDG 204	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC0204.8	BLDG 204	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC0204.9	BLDG 204	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC0204.10	BLDG 204	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC0204.11	BLDG 204	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC0204.12	BLDG 204	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC0204.13	BLDG 204	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC0204.14	BLDG 204	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC0204.15	BLDG 204	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC0204.16	BLDG 204	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC0204.17	BLDG 204	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC0205.1	BLDG 205	Boiler	0.42	mmBtu/hr	3.50	10^6 scf/yr	NG	2.30E-05	3.50E-07	0.00E+00	1.05E-08	1.93E-06	2.45E-06	1.47E-07	2.10E-06	0.00E+00	1.31E-04	3.15E-03	0.00E+00	0.00E+00	8.76E-07	6.66E-07	4.56E-07	0.00E+00	1.07E-06	3.68E-06	0.00E+00	2.10E-08	5.96E-06	3.85E-06
EC0205.2	BLDG 205	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC0205.3	BLDG 205	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC0205.4	BLDG 205	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC0205.5	BLDG 205	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC0205.6	BLDG 205	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC0205.7	BLDG 205	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC0205.8	BLDG 205	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC0205.9	BLDG 205	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC0205.10	BLDG 205	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC0205.11	BLDG 205	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC0205.12	BLDG 205	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC0205.13	BLDG 205	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC0205.14	BLDG 205	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC0205.15	BLDG 205	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC0205.16	BLDG 205	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC0205.17	BLDG 205	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC0206.1	BLDG 206	Boiler	0.645	mmBtu/hr	5.38	10^6 scf/yr	NG	3.52E-05	5.38E-07	0.00E+00	1.61E-08	2.96E-06	3.77E-06	2.26E-07	3.23E-06	0.00E+00	2.02E-04	4.84E-03	0.00E+00	0.00E+00	1.35E-06	1.02E-06	7.00E-07	0.00E+00	1.64E-06	5.65E-06	0.00E+00	3.23E-08	9.15E-06	5.92E-06
EC0206.2	BLDG 206	Steam Unit	0.325	mmBtu/hr	2.71	10^6 scf/yr	NG	1.78E-05	2.71E-07	0.00E+00	8.13E-09	1.49E-06	1.90E-06	1.14E-07	1.63E-06	0.00E+00	1.02E-04	2.44E-03	0.00E+00	0.00E+00	6.78E-07	5.15E-07	3.52E-07	0.00E+00	8.27E-07	2.85E-06	0.00E+00	1.63E-08	4.61E-06	2.98E-06
EC0206.3	BLDG 206	Steam Unit	0.325	mmBtu/hr	2.71	10^6 scf/yr	NG	1.78E-05	2.71E-07	0.00E+00	8.13E-09	1.49E-06	1.90E-06	1.14E-07	1.63E-06	0.00E+00	1.02E-04	2.44E-03	0.00E+00	0.00E+00	6.78E-07	5.15E-07	3.52E-07	0.00E+00	8.27E-07	2.85E-06	0.00E+00	1.63E-08	4.61E-06	2.98E-06
EC0206.4	BLDG 206	Boiler	1	mmBtu/hr	8.34	10^6 scf/yr	NG	5.46E-05	8.34E-07	0.00E+00	2.50E-08	4.59E-06	5.84E-06	3.50E-07	5.01E-06	0.00E+00	3.13E-04	7.51E-03	0.00E+00	0.00E+00	2.09E-06	1.59E-06	1.08E-06	0.00E+00	2.54E-06	8.76E-06	0.00E+00	5.01E-08	1.42E-05	9.18E-06
EC0206.5	BLDG 206	Boiler	1	mmBtu/hr	8.34	10^6 scf/yr	NG	5.46E-05	8.34E-07	0.00E+00	2.50E-08	4.59E-06	5.84E-06	3.50E-07	5.01E-06	0.00E+00	3.13E-04	7.51E-03	0.00E+00	0.00E+00	2.09E-06	1.59E-06	1.08E-06	0.00E+00	2.54E-06	8.76E-06	0.00E+00	5.01E-08	1.42E-05	9.18E-06
EC0206.6	BLDG 206	IR Heater	0.08	mmBtu/hr	0.67	10^6 scf/yr	NG	4.37E-06	6.67E-08	0.00E+00	2.00E-09	3.67E-07	4.67E-07	2.80E-08	4.00E-07	0.00E+00	2.50E-05	6.01E-04	0.00E+00	0.00E+00	1.67E-07	1.27E-07	8.68E-08	0.00E+00	2.04E-07	7.01E-07	0.00E+00	4.00E-09	1.13E-06	7.34E-07
EC0206.7	BLDG 206	IR Heater	0.08	mmBtu/hr	0.67	10^6 scf/yr	NG	4.37E-06	6.67E-08	0.00E+00	2.00E-09	3.67E-07	4.67E-07	2.80E-08	4.00E-07	0.00E+00	2.50E-05	6.01E-04	0.00E+00	0.00E+00	1.67E-07	1.27E-07	8.68E-08	0.00E+00	2.04E-07	7.01E-07	0.00E+00	4.00E-09	1.13E-06	7.34E-07
EC0206.8	BLDG 206	IR Heater	0.08	mmBtu/hr	0.67	10^6 scf/yr	NG	4.37E-06	6.67E-08	0.00E+00	2.00E-09	3.67E-07	4.67E-07	2.80E-08	4.00E-07	0.00E+00	2.50E-05	6.01E-04	0.00E+00	0.00E+00	1.67E-07	1.27E-07	8.68E-08	0.00E+00	2.04E-07	7.01E-07	0.00E+00	4.00E-09	1.13E-06	7.34E-07
EC0206.9	BLDG 206	IR Heater	0.08	mmBtu/hr	0.67	10^6 scf/yr	NG	4.37E-06	6.67E-08	0.00E+00	2.00E-09	3.67E-07	4.67E-07	2.80E-08	4.00E-07	0.00E+00	2.50E-05	6.01E-04	0.00E+00	0.00E+00	1.67E-07	1.27E-07	8.68E-08	0.00E+00	2.04E-07	7.01E-07	0.00E+00	4.00E-09	1.13E-06	7.34E-07
EC0206.10	BLDG 206	IR Heater	0.08	mmBtu/hr	0.67	10^6 scf/yr	NG	4.37E-06	6.67E-08	0.00E+00	2.00E-09	3.67E-07	4.67E-07	2.80E-08	4.00E-07	0.00E+00	2.50E-05	6.01E-04	0.00E+00	0.00E+00	1.67E-07	1.27E-07	8.68E-08	0.00E+00	2.04E-07	7.01E-07	0.00E+00	4.00E-09	1.13E-06	7.34E-07
EC0206.11	BLDG 206	IR Heater	0.08	mmBtu/hr	0.67	10^6 scf/yr	NG	4.37E-06	6.67E-08	0.00E+00	2.00E-09	3.67E-07	4.67E-07	2.80E-08	4.00E-07	0.00E+00	2.50E-05	6.01E-04	0.00E+00	0.00E+00	1.67E-07	1.27E-07	8.68E-08	0.00E+00	2.04E-07	7.01E-07	0.00E+00	4.00E-09	1.13E-06	7.34E-07
EC0206.12	BLDG 206	IR Heater	0.08	mmBtu/hr	0.67	10^6 scf/yr	NG	4.37E-06	6.67E-08	0.00E+00	2.00E-09	3.67E-07	4.67E-07	2.80E-08	4.00E-07	0.00E+00	2.50E-05	6.01E-04	0.00E+00	0.00E+00	1.67E-07	1.27E-07	8.68E-08	0.00E+00	2.04E-07	7.01E-07	0.00E+00	4.00E-09	1.13E-06	7.34E-07
EC0206.13	BLDG 206	IR Heater	0.08	mmBtu/hr	0.67	10^6 scf/yr	NG	4.37E-06	6.67E-08	0.00E+00	2.00E-09	3.67E-07	4.67E-07	2.80E-08	4.00E-07	0.00E+00	2.50E-05	6.01E-04	0.00E+00	0.00E+00	1.67E-07	1.27E-07	8.68E-08	0.00E+00	2.04E-07	7.01E-07	0.00E+00	4.00E-09	1.13E-06	7.34E-07
EC0206.14	BLDG 206	IR Heater	0.08	mmBtu/hr	0.67	10^6 scf/yr	NG	4.37E-06	6.67E-08	0.00E+00	2.00E-09	3.67E-07	4.67E-07	2.80E-08	4.00E-07	0.00E+00	2.50E-05	6.01E-04	0.00E+00	0.00E+00	1.67E-07	1.27E-07	8.68E-08	0.00E+00	2.04E-07	7.01E-07	0.00E+00	4.00E-09	1.13E-06	7.34E-07
EC0206.15	BLDG 206	IR Heater	0.08	mmBtu/hr	0.67	10^6 scf/yr	NG	4.37E-06	6.67E-08	0.00E+00	2.00E-09	3.67E-07	4.67E-07	2.80E-08	4.00E-07	0.00E+00	2.50E-05	6.01E-04	0.00E+00	0.00E+00	1.67E-07	1.27E-07	8.68E-08	0.00E+00	2.04E-07	7.01E-07	0.00E+00	4.00E-09	1.13E-06	7.34E-07
EC0206.16	BLDG 206	IR Heater	0.08	mmBtu/hr	0.67	10^6 scf/yr	NG	4.37E-06	6.67E-08	0.00E+00	2.00E-09	3.67E-07	4.67E-07	2.80E-08	4.00E-07	0.00E+00	2.50E-05	6.01E-04	0.00E+00	0.00E+00	1.67E-07	1.27E-07	8.68E-08	0.00E+00	2.04E-07	7.01E-07	0.00E+00	4.00E-09	1.13E-06	7.34E-07
EC0206.17	BLDG 206	IR Heater	0.08	mmBtu/hr	0.67	10^6 scf/yr	NG	4.37E-06	6.67E-08	0.00E+00	2.00E-09	3.67E-07	4.67E-07	2.80E-08	4.00E-07	0.00E+00	2.50E-05	6.01E-04	0.00E+00	0.00E+00	1.67E-07	1.27E-07	8.68E-08	0.00E+00	2.04E-07	7.01E-07	0.00E+00	4.00E-09	1.13E-06	7.34E-07
EC0208.1	BLDG 208	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC0208.2	BLDG 208	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC0208.3	BLDG 208	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC0208.4	BLDG 208	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC0208.5	BLDG 208	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC0208.6	BLDG 208	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC0208.7	BLDG 208	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC0208.8	BLDG 208	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC0208.9	BLDG 208	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC0208.10	BLDG 208	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC0208.11	BLDG 208	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06

Table 12.2.2.1.5-3
Insignificant Activities
External Combustion HAP PTE

Em. Source ID	Location	Emission Source	Power Rating	Power Rating Units	Power Rating	Power Rating Units	Fuel	Acrolein tpy	Arsenic Compounds tpy	Benzene tpy	Beryllium tpy	Cadmium tpy	Chromium Compounds tpy	Cobalt tpy	1,4-Dichlorobenzene tpy	Ethyl Benzene tpy	Formaldehyde tpy	Hexane tpy	Hexavalent Chromium Ion	Hydrogen Chloride tpy	Lead and Compounds tpy	Manganese tpy	Mercury tpy	Methyl Chloroform tpy	Naphthalene tpy	Nickel tpy	O-Xylene tpy	Selenium tpy	Toluene tpy	Xylenes (o, m, p) tpy
EC0208.12	BLDG 208	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC0208.13	BLDG 208	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC0208.14	BLDG 208	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC0208.15	BLDG 208	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC0208.16	BLDG 208	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC0210.1	BLDG 210	Boiler	0.1	mmBtu/hr	0.83	10^6 scf/yr	NG	5.46E-06	8.34E-08	0.00E+00	2.50E-09	4.59E-07	5.84E-07	3.50E-08	5.01E-07	0.00E+00	3.13E-05	7.51E-04	0.00E+00	0.00E+00	2.09E-07	1.59E-07	1.08E-07	0.00E+00	2.54E-07	8.76E-07	0.00E+00	5.01E-09	1.42E-06	9.18E-07
EC0210.2	BLDG 210	DHW	0.199	mmBtu/hr	1.66	10^6 scf/yr	NG	1.09E-05	1.66E-07	0.00E+00	4.98E-09	9.13E-07	1.16E-06	6.97E-08	9.96E-07	0.00E+00	6.23E-05	1.49E-03	0.00E+00	0.00E+00	4.15E-07	3.15E-07	2.16E-07	0.00E+00	5.06E-07	1.74E-06	0.00E+00	9.96E-09	2.82E-06	1.83E-06
EC0210.3	BLDG 210	IR Heater	0.04	mmBtu/hr	0.33	10^6 scf/yr	NG	2.19E-06	3.34E-08	0.00E+00	1.00E-09	1.84E-07	2.34E-07	1.40E-08	2.00E-07	0.00E+00	1.25E-05	3.00E-04	0.00E+00	0.00E+00	8.34E-08	6.34E-08	4.34E-08	0.00E+00	1.02E-07	3.50E-07	0.00E+00	2.00E-09	5.67E-07	3.67E-07
EC0210.4	BLDG 210	IR Heater	0.04	mmBtu/hr	0.33	10^6 scf/yr	NG	2.19E-06	3.34E-08	0.00E+00	1.00E-09	1.84E-07	2.34E-07	1.40E-08	2.00E-07	0.00E+00	1.25E-05	3.00E-04	0.00E+00	0.00E+00	8.34E-08	6.34E-08	4.34E-08	0.00E+00	1.02E-07	3.50E-07	0.00E+00	2.00E-09	5.67E-07	3.67E-07
EC0211.1	BLDG 211	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC0211.2	BLDG 211	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC0211.3	BLDG 211	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC0211.4	BLDG 211	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC0211.5	BLDG 211	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC0211.6	BLDG 211	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC0211.7	BLDG 211	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC0211.8	BLDG 211	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC0211.9	BLDG 211	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC0211.10	BLDG 211	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC0211.11	BLDG 211	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC0211.12	BLDG 211	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC0211.13	BLDG 211	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC0211.14	BLDG 211	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC0211.15	BLDG 211	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC0211.16	BLDG 211	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC0211.17	BLDG 211	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC0211.18	BLDG 211	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC0211.19	BLDG 211	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC0211.20	BLDG 211	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC0211.21	BLDG 211	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC0211.22	BLDG 211	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC0211.23	BLDG 211	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC0211.24	BLDG 211	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC0211.25	BLDG 211	Furnace	0.15	mmBtu/hr	1.25	10^6 scf/yr	NG	8.20E-06	1.25E-07	0.00E+00	3.75E-09	6.88E-07	8.76E-07	5.26E-08	7.51E-07	0.00E+00	4.69E-05	1.13E-03	0.00E+00	0.00E+00	3.13E-07	2.38E-07	1.63E-07	0.00E+00	3.82E-07	1.31E-06	0.00E+00	7.51E-09	2.13E-06	1.38E-06
EC0211.26	BLDG 211	Furnace	0.15	mmBtu/hr	1.25	10^6 scf/yr	NG	8.20E-06	1.25E-07	0.00E+00	3.75E-09	6.88E-07	8.76E-07	5.26E-08	7.51E-07	0.00E+00	4.69E-05	1.13E-03	0.00E+00	0.00E+00	3.13E-07	2.38E-07	1.63E-07	0.00E+00	3.82E-07	1.31E-06	0.00E+00	7.51E-09	2.13E-06	1.38E-06
EC0211.27	BLDG 211	Furnace	0.296	mmBtu/hr	2.47	10^6 scf/yr	NG	1.62E-05	2.47E-07	0.00E+00	7.41E-09	1.36E-06	1.73E-06	1.04E-07	1.48E-06	0.00E+00	9.26E-05	2.22E-03	0.00E+00	0.00E+00	6.17E-07	4.69E-07	3.21E-07	0.00E+00	7.53E-07	2.59E-06	0.00E+00	1.48E-08	4.20E-06	2.72E-06
EC0211.29	BLDG 211	Furnace	0.296	mmBtu/hr	2.47	10^6 scf/yr	NG	1.62E-05	2.47E-07	0.00E+00	7.41E-09	1.36E-06	1.73E-06	1.04E-07	1.48E-06	0.00E+00	9.26E-05	2.22E-03	0.00E+00	0.00E+00	6.17E-07	4.69E-07	3.21E-07	0.00E+00	7.53E-07	2.59E-06	0.00E+00	1.48E-08	4.20E-06	2.72E-06
EC0224	BLDG 224	Furnace	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC0262	BLDG 262	Boiler	0.95	mmBtu/hr	7.93	10^6 scf/yr	NG	5.19E-05	7.93E-07	0.00E+00	2.38E-08	4.36E-06	5.55E-06	3.33E-07	4.76E-06	0.00E+00	2.97E-04	7.13E-03	0.00E+00	0.00E+00	1.98E-06	1.51E-06	1.03E-06	0.00E+00	2.42E-06	8.32E-06	0.00E+00	4.76E-08	1.35E-05	8.72E-06
EC0263.1	BLDG 263	Boiler	0.63	mmBtu/hr	5.26	10^6 scf/yr	NG	3.44E-05	5.26E-07	0.00E+00	1.58E-08	2.89E-06	3.68E-06	2.21E-07	3.15E-06	0.00E+00	1.97E-04	4.73E-03	0.00E+00	0.00E+00	1.31E-06	9.99E-07	6.83E-07	0.00E+00	1.60E-06	5.52E-06	0.00E+00	3.15E-08	8.94E-06	5.78E-06
EC0263.2	BLDG 263		0	mmBtu/hr	0.00	10^6 scf/yr	NG	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
EC0263.3	BLDG 263		0	mmBtu/hr	0.00	10^6 scf/yr	NG	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
EC0272	BLDG 272	Boiler	0.5	mmBtu/hr	4.17	10^6 scf/yr	NG	2.73E-05	4.17E-07	0.00E+00	1.25E-08	2.29E-06	2.92E-06	1.75E-07	2.50E-06	0.00E+00	1.56E-04	3.75E-03	0.00E+00	0.00E+00	1.04E-06	7.93E-07	5.42E-07	0.00E+00	1.27E-06	4.38E-06	0.00E+00	2.50E-08	7.09E-06	4.59E-06
EC0273	BLDG 273	Boiler	0.5	mmBtu/hr	4.17	10^6 scf/yr	NG	2.73E-05	4.17E-07	0.00E+00	1.25E-08	2.29E-06	2.92E-06	1.75E-07	2.50E-06	0.00E+00	1.56E-04	3.75E-03	0.00E+00	0.00E+00	1.04E-06	7.93E-07	5.42E-07	0.00E+00	1.27E-06	4.38E-06	0.00E+00	2.50E-08	7.09E-06	4.59E-06
EC0277	BLDG 277	Furnace	0.5	mmBtu/hr	4.17	10^6 scf/yr	NG	2.73E-05	4.17E-07	0.00E+00	1.25E-08	2.29E-06	2.92E-06	1.75E-07	2.50E-06	0.00E+00	1.56E-04	3.75E-03	0.00E+00	0.00E+00	1.04E-06	7.93E-07	5.42E-07	0.00E+00	1.27E-06	4.38E-06	0.00E+00	2.50E-08	7.09E-06	4.59E-06
EC0278	BLDG 278	Boiler	0.95	mmBtu/hr	7.93	10^6 scf/yr	NG	5.19E-05	7.93E-07	0.00E+00	2.38E-08	4.36E-06	5.55E-06	3.33E-07	4.76E-06	0.00E+00	2.97E-04	7.13E-03	0.00E+00	0.00E+00	1.98E-06	1.51E-06	1.03E-06	0.00E+00	2.42E-06	8.32E-06	0.00E+00	4.76E-08	1.35E-05	8.72E-06
EC0291.1	BLDG 291	Boiler	0.95	mmBtu/hr	7.93	10^6 scf/yr	NG	5.19E-05	7.93E-07	0.00E+00	2.38E-08	4.36E-06	5.55E-06	3.33E-07	4.76E-06	0.00E+00	2.97E-04	7.13E-03	0.00E+00	0.00E+00	1.98E-06	1.51E-06	1.03E-06	0.00E+00	2.42E-06	8.32E-06	0.00E+00	4.76E-08	1.35E-05	8.72E-06
EC0291.2	BLDG 291	Boiler	0.95	mmBtu/hr	7.93	10^6 scf/yr	NG	5.19E-05	7.93E-07	0.00E+00	2.38E-08	4.36E-06	5.55E-06	3.33E-07	4.76E-06	0.00E+00	2.97E-04	7.13E-03	0.00E+00	0.00E+00	1.98E-06	1.51E-06	1.03E-06	0.00E+00	2.42E-06	8.32E-06	0.00E+00	4.76E-08	1.35E-05	8.72E-06
EC0315.1	BLDG 315	Heater	0.1	mmBtu/hr	0.83	10^6 scf/yr	NG	5.46E-06	8.34E-08	0.00E+00	2.50E-09	4.59E-07	5.84E-07	3.50E-08	5.01E-07	0.00E+00	3.13E-05	7.51E-04	0.00E+00	0.00E+00	2.09E-07	1.59E-07	1.08E-07	0.00E+00	2.54E-07	8.76E-07	0.00E+00	5.01E-09	1.42E-06	9.18E-07
EC0315.2	BLDG 315	Heater	0.1	mmBtu/hr	0.83	10^6 scf/yr	NG	5.46E-06	8.34E-08	0.00E+00	2.50E-09	4.59E-07	5.84E-07	3.50E-08	5.01E-07	0.00E+00	3.13E-05	7.51E-04	0.00E+00	0.00E+00	2.09E-07	1.59E-07	1.08E-07	0.00E+00	2.54E-07	8.76E-07	0.00E+00	5.01E-09	1.42E-06	9.18E-07
EC0315.3	BLDG 315	Heater	0.1	mmBtu/hr	0.83	10^6 scf/yr	NG	5.46E-06	8.34E-08	0.00E+00	2.50E-09	4.59E-07	5.84E-07	3.50E-08	5.01E-07	0.00E+00	3.13E-05	7.51E-04	0.00E+00	0.00E+00	2.09E-07	1.59E-07	1.08E-07	0.00E+00	2.54E-07	8.76E-07	0.00E+00	5.01E-09	1.42E-06	9.18E-07
EC0315.4	BLDG 315	Heater	0.1	mmBtu/hr	0.83	10^6 scf/yr	NG	5.46E-06	8.34E-08	0.00E+00	2.50E-09	4.59E-07	5.84E-07	3.50E-08	5.01E-07	0.00E+00	3.13E-05	7.51E-04	0.00E+00	0.00E+00	2.09E-07	1.59E-07	1.08E-07	0.00E+00	2.54E-07	8.76E-07	0.00E+00	5.01E-09	1.42E-06	9.18E-07
EC0315.5	BLDG 315	FA Furnace	0.25	mmBtu/hr	2.09	10^6 scf/yr	NG	1.37E-05	2.09E-07	0.00E+00	6.26E-09	1.15E-06	1.46E-06	8.76E-08	1.25E-06	0.00E+00	7.82E-05	1.88E-03	0.00E+00	0.00E+00	5.21E-07	3.96E-07	2.71E-07	0.00E+00	6.36E-07	2.19E-06	0.00E+00	1.25E-08	3.55E-06	2.29E-06
EC0325	BLDG 325	Boiler	0.399	mmBtu/hr	3.33	10^6 scf/yr	NG	2.18E-05	3.33E-07	0.00E+00	9.99E-09	1.83E-06	2.33E-06	1.40E-07	2.00E-06	0.00E+00	1.25E-04	3.00E-03	0.00E+00	0.00E+00	8.32E-07	6.32E-07	4.33E-07	0.00E+00	1.02E-06	3.50E-06	0.00E+00	2.00E-08	5.66E-06	3.66E-06
EC0331	BLDG 331	Ceiling Heater	0.15	mmBtu/hr	1.25	10^6 scf/yr	NG	8.20E-06	1.25E-07	0.00E+00	3.75E-09	6.88E-07	8.76E-07	5.26E-08	7.51E-07	0.00E+00	4.69E-05	1.13E-03	0.00E+00	0.00E+00	3.13E-07	2.38E-07	1.63E-07	0.00E+00	3.82E-07	1.31E-06	0.00E+00	7.51E-09	2.13E-06	1.38E-06
EC0510	BLDG 510		0.3	mmBtu/hr	2.50	10^6 scf/yr	NG	1.64E-05	2.50E-07	0.00E+00	7.51E-09	1.38E-06	1.75E-06	1.05E-07	1.50E-06	0.00E+00	9.39E-05	2.25E-03	0.00E+00	0.00E+00	6.26E-07	4.76E-07	3.25E-07	0.00E+00	7.63E-07	2.63E-06	0.00E+00	1.50E-08	4.25E-06	2.75E-06
EC0512.1	BLDG 512	Boiler	1.4	mmBtu/hr	11.68	10^6 scf/yr	NG	7.65E-05	1.17E-06	0.00E+00	3.50E-08	6.42E-06	8.18E-06	4.91E-07	7.01E-06	0.00E+00	4.38E-04	1.05E-02	0.00E+00	0.00E+00	2.92E-06	2.22E-06	1.52E-06	0.00E+00	3.56E-06	1.23E-05	0.00E+00	7.01E-08	1.99E-05	1.28E-05
EC0512.2	BLDG 512	Boiler	1.4	mmBtu/hr	11.68	10^6 scf/yr	NG	7.65E-05	1.17E-06	0.00E+00	3.50E-08	6.42E-06	8.18E-06	4.91E-07	7.01E-06	0.00E+00	4.38E-04	1.05E-02	0.00E+00	0.00E+00	2.92E-06	2.22E-06	1.52E-06	0.00E+00	3.56E-06	1.23E-05	0.00E+00	7.01E-08	1.99E-05	1.28E-05
EC0605	BLDG 605	Boiler	1.26	mmBtu/hr	10.51	10^6 scf/yr	NG	6.89E-05	1.05E-06	0.00E+00	3.15E-08	5.78E-06	7.36E-06	4.42E-07	6.31E-06	0.00E+00	3.94E-04	9.46E-03	0.00E+00	0.00E+00	2.63E-06	2.00E-06	1.37E-06	0.00E+00	3.21E-06	1.10E-05	0.00E+00	6.31E-08	1.79E-05	1.16E-05
EC0605.1	BLDG 605	DHW	0.04	mmBtu/hr	0.33	10^6 scf/yr	NG	2.19E-06	3.34E-08	0.00E+00	1.00E-09	1.84E-07	2.34E-07	1.40E-08	2.00E-07	0.00E+00	1.25E-05	3.00E-04	0.00E+00	0.00E+00	8.34E-08	6.34E-08	4.34E-08	0.00E+00	1.02E-07	3.50E-07	0.00E+00	2.00E-09	5.67E-07	3.67E-07
EC0605.2	BLDG 605	FA Furnace	0.06	mmBtu/hr	0.50	10^6 scf/yr	NG	3.28E-06	5.01E-08	0.00E+00	1.50E-09	2.75E-07	3.50E-07	2.10E-08	3.00E-07	0.00E+00	1.88E-05	4.51E-04	0.00E+00	0.00E+00	1.25E-07	9.51E-08	6.51E-08	0.00E+00	1.53E-07	5.26E-07	0.00E+00	3.00E-09	8.51E-07	5.51E-07
EC0605.3	BLDG 605	FA Furnace	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC0608.1	BLDG 608		0.3	mmBtu/hr	2.50	10^6 scf/yr	NG	1.64E-05	2.50E-07	0.00E+00	7.51E-09	1.38E-06	1.75E-06	1.05E-07	1.50E-06	0.00E+00	9.39E-05	2.25E-03	0.00E+00	0.00E+00	6.26E-07	4.76E-07	3.25E-07	0.00E+00	7.63E-07	2.63E-06	0.00E+00	1.50E-08	4.25E-06	2.75E-06
EC0608.2	BLDG 608	FA Furnace	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC0608.3	BLDG 608	FA Furnace	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC0608.4	BLDG 608	Ceiling Heater	0.15	mmBtu/hr	1.25	10^6 scf/yr	NG	8.20E-06	1.25E-07	0.00E+00	3.75E-09	6.88E-07	8.76E-07	5.26E-08	7.51E-07	0.00E+00	4.69E-05	1.13E-03	0.00E+00	0.00E+00	3.13E-07	2.38E-07	1.63E-07	0.00E+00	3.82E-07	1.31E-06	0.00E+00	7.51E-09	2.13E-06	1.38E-06
EC0608.5	BLDG 608	Ceiling Heater	0.15	mmBtu/hr	1.25	10^6 scf/yr	NG	8.20E-06	1.25E-07	0.00E+00	3.75E-09	6.88E-07	8.76E-07	5.26E-08	7.51E-07	0.00E+00	4.69E-05	1.13E-03	0.00E+00	0.00E+00	3.13E-07	2.38E-07	1.63E-07	0.00E+00	3.82E-07	1.31E-06	0.00E+00	7.51E-09	2.13E-06	1.38E-06
EC0608.6	BLDG 608	Ceiling Heater	0.15	mmBtu/hr	1.25	10^6 scf/yr	NG	8.20E-06	1.25E-07	0.00E+00	3.75E-09	6.88E-07	8.76E-07	5.26E-08	7.51E-07	0.00E+00	4.69E-05	1.13E-03	0.00E+00	0.00E+00	3.13E-07	2.38E-07	1.63E-07	0.00E+00	3.82E-07	1.31E-06	0.00E+00	7.51E-09	2.13E-06	1.38E-06
EC0608.7	BLDG 608	Ceiling Heater	0.15	mmBtu/hr	1.25	10^6 scf/yr	NG	8.20E-06	1.25E-07	0.00E+00	3.75E-09	6.88E-07	8.76E-07	5.26E-08	7.51E-07	0.00E+00	4.69E-05	1.13E-03	0.00E+00	0.00E+00	3.13E-07	2.38E-07	1.63E-07	0.00E+00	3.82E-07	1.31E-06	0.00E+00	7.51E-09	2.13E-06	1.38E-06
EC0608.8	BLDG 608	Ceiling Heater	0.15	mmBtu/hr	1.25	10^6 scf/yr	NG	8.20E-06	1.25E-07	0.00E+00	3.75E-09	6.88E-07	8.76E-07	5.26E-08	7.51E-07	0.00E+00	4.69E-05	1.13E-03	0.00E+00	0.00E+00	3.13E-07	2.38E-07	1.63E-07	0.00E+00	3.82E-07	1.31E-06	0.00E+00	7.51E-09	2.13E-06	1.38E-06
EC0608.9	BLDG 608	Ceiling Heater	0.15	mmBtu/hr	1.25	10^6 scf/yr	NG	8.20E-06	1.25E-07	0.00E+00	3.75E-09	6.88E-07	8.76E-07	5.26E-08	7.51E-07	0.00E+00	4.69E-05	1.13E-03	0.00E+00	0.00E+00	3.13E-07	2.38E-07	1.63E-07	0.00E+00	3.82E-07	1.31E-06	0.00E+00	7.51E-09	2.13E-06	1.38E-06
EC0608.10	BLDG 608	Ceiling Heater	0.15	mmBtu/hr	1.25	10^6 scf/yr	NG	8.20E-06	1.25E-07	0.00E+00	3.75E-09	6.88E-07	8.76E-07	5.26E-08	7.51E-07	0.00E+00	4.69E-05	1.13E-03	0.00E+00	0.00E+00	3.13E-07	2.38E-07	1.63E-07	0.00E+00	3.82E-07	1.31E-06	0.00E+00	7.51E-09	2.13E-06	1.38E-06
EC0608.11	BLDG 608	Ceiling Heater	0.15	mmBtu/hr	1.25	10^6 scf/yr	NG	8.20E-06	1.25E-07	0.00E+00	3.75E-09	6.88E-07	8.76E-07	5.26E-08	7.51E-07	0.00E+00	4.69E-05	1.13E-03	0.00E+00	0.00E+00	3.13E-07	2.38E-07	1.63E-07	0.00E+00	3.82E-07	1.31E-06	0.00E+00	7.51E-09	2.13E-06	1.38E-06
EC0610	BLDG 610	Boiler	0.3	mmBtu/hr	2.50	10^6 scf/yr	NG	1.64E-05	2.50E-07	0.00E+00	7.51E-09	1.38E-06	1.75E-06	1.05E-07	1.50E-06	0.00E+00	9.39E-05	2.25E-03	0.00E+00	0.00E+00	6.26E-07	4.76E-07	3.25E-07	0.00E+00	7.63E-07	2.63E-06	0.00E+00	1.50E-08	4.25E-06	2.75E-06
EC0800	BLDG 800	Boiler	0.3	mmBtu/hr	2.50	10^6 scf/yr	NG	1.64E-05	2.50E-07	0.00E+00	7.51E-09	1.38E-06	1.75E-06	1.05E-07	1.50E-06	0.00E+00	9.39E-05	2.25E-03	0.00E+00	0.00E+00	6.26E-07	4.76E-07	3.25E-07	0.00E+00	7.63E-07	2.63E-06	0.00E+00	1.50E-08	4.25E-06	2.75E-06
EC0840.1	BLDG 840	[illegible]	0.094	mmBtu/hr	0.78	10^6 scf/yr	NG	5.14E-06	7.84E-08	0.00E+00	2.35E-09	4.31E-07	5.49E-07	3.29E-08	4.71E-07	0.00E+00	2.94E-05	7.06E-04	0.00E+00	0.00E+00	1.96E-07	1.49E-07	1.02E-07	0.00E+00	2.39E-07	8.23E-07	0.00E+00	4.71E-09	1.33E-06	8.63E-07
EC0840.2	BLDG 840	[illegible]	0.094	mmBtu/hr	0.78	10^6 scf/yr	NG	5.14E-06	7.84E-08	0.00E+00	2.35E-09	4.31E-07	5.49E-07	3.29E-08	4.71E-07	0.00E+00	2.94E-05	7.06E-04	0.00E+00	0.00E+00	1.96E-07	1.49E-07	1.02E-07	0.00E+00	2.39E-07	8.23E-07	0.00E+00	4.71E-09	1.33E-06	8.63E-07
EC0840.3	BLDG 840	FA Furnace	0.125	mmBtu/hr	1.04	10^6 scf/yr	NG	6.83E-06	1.04E-07	0.00E+00	3.13E-09	5.74E-07	7.30E-07	4.38E-08	6.26E-07	0.00E+00	3.91E-05	9.39E-04	0.00E+00	0.00E+00	2.61E-07	1.98E-07	1.36E-07	0.00E+00	3.18E-07	1.10E-06	0.00E+00	6.26E-09	1.77E-06	1.15E-06
EC0840.4	BLDG 840	Boiler	0.3	mmBtu/hr	2.50	10^6 scf/yr	NG	1.64E-05	2.50E-07	0.00E+00	7.51E-09	1.38E-06	1.75E-06	1.05E-07	1.50E-06	0.00E+00	9.39E-05	2.25E-03	0.00E+00	0.00E+00	6.26E-07	4.76E-07	3.25E-07	0.00E+00	7.63E-07	2.63E-06	0.00E+00	1.50E-08	4.25E-06	2.75E-06
EC0840.5	BLDG 840	Boiler	0.3	mmBtu/hr	2.50	10^6 scf/yr	NG	1.64E-05	2.50E-07	0.00E+00	7.51E-09	1.38E-06	1.75E-06	1.05E-07	1.50E-06	0.00E+00	9.39E-05	2.25E-03	0.00E+00	0.00E+00	6.26E-07	4.76E-07	3.25E-07	0.00E+00	7.63E-07	2.63E-06	0.00E+00	1.50E-08	4.25E-06	2.75E-06
EC0840.6	BLDG 840	DHW	0.04	mmBtu/hr	0.33	10^6 scf/yr	NG	2.19E-06	3.34E-08	0.00E+00	1.00E-09	1.84E-07	2.34E-07	1.40E-08	2.00E-07	0.00E+00	1.25E-05	3.00E-04	0.00E+00	0.00E+00	8.34E-08	6.34E-08	4.34E-08	0.00E+00	1.02E-07	3.50E-07	0.00E+00	2.00E-09	5.67E-07	3.67E-07
EC0840.7	BLDG 840	FA Furnace	0.072	mmBtu/hr	0.60	10^6 scf/yr	NG	3.93E-06	6.01E-08	0.00E+00	1.80E-09	3.30E-07	4.20E-07	2.52E-08	3.60E-07	0.00E+00	2.25E-05	5.41E-04	0.00E+00	0.00E+00	1.50E-07	1.14E-07	7.81E-08	0.00E+00	1.83E-07	6.31E-07	0.00E+00	3.60E-09	1.02E-06	6.61E-07
EC0840.8	BLDG 840	Boiler	0.224	mmBtu/hr	1.87	10^6 scf/yr	NG	1.22E-05	1.87E-07	0.00E+00	5.61E-09	1.03E-06	1.31E-06	7.85E-08	1.12E-06	0.00E+00	7.01E-05	1.68E-03	0.00E+00	0.00E+00	4.67E-07	3.55E-07	2.43E-07	0.00E+00	5.70E-07	1.96E-06	0.00E+00	1.12E-08	3.18E-06	2.06E-06
EC0900	BLDG 900	Boiler	0.399	mmBtu/hr	3.33	10^6 scf/yr	NG	2.18E-05	3.33E-07	0.00E+00	9.99E-09	1.83E-06	2.33E-06	1.40E-07	2.00E-06	0.00E+00	1.25E-04	3.00E-03	0.00E+00	0.00E+00	8.32E-07	6.32E-07	4.33E-07	0.00E+00	1.02E-06	3.50E-06	0.00E+00	2.00E-08	5.66E-06	3.66E-06
EC0910.1	BLDG 910	HWH	0.04	mmBtu/hr	0.33	10^6 scf/yr	NG	2.19E-06	3.34E-08	0.00E+00	1.00E-09	1.84E-07	2.34E-07	1.40E-08	2.00E-07	0.00E+00	1.25E-05	3.00E-04	0.00E+00	0.00E+00	8.34E-08	6.34E-08	4.34E-08	0.00E+00	1.02E-07	3.50E-07	0.00E+00	2.00E-09	5.67E-07	3.67E-07
EC0910.2	BLDG 910	Furnace	0.06	mmBtu/hr	0.50	10^6 scf/yr	NG	3.28E-06	5.01E-08	0.00E+00	1.50E-09	2.75E-07	3.50E-07	2.10E-08	3.00E-07	0.00E+00	1.88E-05	4.51E-04	0.00E+00	0.00E+00	1.25E-07	9.51E-08	6.51E-08	0.00E+00	1.53E-07	5.26E-07	0.00E+00	3.00E-09	8.51E-07	5.51E-07
EC0910.3	BLDG 910	Heater	0.09	mmBtu/hr	0.75	10^6 scf/yr	NG	4.92E-06	7.51E-08	0.00E+00	2.25E-09	4.13E-07	5.26E-07	3.15E-08	4.51E-07	0.00E+00	2.82E-05	6.76E-04	0.00E+00	0.00E+00	1.88E-07	1.43E-07	9.76E-08	0.00E+00	2.29E-07	7.88E-07	0.00E+00	4.51E-09	1.28E-06	8.26E-07
EC0910.4	BLDG 910	Heater	0.09	mmBtu/hr	0.75	10^6 scf/yr	NG	4.92E-06	7.51E-08	0.00E+00	2.25E-09	4.13E-07	5.26E-07	3.15E-08	4.51E-07	0.00E+00	2.82E-05	6.76E-04	0.00E+00	0.00E+00	1.88E-07	1.43E-07	9.76E-08	0.00E+00	2.29E-07	7.88E-07	0.00E+00	4.51E-09	1.28E-06	8.26E-07
EC0910.5	BLDG 910	Heater	0.09	mmBtu/hr	0.75	10^6 scf/yr	NG	4.92E-06	7.51E-08	0.00E+00	2.25E-09	4.13E-07	5.26E-07	3.15E-08	4.51E-07	0.00E+00	2.82E-05	6.76E-04	0.00E+00	0.00E+00	1.88E-07	1.43E-07	9.76E-08	0.00E+00	2.29E-07	7.88E-07	0.00E+00	4.51E-09	1.28E-06	8.26E-07
EC0910.6	BLDG 910	Heater	0.09	mmBtu/hr	0.75	10^6 scf/yr	NG	4.92E-06	7.51E-08	0.00E+00	2.25E-09	4.13E-07	5.26E-07	3.15E-08	4.51E-07	0.00E+00	2.82E-05	6.76E-04	0.00E+00	0.00E+00	1.88E-07	1.43E-07	9.76E-08	0.00E+00	2.29E-07	7.88E-07	0.00E+00	4.51E-09	1.28E-06	8.26E-07
EC0910.7	BLDG 910	Heater	0.09	mmBtu/hr	0.75	10^6 scf/yr	NG	4.92E-06	7.51E-08	0.00E+00	2.25E-09	4.13E-07	5.26E-07	3.15E-08	4.51E-07	0.00E+00	2.82E-05	6.76E-04	0.00E+00	0.00E+00	1.88E-07	1.43E-07	9.76E-08	0.00E+00	2.29E-07	7.88E-07	0.00E+00	4.51E-09	1.28E-06	8.26E-07
EC0920.1	BLDG 920	HWH	0.4	mmBtu/hr	3.34	10^6 scf/yr	NG	2.19E-05	3.34E-07	0.00E+00	1.00E-08	1.84E-06	2.34E-06	1.40E-07	2.00E-06	0.00E+00	1.25E-04	3.00E-03	0.00E+00	0.00E+00	8.34E-07	6.34E-07	4.34E-07	0.00E+00	1.02E-06	3.50E-06	0.00E+00	2.00E-08	5.67E-06	3.67E-06
EC0920.2	BLDG 920	Boiler	0.775	mmBtu/hr	6.47	10^6 scf/yr	NG	4.24E-05	6.47E-07	0.00E+00	1.94E-08	3.56E-06	4.53E-06	2.72E-07	3.88E-06	0.00E+00	2.42E-04	5.82E-03	0.00E+00	0.00E+00	1.62E-06	1.23E-06	8.41E-07	0.00E+00	1.97E-06	6.79E-06	0.00E+00	3.88E-08	1.10E-05	7.11E-06
EC0920.3	BLDG 920	Boiler	0.775	mmBtu/hr	6.47	10^6 scf/yr	NG	4.24E-05	6.47E-07	0.00E+00	1.94E-08	3.56E-06	4.53E-06	2.72E-07	3.88E-06	0.00E+00	2.42E-04	5.82E-03	0.00E+00	0.00E+00	1.62E-06	1.23E-06	8.41E-07	0.00E+00	1.97E-06	6.79E-06	0.00E+00	3.88E-08	1.10E-05	7.11E-06
EC0927.1	BLDG 927	Boiler	0.3	mmBtu/hr	2.50	10^6 scf/yr	NG	1.64E-05	2.50E-07	0.00E+00	7.51E-09	1.38E-06	1.75E-06	1.05E-07	1.50E-06	0.00E+00	9.39E-05	2.25E-03	0.00E+00	0.00E+00	6.26E-07	4.76E-07	3.25E-07	0.00E+00	7.63E-07	2.63E-06	0.00E+00	1.50E-08	4.25E-06	2.75E-06
EC0927.2	BLDG 927	Boiler	0.5	mmBtu/hr	4.17	10^6 scf/yr	NG	2.73E-05	4.17E-07	0.00E+00	1.25E-08	2.29E-06	2.92E-06	1.75E-07	2.50E-06	0.00E+00	1.56E-04	3.75E-03	0.00E+00	0.00E+00	1.04E-06	7.93E-07	5.42E-07	0.00E+00	1.27E-06	4.38E-06	0.00E+00	2.50E-08	7.09E-06	4.59E-06
EC0927.3	BLDG 927	Boiler	0.26	mmBtu/hr	2.17	10^6 scf/yr	NG	1.42E-05	2.17E-07	0.00E+00	6.51E-09	1.19E-06	1.52E-06	9.11E-08	1.30E-06	0.00E+00	8.13E-05	1.95E-03	0.00E+00	0.00E+00	5.42E-07	4.12E-07	2.82E-07	0.00E+00	6.62E-07	2.28E-06	0.00E+00	1.30E-08	3.69E-06	2.39E-06
EC0928.1	BLDG 928	Furnace	0.072	mmBtu/hr	0.60	10^6 scf/yr	NG	3.93E-06	6.01E-08	0.00E+00	1.80E-09	3.30E-07	4.20E-07	2.52E-08	3.60E-07	0.00E+00	2.25E-05	5.41E-04	0.00E+00	0.00E+00	1.50E-07	1.14E-07	7.81E-08	0.00E+00	1.83E-07	6.31E-07	0.00E+00	3.60E-09	1.02E-06	6.61E-07
EC0928.2	BLDG 928	Furnace	0.125	mmBtu/hr	1.04	10^6 scf/yr	NG	6.83E-06	1.04E-07	0.00E+00	3.13E-09	5.74E-07	7.30E-07	4.38E-08	6.26E-07	0.00E+00	3.91E-05	9.39E-04	0.00E+00	0.00E+00	2.61E-07	1.98E-07	1.36E-07	0.00E+00	3.18E-07	1.10E-06	0.00E+00	6.26E-09	1.77E-06	1.15E-06
EC1015	BLDG 1015	Boiler	0.3	mmBtu/hr	2.50	10^6 scf/yr	NG	1.64E-05	2.50E-07	0.00E+00	7.51E-09	1.38E-06	1.75E-06	1.05E-07	1.50E-06	0.00E+00	9.39E-05	2.25E-03	0.00E+00	0.00E+00	6.26E-07	4.76E-07	3.25E-07	0.00E+00	7.63E-07	2.63E-06	0.00E+00	1.50E-08	4.25E-06	2.75E-06
EC1100.1	BLDG 1100	IR Heater	0.06	mmBtu/hr	0.50	10^6 scf/yr	NG	3.28E-06	5.01E-08	0.00E+00	1.50E-09	2.75E-07	3.50E-07	2.10E-08	3.00E-07	0.00E+00	1.88E-05	4.51E-04	0.00E+00	0.00E+00	1.25E-07	9.51E-08	6.51E-08	0.00E+00	1.53E-07	5.26E-07	0.00E+00	3.00E-09	8.51E-07	5.51E-07
EC1100.2	BLDG 1100	IR Heater	0.06	mmBtu/hr	0.50	10^6 scf/yr	NG	3.28E-06	5.01E-08	0.00E+00	1.50E-09	2.75E-07	3.50E-07	2.10E-08	3.00E-07	0.00E+00	1.88E-05	4.51E-04	0.00E+00	0.00E+00	1.25E-07	9.51E-08	6.51E-08	0.00E+00	1.53E-07	5.26E-07	0.00E+00	3.00E-09	8.51E-07	5.51E-07
EC1100.3	BLDG 1100	IR Heater	0.06	mmBtu/hr	0.50	10^6 scf/yr	NG	3.28E-06	5.01E-08	0.00E+00	1.50E-09	2.75E-07	3.50E-07	2.10E-08	3.00E-07	0.00E+00	1.88E-05	4.51E-04	0.00E+00	0.00E+00	1.25E-07	9.51E-08	6.51E-08	0.00E+00	1.53E-07	5.26E-07	0.00E+00	3.00E-09	8.51E-07	5.51E-07
EC1100.4	BLDG 1100	IR Heater	0.06	mmBtu/hr	0.50	10^6 scf/yr	NG	3.28E-06	5.01E-08	0.00E+00	1.50E-09	2.75E-07	3.50E-07	2.10E-08	3.00E-07	0.00E+00	1.88E-05	4.51E-04	0.00E+00	0.00E+00	1.25E-07	9.51E-08	6.51E-08	0.00E+00	1.53E-07	5.26E-07	0.00E+00	3.00E-09	8.51E-07	5.51E-07
EC1100.5	BLDG 1100	IR Heater	0.06	mmBtu/hr	0.50	10^6 scf/yr	NG	3.28E-06	5.01E-08	0.00E+00	1.50E-09	2.75E-07	3.50E-07	2.10E-08	3.00E-07	0.00E+00	1.88E-05	4.51E-04	0.00E+00	0.00E+00	1.25E-07	9.51E-08	6.51E-08	0.00E+00	1.53E-07	5.26E-07	0.00E+00	3.00E-09	8.51E-07	5.51E-07
EC1100.6	BLDG 1100	IR Heater	0.06	mmBtu/hr	0.50	10^6 scf/yr	NG	3.28E-06	5.01E-08	0.00E+00	1.50E-09	2.75E-07	3.50E-07	2.10E-08	3.00E-07	0.00E+00	1.88E-05	4.51E-04	0.00E+00	0.00E+00	1.25E-07	9.51E-08	6.51E-08	0.00E+00	1.53E-07	5.26E-07	0.00E+00	3.00E-09	8.51E-07	5.51E-07
EC1100.7	BLDG 1100	IR Heater	0.06	mmBtu/hr	0.50	10^6 scf/yr	NG	3.28E-06	5.01E-08	0.00E+00	1.50E-09	2.75E-07	3.50E-07	2.10E-08	3.00E-07	0.00E+00	1.88E-05	4.51E-04	0.00E+00	0.00E+00	1.25E-07	9.51E-08	6.51E-08	0.00E+00	1.53E-07	5.26E-07	0.00E+00	3.00E-09	8.51E-07	5.51E-07
EC1100.8	BLDG 1100	IR Heater	0.06	mmBtu/hr	0.50	10^6 scf/yr	NG	3.28E-06	5.01E-08	0.00E+00	1.50E-09	2.75E-07	3.50E-07	2.10E-08	3.00E-07	0.00E+00	1.88E-05	4.51E-04	0.00E+00	0.00E+00	1.25E-07	9.51E-08	6.51E-08	0.00E+00	1.53E-07	5.26E-07	0.00E+00	3.00E-09	8.51E-07	5.51E-07
EC1100.9	BLDG 1100	IR Heater	0.06	mmBtu/hr	0.50	10^6 scf/yr	NG	3.28E-06	5.01E-08	0.00E+00	1.50E-09	2.75E-07	3.50E-07	2.10E-08	3.00E-07	0.00E+00	1.88E-05	4.51E-04	0.00E+00	0.00E+00	1.25E-07	9.51E-08	6.51E-08	0.00E+00	1.53E-07	5.26E-07	0.00E+00	3.00E-09	8.51E-07	5.51E-07
EC1100.10	BLDG 1100	IR Heater	0.06	mmBtu/hr	0.50	10^6 scf/yr	NG	3.28E-06	5.01E-08	0.00E+00	1.50E-09	2.75E-07	3.50E-07	2.10E-08	3.00E-07	0.00E+00	1.88E-05	4.51E-04	0.00E+00	0.00E+00	1.25E-07	9.51E-08	6.51E-08	0.00E+00	1.53E-07	5.26E-07	0.00E+00	3.00E-09	8.51E-07	5.51E-07

Table 12.2.2.1-5-3
Insignificant Activities
External Combustion HAP PTE

Em. Source ID	Location	Emission Source	Power Rating	Power Rating Units	Power Rating	Power Rating Units	Fuel	Acrolein tpy
EC1100.11	BLDG 1100	IR Heater	0.06	mmBtu/hr	0.50	10^6 scf/yr	NG	3.28E-06
EC1100.12	BLDG 1100	IR Heater	0.06	mmBtu/hr	0.50	10^6 scf/yr	NG	3.28E-06
EC1100.13	BLDG 1100	IR Heater	0.08	mmBtu/hr	0.67	10^6 scf/yr	NG	4.37E-06
EC1100.14	BLDG 1100	IR Heater	0.08	mmBtu/hr	0.67	10^6 scf/yr	NG	4.37E-06
EC1100.15	BLDG 1100	IR Heater	0.08	mmBtu/hr	0.67	10^6 scf/yr	NG	4.37E-06
EC1100.16	BLDG 1100	IR Heater	0.125	mmBtu/hr	1.04	10^6 scf/yr	NG	6.83E-06
EC1100.17	BLDG 1100	IR Heater	0.125	mmBtu/hr	1.04	10^6 scf/yr	NG	6.83E-06
EC1100.18	BLDG 1100	IR Heater	0.125	mmBtu/hr	1.04	10^6 scf/yr	NG	6.83E-06
EC1100.19	BLDG 1100	IR Heater	0.125	mmBtu/hr	1.04	10^6 scf/yr	NG	6.83E-06
EC1100.20	BLDG 1100	IR Heater	0.125	mmBtu/hr	1.04	10^6 scf/yr	NG	6.83E-06
EC1100.21	BLDG 1100	Boiler	2.212	mmBtu/hr	18.45	10^6 scf/yr	NG	1.21E-04
EC1100.22	BLDG 1100	Furnace	0.075	mmBtu/hr	0.63	10^6 scf/yr	NG	4.10E-06
EC1100.23	BLDG 1100	Furnace	0.09	mmBtu/hr	0.75	10^6 scf/yr	NG	4.92E-06
EC1100.24	BLDG 1100	Furnace	0.09	mmBtu/hr	0.75	10^6 scf/yr	NG	4.92E-06
EC1100.25	BLDG 1100	Furnace	0.25	mmBtu/hr	2.09	10^6 scf/yr	NG	1.37E-05
EC1100.26	BLDG 1100	Furnace	0.09	mmBtu/hr	0.75	10^6 scf/yr	NG	4.92E-06
EC1100.27	BLDG 1100	Furnace	0.05	mmBtu/hr	0.42	10^6 scf/yr	NG	2.73E-06
EC1100.28	BLDG 1100		0.357	mmBtu/hr	2.98	10^6 scf/yr	NG	1.95E-05
EC1100.29	BLDG 1100	IR Heater	0.06	mmBtu/hr	0.50	10^6 scf/yr	NG	3.28E-06
EC1100.30	BLDG 1100	IR Heater	0.06	mmBtu/hr	0.50	10^6 scf/yr	NG	3.28E-06
EC1100.31	BLDG 1100	IR Heater	0.06	mmBtu/hr	0.50	10^6 scf/yr	NG	3.28E-06
EC1100.32	BLDG 1100	IR Heater	0.06	mmBtu/hr	0.50	10^6 scf/yr	NG	3.28E-06
EC1100.33	BLDG 1100	IR Heater	0.06	mmBtu/hr	0.50	10^6 scf/yr	NG	3.28E-06
EC1100.34	BLDG 1100	IR Heater	0.06	mmBtu/hr	0.50	10^6 scf/yr	NG	3.28E-06
EC1115.1	BLDG 1115	Ceiling Heater	0.28	mmBtu/hr	2.34	10^6 scf/yr	NG	1.53E-05
EC1115.2	BLDG 1115	Ceiling Heater	0.28	mmBtu/hr	2.34	10^6 scf/yr	NG	1.53E-05
EC1125	BLDG 1125	Boiler	0.63	mmBtu/hr	5.26	10^6 scf/yr	NG	3.44E-05
EC1126	BLDG 1126	Boiler	0.3	mmBtu/hr	2.50	10^6 scf/yr	NG	1.64E-05
EC1201.1	BLDG 1201	Heater	0.09	mmBtu/hr	0.75	10^6 scf/yr	NG	4.92E-06
EC1201.2	BLDG 1201	Fryer	0.002	mmBtu/hr	0.02	10^6 scf/yr	NG	1.09E-07
EC1201.3	BLDG 1201	Fryer	0.002	mmBtu/hr	0.02	10^6 scf/yr	NG	1.09E-07
EC1201.4	BLDG 1201	Fryer	0.002	mmBtu/hr	0.02	10^6 scf/yr	NG	1.09E-07
EC1201.5	BLDG 1201	Fryer	0.002	mmBtu/hr	0.02	10^6 scf/yr	NG	1.09E-07
EC1201.6	BLDG 1201	Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06
EC1201.7	BLDG 1201	Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06
EC1201.8	BLDG 1201	Heater	0.125	mmBtu/hr	1.04	10^6 scf/yr	NG	6.83E-06
EC1208.1	BLDG 1208	FA Furnace	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06
EC1208.2	BLDG 1208	FA Furnace	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06
EC1208.3	BLDG 1208	FA Furnace	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06
EC1208.4	BLDG 1208	Furnace	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06
EC1208.5	BLDG 1208	Furnace	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06
EC1208.6	BLDG 1208	Furnace	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06
EC1212	BLDG 1212	Heater	0.2	mmBtu/hr	1.67	10^6 scf/yr	NG	1.09E-05
EC1213	BLDG 1212	Heater	0.2	mmBtu/hr	1.67	10^6 scf/yr	NG	1.09E-05
EC1214	BLDG 1212	Heater	0.2	mmBtu/hr	1.67	10^6 scf/yr	NG	1.09E-05
EC1222	BLDG 1222	DHW	0.399	mmBtu/hr	3.33	10^6 scf/yr	NG	2.18E-05
EC1224	BLDG 1224	Boiler	4.2	mmBtu/hr	35.04	10^6 scf/yr	NG	2.30E-04
EC1225.1	BLDG 1225	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06
EC1225.2	BLDG 1225	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06
EC1225.3	BLDG 1225	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06
EC1225.4	BLDG 1225	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06
EC1225.5	BLDG 1225	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06
EC1225.6	BLDG 1225	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06
EC1225.7	BLDG 1225	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06
EC1225.8	BLDG 1225	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06
EC1225.9	BLDG 1225	Boiler	0.3	mmBtu/hr	2.50	10^6 scf/yr	NG	1.64E-05
EC1225.10	BLDG 1225	IR Heater	0.1	mmBtu/hr	0.83	10^6 scf/yr	NG	5.46E-06
EC1225.11	BLDG 1225	IR Heater	0.1	mmBtu/hr	0.83	10^6 scf/yr	NG	5.46E-06
EC1225.12	BLDG 1225	Furnace	0.1	mmBtu/hr	0.83	10^6 scf/yr	NG	5.46E-06
EC1229	BLDG 1229	DHW	0.399	mmBtu/hr	3.33	10^6 scf/yr	NG	2.18E-05
EC1289.1	BLDG 1289	Furnace	0.125	mmBtu/hr	1.04	10^6 scf/yr	NG	6.83E-06
EC1289.2	BLDG 1289	Furnace	0.072	mmBtu/hr	0.60	10^6 scf/yr	NG	3.93E-06
EC1289.3	BLDG 1289	Heater	0.04	mmBtu/hr	0.33	10^6 scf/yr	NG	2.19E-06
EC1289.4	BLDG 1289	IR Heater	0.205	mmBtu/hr	1.71	10^6 scf/yr	NG	1.12E-05
EC1289.5	BLDG 1289	Heater	0.15	mmBtu/hr	1.25	10^6 scf/yr	NG	8.20E-06
EC1289.6	BLDG 1289	Heater	0.15	mmBtu/hr	1.25	10^6 scf/yr	NG	8.20E-06
EC1292.1	BLDG 1292	IR Heater	0.09	mmBtu/hr	0.75	10^6 scf/yr	NG	4.92E-06
EC1292.2	BLDG 1292	IR Heater	0.09	mmBtu/hr	0.75	10^6 scf/yr	NG	4.92E-06
EC1292.3	BLDG 1292	IR Heater	0.09	mmBtu/hr	0.75	10^6 scf/yr	NG	4.92E-06
EC1292.4	BLDG 1292	IR Heater	0.09	mmBtu/hr	0.75	10^6 scf/yr	NG	4.92E-06
EC1293.1	BLDG 1293	Furnace	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06
EC1293.2	BLDG 1293	Heater	0.06	mmBtu/hr	0.50	10^6 scf/yr	NG	3.28E-06
EC1293.3	BLDG 1293	Heater	0.06	mmBtu/hr	0.50	10^6 scf/yr	NG	3.28E-06
EC1293.4	BLDG 1293	Heater	0.06	mmBtu/hr	0.50	10^6 scf/yr	NG	3.28E-06
EC1296.1	BLDG 1296	Heater	0.15	mmBtu/hr	1.25	10^6 scf/yr	NG	8.20E-06
EC1296.2	BLDG 1296	Heater	0.115	mmBtu/hr	0.96	10^6 scf/yr	NG	6.28E-06
EC1297.1	BLDG 1297		0.115	mmBtu/hr	0.96	10^6 scf/yr	NG	6.28E-06
EC1297.2	BLDG 1297		0.115	mmBtu/hr	0.96	10^6 scf/yr	NG	6.28E-06
EC1300.1	BLDG 1300	AC Furnace	0.115	mmBtu/hr	0.96	10^6 scf/yr	NG	6.28E-06
EC1300.2	BLDG 1300	Boiler	0.95	mmBtu/hr	7.93	10^6 scf/yr	NG	5.19E-05
EC1301	BLDG 1301	Boiler	0.5	mmBtu/hr	4.17	10^6 scf/yr	NG	2.73E-05
EC1318.1	BLDG 1318	Heater	0.15	mmBtu/hr	1.25	10^6 scf/yr	NG	8.20E-06
EC1318.2	BLDG 1318	Heater	0.15	mmBtu/hr	1.25	10^6 scf/yr	NG	8.20E-06
EC1318.3	BLDG 1318	Heater	0.2	mmBtu/hr	1.67	10^6 scf/yr	NG	1.09E-05
EC1318.4	BLDG 1318	Heater	0.15	mmBtu/hr	1.25	10^6 scf/yr	NG	8.20E-06
EC1320.1	BLDG 1320	Heater	0.1	mmBtu/hr	0.83	10^6 scf/yr	NG	5.46E-06
EC1320.2	BLDG 1320	Heater	0.1	mmBtu/hr	0.83	10^6 scf/yr	NG	5.46E-06
EC1320.3	BLDG 1320	Heater	0.1	mmBtu/hr	0.83	10^6 scf/yr	NG	5.46E-06
EC1322.1	BLDG 1322	Heater	0.175	mmBtu/hr	1.46	10^6 scf/yr	NG	9.56E-06
EC1322.2	BLDG 1322	Heater	0.175	mmBtu/hr	1.46	10^6 scf/yr	NG	9.56E-06
EC1322.3	BLDG 1322	Heater	0.175	mmBtu/hr	1.46	10^6 scf/yr	NG	9.56E-06
EC1322.4	BLDG 1322	Furnace	0.08	mmBtu/hr	0.67	10^6 scf/yr	NG	4.37E-06
EC1323.1	BLDG 1323	Heater	0.1	mmBtu/hr	0.0011	1000 Gal/hr	Propane	0
EC1323.2	BLDG 1323	Heater	0.1	mmBtu/hr	0.0011	1000 Gal/hr	Propane	0
EC1323.3	BLDG 1323	Heater	0.1	mmBtu/hr	0.0011	1000 Gal/hr	Propane	0
EC1327	BLDG 1327	Furnace	0.5	mmBtu/hr	4.17	10^6 scf/yr	NG	2.73E-05
EC1329.1	BLDG 1329	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06
EC1329.2	BLDG 1329	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06
EC1329.3	BLDG 1329	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06
EC1329.4	BLDG 1329	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06
EC1329.5	BLDG 1329	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06
EC1329.6	BLDG 1329	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06
EC1329.7	BLDG 1329	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06
EC1329.8	BLDG 1329	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06
EC1329.9	BLDG 1329	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06
EC1329.10	BLDG 1329	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06
EC1329.11	BLDG 1329	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06
EC1329.12	BLDG 1329	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06
EC1329.13	BLDG 1329	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06
EC1329.14	BLDG 1329	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06

Em. Source ID	Arsenic Compounds tpy	Benzene tpy	Beryllium tpy	Cadmium tpy	Chromium Compounds tpy	Cobalt tpy	1,4-Dichlorobenzene tpy	Ethyl Benzene tpy	Formaldehyde tpy	Hexane tpy	Hexavalent Chromium tpy	Hydrogen Chloride tpy	Lead and Compounds tpy	Manganese tpy	Mercury tpy	Methyl Chloroform tpy	Naphthalene tpy	Nickel tpy	O-Xylene tpy	Selenium tpy	Toluene tpy	Xylenes (o, m, p) tpy
EC1100.11	5.01E-08	0.00E+00	1.50E-09	2.75E-07	1.50E-07	2.10E-08	3.00E-07	0.00E+00	1.88E-05	4.51E-04	0.00E+00	0.00E+00	1.25E-07	9.51E-08	6.51E-08	0.00E+00	1.53E-07	5.26E-07	0.00E+00	3.00E-09	8.51E-07	5.51E-07
EC1100.12	5.01E-08	0.00E+00	1.50E-09	2.75E-07	3.50E-07	2.10E-08	3.00E-07	0.00E+00	1.88E-05	4.51E-04	0.00E+00	0.00E+00	1.25E-07	9.51E-08	6.51E-08	0.00E+00	1.53E-07	5.26E-07	0.00E+00	3.00E-09	8.51E-07	5.51E-07
EC1100.13	6.67E-08	0.00E+00	2.00E-09	3.67E-07	4.67E-07	2.80E-08	4.00E-07	0.00E+00	2.50E-05	6.01E-04	0.00E+00	0.00E+00	1.67E-07	1.27E-07	8.68E-08	0.00E+00	2.04E-07	7.01E-07	0.00E+00	4.00E-09	1.13E-06	7.34E-07
EC1100.14	6.67E-08	0.00E+00	2.00E-09	3.67E-07	4.67E-07	2.80E-08	4.00E-07	0.00E+00	2.50E-05	6.01E-04	0.00E+00	0.00E+00	1.67E-07	1.27E-07	8.68E-08	0.00E+00	2.04E-07	7.01E-07	0.00E+00	4.00E-09	1.13E-06	7.34E-07
EC1100.15	6.67E-08	0.00E+00	2.00E-09	3.67E-07	4.67E-07	2.80E-08	4.00E-07	0.00E+00	2.50E-05	6.01E-04	0.00E+00	0.00E+00	1.67E-07	1.27E-07	8.68E-08	0.00E+00	2.04E-07	7.01E-07	0.00E+00	4.00E-09	1.13E-06	7.34E-07
EC1100.16	1.04E-07	0.00E+00	3.13E-09	5.74E-07	7.30E-07	4.38E-08	6.26E-07	0.00E+00	3.91E-05	9.39E-04	0.00E+00	0.00E+00	2.61E-07	1.98E-07	1.36E-07	0.00E+00	3.18E-07	1.10E-06	0.00E+00	6.26E-09	1.77E-06	1.15E-06
EC1100.17	1.04E-07	0.00E+00	3.13E-09	5.74E-07	7.30E-07	4.38E-08	6.26E-07	0.00E+00	3.91E-05	9.39E-04	0.00E+00	0.00E+00	2.61E-07	1.98E-07	1.36E-07	0.00E+00	3.18E-07	1.10E-06	0.00E+00	6.26E-09	1.77E-06	1.15E-06
EC1100.18	1.04E-07	0.00E+00	3.13E-09	5.74E-07	7.30E-07	4.38E-08	6.26E-07	0.00E+00	3.91E-05	9.39E-04	0.00E+00	0.00E+00	2.61E-07	1.98E-07	1.36E-07	0.00E+00	3.18E-07	1.10E-06	0.00E+00	6.26E-09	1.77E-06	1.15E-06
EC1100.19	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC1100.20	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC1100.21	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC1100.22	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC1100.23	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC1100.24	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC1100.25	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC1100.26	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC1100.27	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC1100.28	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC1100.29	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC1100.30	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC1100.31	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC1100.32	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC1100.33	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC1100.34	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC1115.1	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC1115.2	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC1125	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC1126	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC1201.1	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC1201.2	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC1201.3	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC1201.4	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC1201.5	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC1201.6	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC1201.7	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC1201.8	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC1208.1	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC1208.2	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC1208.3	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC1208.4	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC1208.5	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC1208.6	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC1212	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC1213	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC1214	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC1222	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC1224	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC1225.1	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC1225.2	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC1225.3	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC1225.4	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC1225.5	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC1225.6	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC1225.7	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC1225.8	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC1225.9	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC1225.10	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC1225.11	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC1225.12	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC1229	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC1289.1	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC1289.2	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC1289.3	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC1289.4	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC1289.5	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC1289.6	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC1292.1	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC1292.2	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC1292.3	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC1292.4	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC1293.1	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC1293.2	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC1293.3	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC1293.4	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC1296.1	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC1296.2	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC1297.1	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC1297.2	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC1300.1	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC1300.2	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC1301	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC1318.1	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC1318.2	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC1318.3	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC1318.4	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC1320.1	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC1320.2	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC1320.3	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC1322.1	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC1322.2	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC1322.3	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC1322.4	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC1323.1	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC1323.2	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC1323.3	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC1327	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC1329.1	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC1329.2	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC1329.3	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC1329.4	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC1329.5	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC1329.6	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC1329.7	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC1329.8	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC1329.9	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC1329.10	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC1329.11	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC1329.12	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC1329.13	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC1329.14	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]

Table 12.2.2.1-5-3
Insignificant Activities
External Combustion HAP PTE

Em. Source ID	Location	Emission Source	Power Rating	Power Rating Units	Power Rating	Power Rating Units	Fuel	Acrolein tpy	Arsenic Compounds tpy	Benzene tpy	Beryllium tpy	Cadmium tpy	Chromium Compounds tpy	Cobalt tpy	1,4-Dichlorobenzene tpy	Ethyl Benzene tpy	Formaldehyde tpy	Hexane tpy	Hexavalent Chromium tpy	Hydrogen Chloride tpy	Lead and Compounds tpy	Manganese tpy	Mercury tpy	Methyl Chloroform tpy	Naphthalene tpy	Nickel tpy	O-Xylene tpy	Selenium tpy	Toluene tpy	Xylenes (o, m, p) tpy
EC1329.15	BLDG 1329	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC1329.16	BLDG 1329	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC1329.17	BLDG 1329	Furnace	0.399	mmBtu/hr	3.33	10^6 scf/yr	NG	2.18E-05	3.33E-07	0.00E+00	9.99E-09	1.83E-06	2.33E-06	1.40E-07	2.00E-06	0.00E+00	1.25E-04	3.00E-03	0.00E+00	0.00E+00	8.32E-07	6.32E-07	4.33E-07	0.00E+00	1.02E-06	3.50E-06	0.00E+00	2.00E-08	5.66E-06	3.66E-06
EC1330.1	BLDG 1330	Ceiling Heater	0.34	mmBtu/hr	2.84	10^6 scf/yr	NG	1.86E-05	2.84E-07	0.00E+00	8.51E-09	1.56E-06	1.99E-06	1.19E-07	1.70E-06	0.00E+00	1.06E-04	2.55E-03	0.00E+00	0.00E+00	7.09E-07	5.39E-07	3.69E-07	0.00E+00	8.65E-07	2.98E-06	0.00E+00	1.70E-08	4.82E-06	3.12E-06
EC1330.2	BLDG 1330	Ceiling Heater	0.34	mmBtu/hr	2.84	10^6 scf/yr	NG	1.86E-05	2.84E-07	0.00E+00	8.51E-09	1.56E-06	1.99E-06	1.19E-07	1.70E-06	0.00E+00	1.06E-04	2.55E-03	0.00E+00	0.00E+00	7.09E-07	5.39E-07	3.69E-07	0.00E+00	8.65E-07	2.98E-06	0.00E+00	1.70E-08	4.82E-06	3.12E-06
EC1330.3	BLDG 1330	Ceiling Heater	0.34	mmBtu/hr	2.84	10^6 scf/yr	NG	1.86E-05	2.84E-07	0.00E+00	8.51E-09	1.56E-06	1.99E-06	1.19E-07	1.70E-06	0.00E+00	1.06E-04	2.55E-03	0.00E+00	0.00E+00	7.09E-07	5.39E-07	3.69E-07	0.00E+00	8.65E-07	2.98E-06	0.00E+00	1.70E-08	4.82E-06	3.12E-06
EC1330.4	BLDG 1330	Ceiling Heater	0.34	mmBtu/hr	2.84	10^6 scf/yr	NG	1.86E-05	2.84E-07	0.00E+00	8.51E-09	1.56E-06	1.99E-06	1.19E-07	1.70E-06	0.00E+00	1.06E-04	2.55E-03	0.00E+00	0.00E+00	7.09E-07	5.39E-07	3.69E-07	0.00E+00	8.65E-07	2.98E-06	0.00E+00	1.70E-08	4.82E-06	3.12E-06
EC1330.5	BLDG 1330	Ceiling Heater	0.34	mmBtu/hr	2.84	10^6 scf/yr	NG	1.86E-05	2.84E-07	0.00E+00	8.51E-09	1.56E-06	1.99E-06	1.19E-07	1.70E-06	0.00E+00	1.06E-04	2.55E-03	0.00E+00	0.00E+00	7.09E-07	5.39E-07	3.69E-07	0.00E+00	8.65E-07	2.98E-06	0.00E+00	1.70E-08	4.82E-06	3.12E-06
EC1330.6	BLDG 1330	Ceiling Heater	0.34	mmBtu/hr	2.84	10^6 scf/yr	NG	1.86E-05	2.84E-07	0.00E+00	8.51E-09	1.56E-06	1.99E-06	1.19E-07	1.70E-06	0.00E+00	1.06E-04	2.55E-03	0.00E+00	0.00E+00	7.09E-07	5.39E-07	3.69E-07	0.00E+00	8.65E-07	2.98E-06	0.00E+00	1.70E-08	4.82E-06	3.12E-06
EC1330.7	BLDG 1330	Boiler	0.399	mmBtu/hr	3.33	10^6 scf/yr	NG	2.18E-05	3.33E-07	0.00E+00	9.99E-09	1.83E-06	2.33E-06	1.40E-07	2.00E-06	0.00E+00	1.25E-04	3.00E-03	0.00E+00	0.00E+00	8.32E-07	6.32E-07	4.33E-07	0.00E+00	1.02E-06	3.50E-06	0.00E+00	2.00E-08	5.66E-06	3.66E-06
EC1330.8	BLDG 1330	DHW	0.4	mmBtu/hr	3.34	10^6 scf/yr	NG	2.19E-05	3.34E-07	0.00E+00	1.00E-08	1.84E-06	2.34E-06	1.40E-07	2.00E-06	0.00E+00	1.25E-04	3.00E-03	0.00E+00	0.00E+00	8.34E-07	6.34E-07	4.34E-07	0.00E+00	1.02E-06	3.50E-06	0.00E+00	2.00E-08	5.67E-06	3.67E-06
EC1330.9	BLDG 1330	DHW	0.4	mmBtu/hr	3.34	10^6 scf/yr	NG	2.19E-05	3.34E-07	0.00E+00	1.00E-08	1.84E-06	2.34E-06	1.40E-07	2.00E-06	0.00E+00	1.25E-04	3.00E-03	0.00E+00	0.00E+00	8.34E-07	6.34E-07	4.34E-07	0.00E+00	1.02E-06	3.50E-06	0.00E+00	2.00E-08	5.67E-06	3.67E-06
EC1330.10	BLDG 1330	Heater	2.918	mmBtu/hr	24.31	10^6 scf/yr	NG	1.59E-04	2.43E-06	0.00E+00	7.30E-08	1.34E-05	1.70E-05	1.02E-06	1.46E-05	0.00E+00	9.12E-04	2.19E-02	0.00E+00	0.00E+00	6.08E-06	4.62E-06	3.16E-06	0.00E+00	7.42E-06	2.55E-05	0.00E+00	1.46E-07	4.14E-05	2.68E-05
EC1330.11	BLDG 1330	Heater	1.948	mmBtu/hr	16.25	10^6 scf/yr	NG	1.06E-04	1.63E-06	0.00E+00	4.88E-08	8.94E-06	1.14E-05	6.83E-07	9.75E-06	0.00E+00	6.09E-04	1.46E-02	0.00E+00	0.00E+00	4.06E-06	3.09E-06	2.11E-06	0.00E+00	4.96E-06	1.71E-05	0.00E+00	9.75E-08	2.76E-05	1.79E-05
EC1331.1	BLDG 1331	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC1331.2	BLDG 1331	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC1331.3	BLDG 1331	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC1331.4	BLDG 1331	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC1331.5	BLDG 1331	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC1331.6	BLDG 1331	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC1331.7	BLDG 1331	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC1331.8	BLDG 1331	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC1331.9	BLDG 1331	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC1331.10	BLDG 1331	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC1331.11	BLDG 1331	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC1331.12	BLDG 1331	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC1331.13	BLDG 1331	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC1331.14	BLDG 1331	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC1331.15	BLDG 1331	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC1331.16	BLDG 1331	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC1331.17	BLDG 1331	Boiler	0.399	mmBtu/hr	3.33	10^6 scf/yr	NG	2.18E-05	3.33E-07	0.00E+00	9.99E-09	1.83E-06	2.33E-06	1.40E-07	2.00E-06	0.00E+00	1.25E-04	3.00E-03	0.00E+00	0.00E+00	8.32E-07	6.32E-07	4.33E-07	0.00E+00	1.02E-06	3.50E-06	0.00E+00	2.00E-08	5.66E-06	3.66E-06
EC1332.1	BLDG 1332	Furnace	0.125	mmBtu/hr	1.04	10^6 scf/yr	NG	6.83E-06	1.04E-07	0.00E+00	3.13E-09	5.74E-07	7.30E-07	4.38E-08	6.26E-07	0.00E+00	3.91E-05	9.39E-04	0.00E+00	0.00E+00	2.61E-07	1.98E-07	1.36E-07	0.00E+00	3.18E-07	1.10E-06	0.00E+00	6.26E-09	1.77E-06	1.15E-06
EC1332.2	BLDG 1332	Furnace	0.399	mmBtu/hr	3.33	10^6 scf/yr	NG	2.18E-05	3.33E-07	0.00E+00	9.99E-09	1.83E-06	2.33E-06	1.40E-07	2.00E-06	0.00E+00	1.25E-04	3.00E-03	0.00E+00	0.00E+00	8.32E-07	6.32E-07	4.33E-07	0.00E+00	1.02E-06	3.50E-06	0.00E+00	2.00E-08	5.66E-06	3.66E-06
EC1332.3	BLDG 1332	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC1332.4	BLDG 1332	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC1332.5	BLDG 1332	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC1332.6	BLDG 1332	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC1332.7	BLDG 1332	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC1332.8	BLDG 1332	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC1332.9	BLDG 1332	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC1332.10	BLDG 1332	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC1332.11	BLDG 1332	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC1332.12	BLDG 1332	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC1332.13	BLDG 1332	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC1332.14	BLDG 1332	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC1332.15	BLDG 1332	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC1332.16	BLDG 1332	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC1332.17	BLDG 1332	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC1332.18	BLDG 1332	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC1333.1	BLDG 1333	FA Furnace	0.1	mmBtu/hr	0.83	10^6 scf/yr	NG	5.46E-06	8.34E-08	0.00E+00	2.50E-09	4.59E-07	5.84E-07	3.50E-08	5.01E-07	0.00E+00	3.13E-05	7.51E-04	0.00E+00	0.00E+00	2.09E-07	1.59E-07	1.08E-07	0.00E+00	2.54E-07	8.76E-07	0.00E+00	5.01E-09	1.42E-06	9.18E-07
EC1333.2	BLDG 1333	Ceiling Heater	0.225	mmBtu/hr	1.88	10^6 scf/yr	NG	1.23E-05	1.88E-07	0.00E+00	5.63E-09	1.03E-06	1.31E-06	7.88E-08	1.13E-06	0.00E+00	7.04E-05	1.69E-03	0.00E+00	0.00E+00	4.69E-07	3.57E-07	2.44E-07	0.00E+00	5.73E-07	1.97E-06	0.00E+00	1.13E-08	3.19E-06	2.06E-06
EC1333.3	BLDG 1333	Furnace	0.08	mmBtu/hr	0.67	10^6 scf/yr	NG	4.37E-06	6.67E-08	0.00E+00	2.00E-09	3.67E-07	4.67E-07	2.80E-08	4.00E-07	0.00E+00	2.50E-05	6.01E-04	0.00E+00	0.00E+00	1.67E-07	1.27E-07	8.68E-08	0.00E+00	2.04E-07	7.01E-07	0.00E+00	4.00E-09	1.13E-06	7.34E-07
EC1333.4	BLDG 1333	Furnace	0.08	mmBtu/hr	0.67	10^6 scf/yr	NG	4.37E-06	6.67E-08	0.00E+00	2.00E-09	3.67E-07	4.67E-07	2.80E-08	4.00E-07	0.00E+00	2.50E-05	6.01E-04	0.00E+00	0.00E+00	1.67E-07	1.27E-07	8.68E-08	0.00E+00	2.04E-07	7.01E-07	0.00E+00	4.00E-09	1.13E-06	7.34E-07
EC1333.5	BLDG 1333	Furnace	0.08	mmBtu/hr	0.67	10^6 scf/yr	NG	4.37E-06	6.67E-08	0.00E+00	2.00E-09	3.67E-07	4.67E-07	2.80E-08	4.00E-07	0.00E+00	2.50E-05	6.01E-04	0.00E+00	0.00E+00	1.67E-07	1.27E-07	8.68E-08	0.00E+00	2.04E-07	7.01E-07	0.00E+00	4.00E-09	1.13E-06	7.34E-07
EC1333.6	BLDG 1333	IR Heater	0.1	mmBtu/hr	0.83	10^6 scf/yr	NG	5.46E-06	8.34E-08	0.00E+00	2.50E-09	4.59E-07	5.84E-07	3.50E-08	5.01E-07	0.00E+00	3.13E-05	7.51E-04	0.00E+00	0.00E+00	2.09E-07	1.59E-07	1.08E-07	0.00E+00	2.54E-07	8.76E-07	0.00E+00	5.01E-09	1.42E-06	9.18E-07
EC1333.7	BLDG 1333	IR Heater	0.1	mmBtu/hr	0.83	10^6 scf/yr	NG	5.46E-06	8.34E-08	0.00E+00	2.50E-09	4.59E-07	5.84E-07	3.50E-08	5.01E-07	0.00E+00	3.13E-05	7.51E-04	0.00E+00	0.00E+00	2.09E-07	1.59E-07	1.08E-07	0.00E+00	2.54E-07	8.76E-07	0.00E+00	5.01E-09	1.42E-06	9.18E-07
EC1333.8	BLDG 1333	IR Heater	0.1	mmBtu/hr	0.83	10^6 scf/yr	NG	5.46E-06	8.34E-08	0.00E+00	2.50E-09	4.59E-07	5.84E-07	3.50E-08	5.01E-07	0.00E+00	3.13E-05	7.51E-04	0.00E+00	0.00E+00	2.09E-07	1.59E-07	1.08E-07	0.00E+00	2.54E-07	8.76E-07	0.00E+00	5.01E-09	1.42E-06	9.18E-07
EC1333.9	BLDG 1333	IR Heater	0.1	mmBtu/hr	0.83	10^6 scf/yr	NG	5.46E-06	8.34E-08	0.00E+00	2.50E-09	4.59E-07	5.84E-07	3.50E-08	5.01E-07	0.00E+00	3.13E-05	7.51E-04	0.00E+00	0.00E+00	2.09E-07	1.59E-07	1.08E-07	0.00E+00	2.54E-07	8.76E-07	0.00E+00	5.01E-09	1.42E-06	9.18E-07
EC1333.10	BLDG 1333	IR Heater	0.1	mmBtu/hr	0.83	10^6 scf/yr	NG	5.46E-06	8.34E-08	0.00E+00	2.50E-09	4.59E-07	5.84E-07	3.50E-08	5.01E-07	0.00E+00	3.13E-05	7.51E-04	0.00E+00	0.00E+00	2.09E-07	1.59E-07	1.08E-07	0.00E+00	2.54E-07	8.76E-07	0.00E+00	5.01E-09	1.42E-06	9.18E-07
EC1333.11	BLDG 1333	IR Heater	0.1	mmBtu/hr	0.83	10^6 scf/yr	NG	5.46E-06	8.34E-08	0.00E+00	2.50E-09	4.59E-07	5.84E-07	3.50E-08	5.01E-07	0.00E+00	3.13E-05	7.51E-04	0.00E+00	0.00E+00	2.09E-07	1.59E-07	1.08E-07	0.00E+00	2.54E-07	8.76E-07	0.00E+00	5.01E-09	1.42E-06	9.18E-07
EC1333.12	BLDG 1333	IR Heater	0.1	mmBtu/hr	0.83	10^6 scf/yr	NG	5.46E-06	8.34E-08	0.00E+00	2.50E-09	4.59E-07	5.84E-07	3.50E-08	5.01E-07	0.00E+00	3.13E-05	7.51E-04	0.00E+00	0.00E+00	2.09E-07	1.59E-07	1.08E-07	0.00E+00	2.54E-07	8.76E-07	0.00E+00	5.01E-09	1.42E-06	9.18E-07
EC1333.13	BLDG 1333	IR Heater	0.1	mmBtu/hr	0.83	10^6 scf/yr	NG	5.46E-06	8.34E-08	0.00E+00	2.50E-09	4.59E-07	5.84E-07	3.50E-08	5.01E-07	0.00E+00	3.13E-05	7.51E-04	0.00E+00	0.00E+00	2.09E-07	1.59E-07	1.08E-07	0.00E+00	2.54E-07	8.76E-07	0.00E+00	5.01E-09	1.42E-06	9.18E-07
EC1333.14	BLDG 1333	IR Heater	0.1	mmBtu/hr	0.83	10^6 scf/yr	NG	5.46E-06	8.34E-08	0.00E+00	2.50E-09	4.59E-07	5.84E-07	3.50E-08	5.01E-07	0.00E+00	3.13E-05	7.51E-04	0.00E+00	0.00E+00	2.09E-07	1.59E-07	1.08E-07	0.00E+00	2.54E-07	8.76E-07	0.00E+00	5.01E-09	1.42E-06	9.18E-07
EC1333.15	BLDG 1333	IR Heater	0.1	mmBtu/hr	0.83	10^6 scf/yr	NG	5.46E-06	8.34E-08	0.00E+00	2.50E-09	4.59E-07	5.84E-07	3.50E-08	5.01E-07	0.00E+00	3.13E-05	7.51E-04	0.00E+00	0.00E+00	2.09E-07	1.59E-07	1.08E-07	0.00E+00	2.54E-07	8.76E-07	0.00E+00	5.01E-09	1.42E-06	9.18E-07
EC1333.16	BLDG 1333	IR Heater	0.1	mmBtu/hr	0.83	10^6 scf/yr	NG	5.46E-06	8.34E-08	0.00E+00	2.50E-09	4.59E-07	5.84E-07	3.50E-08	5.01E-07	0.00E+00	3.13E-05	7.51E-04	0.00E+00	0.00E+00	2.09E-07	1.59E-07	1.08E-07	0.00E+00	2.54E-07	8.76E-07	0.00E+00	5.01E-09	1.42E-06	9.18E-07
EC1333.17	BLDG 1333	IR Heater	0.1	mmBtu/hr	0.83	10^6 scf/yr	NG	5.46E-06	8.34E-08	0.00E+00	2.50E-09	4.59E-07	5.84E-07	3.50E-08	5.01E-07	0.00E+00	3.13E-05	7.51E-04	0.00E+00	0.00E+00	2.09E-07	1.59E-07	1.08E-07	0.00E+00	2.54E-07	8.76E-07	0.00E+00	5.01E-09	1.42E-06	9.18E-07
EC1333.18	BLDG 1333	IR Heater	0.1	mmBtu/hr	0.83	10^6 scf/yr	NG	5.46E-06	8.34E-08	0.00E+00	2.50E-09	4.59E-07	5.84E-07	3.50E-08	5.01E-07	0.00E+00	3.13E-05	7.51E-04	0.00E+00	0.00E+00	2.09E-07	1.59E-07	1.08E-07	0.00E+00	2.54E-07	8.76E-07	0.00E+00	5.01E-09	1.42E-06	9.18E-07
EC1333.19	BLDG 1333	IR Heater	0.1	mmBtu/hr	0.83	10^6 scf/yr	NG	5.46E-06	8.34E-08	0.00E+00	2.50E-09	4.59E-07	5.84E-07	3.50E-08	5.01E-07	0.00E+00	3.13E-05	7.51E-04	0.00E+00	0.00E+00	2.09E-07	1.59E-07	1.08E-07	0.00E+00	2.54E-07	8.76E-07	0.00E+00	5.01E-09	1.42E-06	9.18E-07
EC1333.20	BLDG 1333	IR Heater	0.1	mmBtu/hr	0.83	10^6 scf/yr	NG	5.46E-06	8.34E-08	0.00E+00	2.50E-09	4.59E-07	5.84E-07	3.50E-08	5.01E-07	0.00E+00	3.13E-05	7.51E-04	0.00E+00	0.00E+00	2.09E-07	1.59E-07	1.08E-07	0.00E+00	2.54E-07	8.76E-07	0.00E+00	5.01E-09	1.42E-06	9.18E-07
EC1333.21	BLDG 1333	IR Heater	0.1	mmBtu/hr	0.83	10^6 scf/yr	NG	5.46E-06	8.34E-08	0.00E+00	2.50E-09	4.59E-07	5.84E-07	3.50E-08	5.01E-07	0.00E+00	3.13E-05	7.51E-04	0.00E+00	0.00E+00	2.09E-07	1.59E-07	1.08E-07	0.00E+00	2.54E-07	8.76E-07	0.00E+00	5.01E-09	1.42E-06	9.18E-07
EC1333.22	BLDG 1333	IR Heater	0.1	mmBtu/hr	0.83	10^6 scf/yr	NG	5.46E-06	8.34E-08	0.00E+00	2.50E-09	4.59E-07	5.84E-07	3.50E-08	5.01E-07	0.00E+00	3.13E-05	7.51E-04	0.00E+00	0.00E+00	2.09E-07	1.59E-07	1.08E-07	0.00E+00	2.54E-07	8.76E-07	0.00E+00	5.01E-09	1.42E-06	9.18E-07
EC1333.23	BLDG 1333	IR Heater	0.1	mmBtu/hr	0.83	10^6 scf/yr	NG	5.46E-06	8.34E-08	0.00E+00	2.50E-09	4.59E-07	5.84E-07	3.50E-08	5.01E-07	0.00E+00	3.13E-05	7.51E-04	0.00E+00	0.00E+00	2.09E-07	1.59E-07	1.08E-07	0.00E+00	2.54E-07	8.76E-07	0.00E+00	5.01E-09	1.42E-06	9.18E-07
EC1333.24	BLDG 1333	Heater	0.35	mmBtu/hr	2.92	10^6 scf/yr	NG	1.91E-05	2.92E-07	0.00E+00	8.76E-09	1.61E-06	2.04E-06	1.23E-07	1.75E-06	0.00E+00	1.10E-04	2.63E-03	0.00E+00	0.00E+00	7.30E-07	5.55E-07	3.80E-07	0.00E+00	8.91E-07	3.07E-06	0.00E+00	1.75E-08	4.96E-06	3.21E-06
EC1333.25	BLDG 1333	Heater	0.125	mmBtu/hr	1.04	10^6 scf/yr	NG	6.83E-06	1.04E-07	0.00E+00	3.13E-09	5.74E-07	7.30E-07	4.38E-08	6.26E-07	0.00E+00	3.91E-05	9.39E-04	0.00E+00	0.00E+00	2.61E-07	1.98E-07	1.36E-07	0.00E+00	3.18E-07	1.10E-06	0.00E+00	6.26E-09	1.77E-06	1.15E-06
EC1333.26	BLDG 1333	Heater	0.15	mmBtu/hr	1.25	10^6 scf/yr	NG	8.20E-06	1.25E-07	0.00E+00	3.75E-09	6.88E-07	8.76E-07	5.26E-08	7.51E-07	0.00E+00	4.69E-05	1.13E-03	0.00E+00	0.00E+00	3.13E-07	2.38E-07	1.63E-07	0.00E+00	3.82E-07	1.31E-06	0.00E+00	7.51E-09	2.13E-06	1.38E-06
EC1333.27	BLDG 1333	Heater	0.3	mmBtu/hr	2.50	10^6 scf/yr	NG	1.64E-05	2.50E-07	0.00E+00	7.51E-09	1.38E-06	1.75E-06	1.05E-07	1.50E-06	0.00E+00	9.39E-05	2.25E-03	0.00E+00	0.00E+00	6.26E-07	4.76E-07	3.25E-07	0.00E+00	7.63E-07	2.63E-06	0.00E+00	1.50E-08	4.25E-06	2.75E-06
EC1333.28	BLDG 1333	Heater	0.125	mmBtu/hr	1.04	10^6 scf/yr	NG	6.83E-06	1.04E-07	0.00E+00	3.13E-09	5.74E-07	7.30E-07	4.38E-08	6.26E-07	0.00E+00	3.91E-05	9.39E-04	0.00E+00	0.00E+00	2.61E-07	1.98E-07	1.36E-07	0.00E+00	3.18E-07	1.10E-06	0.00E+00	6.26E-09	1.77E-06	1.15E-06
EC1333.29	BLDG 1333	Heater	0.15	mmBtu/hr	1.25	10^6 scf/yr	NG	8.20E-06	1.25E-07	0.00E+00	3.75E-09	6.88E-07	8.76E-07	5.26E-08	7.51E-07	0.00E+00	4.69E-05	1.13E-03	0.00E+00	0.00E+00	3.13E-07	2.38E-07	1.63E-07	0.00E+00	3.82E-07	1.31E-06	0.00E+00	7.51E-09	2.13E-06	1.38E-06
EC1333.30	BLDG 1333	Furnace	0.1	mmBtu/hr	0.83	10^6 scf/yr	NG	5.46E-06	8.34E-08	0.00E+00	2.50E-09	4.59E-07	5.84E-07	3.50E-08	5.01E-07	0.00E+00	3.13E-05	7.51E-04	0.00E+00	0.00E+00	2.09E-07	1.59E-07	1.08E-07	0.00E+00	2.54E-07	8.76E-07	0.00E+00	5.01E-09	1.42E-06	9.18E-07
EC1333.31	BLDG 1333	Furnace	0.1	mmBtu/hr	0.83	10^6 scf/yr	NG	5.46E-06	8.34E-08	0.00E+00	2.50E-09	4.59E-07	5.84E-07	3.50E-08	5.01E-07	0.00E+00	3.13E-05	7.51E-04	0.00E+00	0.00E+00	2.09E-07	1.59E-07	1.08E-07	0.00E+00	2.54E-07	8.76E-07	0.00E+00	5.01E-09	1.42E-06	9.18E-07
EC1335.1	BLDG 1335	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC1335.2	BLDG 1335	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC1335.3	BLDG 1335	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC1335.4	BLDG 1335	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC1335.5	BLDG 1335	Boiler	0.3	mmBtu/hr	2.50	10^6 scf/yr	NG	1.64E-05	2.50E-07	0.00E+00	7.51E-09	1.38E-06	1.75E-06	1.05E-07	1.50E-06	0.00E+00	9.39E-05	2.25E-03	0.00E+00	0.00E+00	6.26E-07	4.76E-07	3.25E-07	0.00E+00	7.63E-07	2.63E-06	0.00E+00	1.50E-08	4.25E-06	2.75E-06
EC1337	BLDG 1337	Furnace	0.3	mmBtu/hr	2.50	10^6 scf/yr	NG	1.64E-05	2.50E-07	0.00E+00	7.51E-09	1.38E-06	1.75E-06	1.05E-07	1.50E-06	0.00E+00	9.39E-05	2.25E-03	0.00E+00	0.00E+00	6.26E-07	4.76E-07	3.25E-07	0.00E+00	7.63E-07	2.63E-06	0.00E+00	1.50E-08	4.25E-06	2.75E-06
EC1339.1	BLDG 1339	AHU	0.962	mmBtu/hr	8.02	10^6 scf/yr	NG	5.26E-05	8.02E-07	0.00E+00	2.41E-08	4.41E-06	5.62E-06	3.37E-07	4.82E-06	0.00E+00	3.01E-04	7.22E-03	0.00E+00	0.00E+00	2.01E-06	1.52E-06	1.04E-06	0.00E+00	2.45E-06	8.43E-06	0.00E+00	4.82E-08	1.36E-05	8.83E-06
EC1339.2	BLDG 1339	Furnace	0.15	mmBtu/hr	1.25	10^6 scf/yr	NG	8.20E-06	1.25E-07	0.00E+00	3.75E-09	6.88E-07	8.76E-07	5.26E-08	7.51E-07	0.00E+00	4.69E-05	1.13E-03	0.00E+00	0.00E+00	3.13E-07	2.38E-07	1.63E-07	0.00E+00	3.82E-07	1.31E-06	0.00E+00	7.51E-09	2.13E-06	1.38E-06
EC1339.3	BLDG 1339	Furnace	0.125	mmBtu/hr	1.04	10^6 scf/yr	NG	6.83E-06	1.04E-07	0.00E+00	3.13E-09	5.74E-07	7.30E-07	4.38E-08	6.26E-07	0.00E+00	3.91E-05	9.39E-04	0.00E+00	0.00E+00	2.61E-07	1.98E-07	1.36E-07	0.00E+00	3.18E-07	1.10E-06	0.00E+00	6.26E-09	1.77E-06	1.15E-06
EC1339.4	BLDG 1339	Heater	0.04	mmBtu/hr	0.33	10^6 scf/yr	NG	2.19E-06	3.34E-08	0.00E+00	1.00E-09	1.84E-07	2.34E-07	1.40E-08	2.00E-07	0.00E+00	1.25E-05	3.00E-04	0.00E+00	0.00E+00	8.34E-08	6.34E-08	4.34E-08	0.00E+00	1.02E-07	3.50E-07	0.00E+00	2.00E-09	5.67E-07	3.67E-07
EC1339.5	BLDG 1339	Heater	0.04	mmBtu/hr	0.33	10^6 scf/yr	NG	2.19E-06	3.34E-08	0.00E+00	1.00E-09	1.84E-07	2.34E-07	1.40E-08	2.00E-07	0.00E+00	1.25E-05	3.00E-04	0.00E+00	0.00E+00	8.34E-08	6.34E-08	4.34E-08	0.00E+00	1.02E-07	3.50E-07	0.00E+00	2.00E-09	5.67E-07	3.67E-07
EC1339.6	BLDG 1339	Heater	0.04	mmBtu/hr	0.33	10^6 scf/yr	NG	2.19E-06	3.34E-08	0.00E+00	1.00E-09	1.84E-07	2.34E-07	1.40E-08	2.00E-07	0.00E+00	1.25E-05	3.00E-04	0.00E+00	0.00E+00	8.34E-08	6.34E-08	4.34E-08	0.00E+00	1.02E-07	3.50E-07	0.00E+00	2.00E-09	5.67E-07	3.67E-07
EC1339.7	BLDG 1339	Heater	0.04	mmBtu/hr	0.33	10^6 scf/yr	NG	2.19E-06	3.34E-08	0.00E+00	1.00E-09	1.84E-07	2.34E-07	1.40E-08	2.00E-07	0.00E+00	1.25E-05	3.00E-04	0.00E+00	0.00E+00	8.34E-08	6.34E-08	4.34E-08	0.00E+00	1.02E-07	3.50E-07	0.00E+00	2.00E-09	5.67E-07	3.67E-07
EC1339.8	BLDG 1339	[illegible] Unit	0.35	mmBtu/hr	2.92	10^6 scf/yr	NG	1.91E-05	2.92E-07	0.00E+00	8.76E-09	1.61E-06	2.04E-06	1.23E-07	1.75E-06	0.00E+00	1.10E-04	2.63E-03	0.00E+00	0.00E+00	7.30E-07	5.55E-07	3.80E-07	0.00E+00	8.91E-07	3.07E-06	0.00E+00	1.75E-08	4.96E-06	3.21E-06
EC1339.9	BLDG 1339	Furnace	0.074	mmBtu/hr	0.62	10^6 scf/yr	NG	4.04E-06	6.17E-08	0.00E+00	1.85E-09	3.40E-07	4.32E-07	2.59E-08	3.70E-07	0.00E+00	2.32E-05	5.56E-04	0.00E+00	0.00E+00	1.54E-07	1.17E-07	8.03E-08	0.00E+00	1.88E-07	6.48E-07	0.00E+00	3.70E-09	1.05E-06	6.79E-07
EC1339.10	BLDG 1339	Heater	0.15	mmBtu/hr	1.25	10^6 scf/yr	NG	8.20E-06	1.25E-07	0.00E+00	3.75E-09	6.88E-07	8.76E-07	5.26E-08	7.51E-07	0.00E+00	4.69E-05	1.13E-03	0.00E+00	0.00E+00	3.13E-07	2.38E-07	1.63E-07	0.00E+00	3.82E-07	1.31E-06	0.00E+00	7.51E-09	2.13E-06	1.38E-06
EC1339.11	BLDG 1339	DWH	0.08	mmBtu/hr	0.67	10^6 scf/yr	NG	4.37E-06	6.67E-08	0.00E+00	2.00E-09	3.67E-07	4.67E-07	2.80E-08	4.00E-07	0.00E+00	2.50E-05	6.01E-04	0.00E+00	0.00E+00	1.67E-07	1.27E-07	8.68E-08	0.00E+00	2.04E-07	7.01E-07	0.00E+00	4.00E-09	1.13E-06	7.34E-07
EC1351.1	BLDG 1351	FA Furnace	0.11	mmBtu/hr	0.92	10^6 scf/yr	NG	6.01E-06	9.18E-08	0.00E+00	2.75E-09	5.05E-07	6.42E-07	3.85E-08	5.51E-07	0.00E+00	3.44E-05	8.26E-04	0.00E+00	0.00E+00	2.29E-07	1.74E-07	1.19E-07	0.00E+00	2.80E-07	9.64E-07	0.00E+00	5.51E-09	1.56E-06	1.01E-06
EC1351.2	BLDG 1351	FA Furnace	0.11	mmBtu/hr	0.92	10^6 scf/yr	NG	6.01E-06	9.18E-08	0.00E+00	2.75E-09	5.05E-07	6.42E-07	3.85E-08	5.51E-07	0.00E+00	3.44E-05	8.26E-04	0.00E+00	0.00E+00	2.29E-07	1.74E-07	1.19E-07	0.00E+00	2.80E-07	9.64E-07	0.00E+00	5.51E-09	1.56E-06	1.01E-06
EC1351.3	BLDG 1351	FA Furnace	0.11	mmBtu/hr	0.92	10^6 scf/yr	NG	6.01E-06	9.18E-08	0.00E+00	2.75E-09	5.05E-07	6.42E-07	3.85E-08	5.51E-07	0.00E+00	3.44E-05	8.26E-04	0.00E+00	0.00E+00	2.29E-07	1.74E-07	1.19E-07	0.00E+00	2.80E-07	9.64E-07	0.00E+00	5.51E-09	1.56E-06	1.01E-06
EC1351.4	BLDG 1351	FA Furnace	0.11	mmBtu/hr	0.92	10^6 scf/yr	NG	6.01E-06	9.18E-08	0.00E+00	2.75E-09	5.05E-07	6.42E-07	3.85E-08	5.51E-07	0.00E+00	3.44E-05	8.26E-04	0.00E+00	0.00E+00	2.29E-07	1.74E-07	1.19E-07	0.00E+00	2.80E-07	9.64E-07	0.00E+00	5.51E-09	1.56E-06	1.01E-06
EC1352.1	BLDG 1352	FA Furnace	0.154	mmBtu/hr	1.28	10^6 scf/yr	NG	8.42E-06	1.28E-07	0.00E+00	3.85E-09	7.07E-07	8.99E-07	5.40E-08	7.71E-07	0.00E+00	4.82E-05	1.16E-03	0.00E+00	0.00E+00	3.21E-07	2.44E-07	1.67E-07	0.00E+00	3.92E-07	1.35E-06	0.00E+00	7.71E-09	2.18E-06	1.41E-06
EC1352.2	BLDG 1352	FA Furnace	0.154	mmBtu/hr	1.28	10^6 scf/yr	NG	8.42E-06	1.28E-07	0.00E+00	3.85E-09	7.07E-07	8.99E-07	5.40E-08	7.71E-07	0.00E+00	4.82E-05	1.16E-03	0.00E+00	0.00E+00	3.21E-07	2.44E-07	1.67E-07	0.00E+00	3.92E-07	1.35E-06	0.00E+00	7.71E-09	2.18E-06	1.41E-06
EC1353.1	BLDG 1353	FA Furnace	0.154	mmBtu/hr	1.28	10^6 scf/yr	NG	8.42E-06	1.28E-07	0.00E+00	3.85E-09	7.07E-07	8.99E-07	5.40E-08	7.71E-07	0.00E+00	4.82E-05	1.16E-03	0.00E+00	0.00E+00	3.21E-07	2.44E-07	1.67E-07	0.00E+00	3.92E-07	1.35E-06	0.00E+00	7.71E-09	2.18E-06	1.41E-06
EC1353.2	BLDG 1353	FA Furnace	0.154	mmBtu/hr	1.28	10^6 scf/yr	NG	8.42E-06	1.28E-07	0.00E+00	3.85E-09	7.07E-07	8.99E-07	5.40E-08	7.71E-07	0.00E+00	4.82E-05	1.16E-03	0.00E+00	0.00E+00	3.21E-07	2.44E-07	1.67E-07	0.00E+00	3.92E-07	1.35E-06	0.00E+00	7.71E-09	2.18E-06	1.41E-06
EC1353.3	BLDG 1353	FA Furnace	0.154	mmBtu/hr	1.28	10^6 scf/yr	NG	8.42E-06	1.28E-07	0.00E+00	3.85E-09	7.07E-07	8.99E-07	5.40E-08	7.71E-07	0.00E+00	4.82E-05	1.16E-03	0.00E+00	0.00E+00	3.21E-07	2.44E-07	1.67E-07	0.00E+00	3.92E-07	1.35E-06	0.00E+00	7.71E-09	2.18E-06	1.41E-06
EC1353.4	BLDG 1353	FA Furnace	0.154	mmBtu/hr	1.28	10^6 scf/yr	NG	8.42E-06	1.28E-07	0.00E+00	3.85E-09	7.07E-07	8.99E-07	5.40E-08	7.71E-07	0.00E+00	4.82E-05	1.16E-03	0.00E+00	0.00E+00	3.21E-07	2.44E-07	1.67E-07	0.00E+00	3.92E-07	1.35E-06	0.00E+00	7.71E-09	2.18E-06	1.41E-06
EC1354.1	BLDG 1354	High Pressure Washer	0.4	mmBtu/hr	0.0044	1000 Gal/hr	Propane	0	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
EC1354.2	BLDG 1354	High Pressure Washer	0.4	mmBtu/hr	0.0044	1000 Gal/hr	Propane	0	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
EC1354.3	BLDG 1354	FA Furnace	0.154	mmBtu/hr	1.28	10^6 scf/yr	NG	8.42E-06	1.28E-07	0.00E+00	3.85E-09	7.07E-07	8.99E-07	5.40E-08	7.71E-07	0.00E+00	4.82E-05	1.16E-03	0.00E+00	0.00E+00	3.21E-07	2.44E-07	1.67E-07	0.00E+00	3.92E-07	1.35E-06	0.00E+00	7.71E-09	2.18E-06	1.41E-06

Table 12.2.2.13-3
Insignificant Activities
External Combustion HAP EE

Em. Source ID	Location	Emission Source	Power Rating	Power Rating Units	Power Rating	Power Rating Units	Fuel	Arsenic tpy	Arsenic Compounds tpy	Benzene tpy	Beryllium tpy	Cadmium tpy	Chromium tpy	Chromium Compounds tpy	Cobalt tpy	1,4-Dichlorobenzene tpy	Ethyl Benzene tpy	Formaldehyde tpy	Hexane tpy	Hexavalent Chromium tpy	Hydrogen Chloride tpy	Lead and Compounds tpy	Manganese tpy	Mercury tpy	Methyl Chloroform tpy	Naphthalene tpy	Nickel tpy	O-Xylene tpy	Selenium tpy	Toluene tpy	Xylenes (o, m, p) tpy
EC13554.4	BLDG 1354	IR Heater	0.06	mmBtu/hr	0.06	10^6 scf/yr	NG	3.23E-06	5.01E-08	0.00E+00	1.50E-09	2.75E-07	3.50E-07	2.10E-08	1.00E-07	0.00E+00	0.00E+00	1.88E-05	4.51E-04	0.00E+00	0.00E+00	1.25E-07	9.51E-06	6.51E-04	0.00E+00	1.53E-07	5.26E-07	0.00E+00	1.00E-07	4.51E-07	5.51E-07
EC13554.5	BLDG 1354	IR Heater	0.06	mmBtu/hr	0.06	10^6 scf/yr	NG	3.23E-06	5.01E-08	0.00E+00	1.50E-09	2.75E-07	3.50E-07	2.10E-08	1.00E-07	0.00E+00	0.00E+00	1.88E-05	4.51E-04	0.00E+00	0.00E+00	1.25E-07	9.51E-06	6.51E-04	0.00E+00	1.53E-07	5.26E-07	0.00E+00	1.00E-07	4.51E-07	5.51E-07
EC13554.6	BLDG 1354	IR Heater	0.06	mmBtu/hr	0.06	10^6 scf/yr	NG	3.23E-06	5.01E-08	0.00E+00	1.50E-09	2.75E-07	3.50E-07	2.10E-08	1.00E-07	0.00E+00	0.00E+00	1.88E-05	4.51E-04	0.00E+00	0.00E+00	1.25E-07	9.51E-06	6.51E-04	0.00E+00	1.53E-07	5.26E-07	0.00E+00	1.00E-07	4.51E-07	5.51E-07
EC13554.7	BLDG 1354	IR Heater	0.06	mmBtu/hr	0.06	10^6 scf/yr	NG	3.23E-06	5.01E-08	0.00E+00	1.50E-09	2.75E-07	3.50E-07	2.10E-08	1.00E-07	0.00E+00	0.00E+00	1.88E-05	4.51E-04	0.00E+00	0.00E+00	1.25E-07	9.51E-06	6.51E-04	0.00E+00	1.53E-07	5.26E-07	0.00E+00	1.00E-07	4.51E-07	5.51E-07
EC13554.8	BLDG 1354	IR Heater	0.06	mmBtu/hr	0.06	10^6 scf/yr	NG	3.23E-06	5.01E-08	0.00E+00	1.50E-09	2.75E-07	3.50E-07	2.10E-08	1.00E-07	0.00E+00	0.00E+00	1.88E-05	4.51E-04	0.00E+00	0.00E+00	1.25E-07	9.51E-06	6.51E-04	0.00E+00	1.53E-07	5.26E-07	0.00E+00	1.00E-07	4.51E-07	5.51E-07
EC13554.9	BLDG 1354	IR Heater	0.06	mmBtu/hr	0.06	10^6 scf/yr	NG	3.23E-06	5.01E-08	0.00E+00	1.50E-09	2.75E-07	3.50E-07	2.10E-08	1.00E-07	0.00E+00	0.00E+00	1.88E-05	4.51E-04	0.00E+00	0.00E+00	1.25E-07	9.51E-06	6.51E-04	0.00E+00	1.53E-07	5.26E-07	0.00E+00	1.00E-07	4.51E-07	5.51E-07
EC13554.10	BLDG 1354	IR Heater	0.06	mmBtu/hr	0.06	10^6 scf/yr	NG	3.23E-06	5.01E-08	0.00E+00	1.50E-09	2.75E-07	3.50E-07	2.10E-08	1.00E-07	0.00E+00	0.00E+00	1.88E-05	4.51E-04	0.00E+00	0.00E+00	1.25E-07	9.51E-06	6.51E-04	0.00E+00	1.53E-07	5.26E-07	0.00E+00	1.00E-07	4.51E-07	5.51E-07
EC13554.11	BLDG 1354	IR Heater	0.06	mmBtu/hr	0.06	10^6 scf/yr	NG	3.23E-06	5.01E-08	0.00E+00	1.50E-09	2.75E-07	3.50E-07	2.10E-08	1.00E-07	0.00E+00	0.00E+00	1.88E-05	4.51E-04	0.00E+00	0.00E+00	1.25E-07	9.51E-06	6.51E-04	0.00E+00	1.53E-07	5.26E-07	0.00E+00	1.00E-07	4.51E-07	5.51E-07
EC13554.12	BLDG 1354	IR Heater	0.06	mmBtu/hr	0.06	10^6 scf/yr	NG	3.23E-06	5.01E-08	0.00E+00	1.50E-09	2.75E-07	3.50E-07	2.10E-08	1.00E-07	0.00E+00	0.00E+00	1.88E-05	4.51E-04	0.00E+00	0.00E+00	1.25E-07	9.51E-06	6.51E-04	0.00E+00	1.53E-07	5.26E-07	0.00E+00	1.00E-07	4.51E-07	5.51E-07
EC13554.13	BLDG 1354	IR Heater	0.06	mmBtu/hr	0.06	10^6 scf/yr	NG	3.23E-06	5.01E-08	0.00E+00	1.50E-09	2.75E-07	3.50E-07	2.10E-08	1.00E-07	0.00E+00	0.00E+00	1.88E-05	4.51E-04	0.00E+00	0.00E+00	1.25E-07	9.51E-06	6.51E-04	0.00E+00	1.53E-07	5.26E-07	0.00E+00	1.00E-07	4.51E-07	5.51E-07
EC13554.14	BLDG 1354	IR Heater	0.06	mmBtu/hr	0.06	10^6 scf/yr	NG	3.23E-06	5.01E-08	0.00E+00	1.50E-09	2.75E-07	3.50E-07	2.10E-08	1.00E-07	0.00E+00	0.00E+00	1.88E-05	4.51E-04	0.00E+00	0.00E+00	1.25E-07	9.51E-06	6.51E-04	0.00E+00	1.53E-07	5.26E-07	0.00E+00	1.00E-07	4.51E-07	5.51E-07
EC13554.15	BLDG 1354	IR Heater	0.06	mmBtu/hr	0.06	10^6 scf/yr	NG	3.23E-06	5.01E-08	0.00E+00	1.50E-09	2.75E-07	3.50E-07	2.10E-08	1.00E-07	0.00E+00	0.00E+00	1.88E-05	4.51E-04	0.00E+00	0.00E+00	1.25E-07	9.51E-06	6.51E-04	0.00E+00	1.53E-07	5.26E-07	0.00E+00	1.00E-07	4.51E-07	5.51E-07
EC13556.1	BLDG 1356	IR Heater	0.06	mmBtu/hr	0.06	10^6 scf/yr	NG	3.23E-06	5.01E-08	0.00E+00	1.50E-09	2.75E-07	3.50E-07	2.10E-08	1.00E-07	0.00E+00	0.00E+00	1.88E-05	4.51E-04	0.00E+00	0.00E+00	1.25E-07	9.51E-06	6.51E-04	0.00E+00	1.53E-07	5.26E-07	0.00E+00	1.00E-07	4.51E-07	5.51E-07
EC13556.2	BLDG 1356	IR Heater	0.06	mmBtu/hr	0.06	10^6 scf/yr	NG	3.23E-06	5.01E-08	0.00E+00	1.50E-09	2.75E-07	3.50E-07	2.10E-08	1.00E-07	0.00E+00	0.00E+00	1.88E-05	4.51E-04	0.00E+00	0.00E+00	1.25E-07	9.51E-06	6.51E-04	0.00E+00	1.53E-07	5.26E-07	0.00E+00	1.00E-07	4.51E-07	5.51E-07
EC13556.3	BLDG 1356	IR Heater	0.06	mmBtu/hr	0.06	10^6 scf/yr	NG	3.23E-06	5.01E-08	0.00E+00	1.50E-09	2.75E-07	3.50E-07	2.10E-08	1.00E-07	0.00E+00	0.00E+00	1.88E-05	4.51E-04	0.00E+00	0.00E+00	1.25E-07	9.51E-06	6.51E-04	0.00E+00	1.53E-07	5.26E-07	0.00E+00	1.00E-07	4.51E-07	5.51E-07
EC13556.4	BLDG 1356	IR Heater	0.06	mmBtu/hr	0.06	10^6 scf/yr	NG	3.23E-06	5.01E-08	0.00E+00	1.50E-09	2.75E-07	3.50E-07	2.10E-08	1.00E-07	0.00E+00	0.00E+00	1.88E-05	4.51E-04	0.00E+00	0.00E+00	1.25E-07	9.51E-06	6.51E-04	0.00E+00	1.53E-07	5.26E-07	0.00E+00	1.00E-07	4.51E-07	5.51E-07
EC13556.5	BLDG 1356	IR Heater	0.06	mmBtu/hr	0.06	10^6 scf/yr	NG	3.23E-06	5.01E-08	0.00E+00	1.50E-09	2.75E-07	3.50E-07	2.10E-08	1.00E-07	0.00E+00	0.00E+00	1.88E-05	4.51E-04	0.00E+00	0.00E+00	1.25E-07	9.51E-06	6.51E-04	0.00E+00	1.53E-07	5.26E-07	0.00E+00	1.00E-07	4.51E-07	5.51E-07
EC13559.1	BLDG 1359	Steam Unit	0.44	mmBtu/hr	3.87	10^6 scf/yr	NG	2.40E-05	3.67E-07	0.00E+00	1.10E-08	2.07E-06	2.57E-06	1.54E-07	7.20E-08	0.00E+00	0.00E+00	1.38E-04	3.30E-03	0.00E+00	0.00E+00	9.18E-07	6.97E-05	4.77E-03	0.00E+00	1.12E-06	3.85E-06	0.00E+00	7.30E-08	6.24E-06	4.04E-06
EC13560.1	BLDG 1360	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	2.00E-07	0.00E+00	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-05	1.30E-03	0.00E+00	3.05E-07	1.05E-06	0.00E+00	2.00E-08	1.70E-06	1.10E-06
EC13560.2	BLDG 1360	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	2.00E-07	0.00E+00	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-05	1.30E-03	0.00E+00	3.05E-07	1.05E-06	0.00E+00	2.00E-08	1.70E-06	1.10E-06
EC13560.3	BLDG 1360	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	2.00E-07	0.00E+00	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-05	1.30E-03	0.00E+00	3.05E-07	1.05E-06	0.00E+00	2.00E-08	1.70E-06	1.10E-06
EC13560.4	BLDG 1360	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	2.00E-07	0.00E+00	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-05	1.30E-03	0.00E+00	3.05E-07	1.05E-06	0.00E+00	2.00E-08	1.70E-06	1.10E-06
EC13560.5	BLDG 1360	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	2.00E-07	0.00E+00	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-05	1.30E-03	0.00E+00	3.05E-07	1.05E-06	0.00E+00	2.00E-08	1.70E-06	1.10E-06
EC13560.6	BLDG 1360	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	2.00E-07	0.00E+00	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-05	1.30E-03	0.00E+00	3.05E-07	1.05E-06	0.00E+00	2.00E-08	1.70E-06	1.10E-06
EC13560.7	BLDG 1360	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	2.00E-07	0.00E+00	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-05	1.30E-03	0.00E+00	3.05E-07	1.05E-06	0.00E+00	2.00E-08	1.70E-06	1.10E-06
EC13560.8	BLDG 1360	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	2.00E-07	0.00E+00	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-05	1.30E-03	0.00E+00	3.05E-07	1.05E-06	0.00E+00	2.00E-08	1.70E-06	1.10E-06
EC13560.9	BLDG 1360	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	2.00E-07	0.00E+00	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-05	1.30E-03	0.00E+00	3.05E-07	1.05E-06	0.00E+00	2.00E-08	1.70E-06	1.10E-06
EC13560.10	BLDG 1360	IR Heater	0.13	mmBtu/hr	1.08	10^6 scf/yr	NG	7.18E-06	1.18E-07	0.00E+00	3.25E-09	5.97E-07	7.59E-07	4.56E-08	2.17E-07	0.00E+00	0.00E+00	4.07E-05	9.76E-04	0.00E+00	0.00E+00	2.71E-07	2.06E-05	1.41E-03	0.00E+00	3.31E-07	1.14E-06	0.00E+00	2.17E-08	1.84E-06	1.19E-06
EC13560.11	BLDG 1360	IR Heater	0.13	mmBtu/hr	1.08	10^6 scf/yr	NG	7.18E-06	1.18E-07	0.00E+00	3.25E-09	5.97E-07	7.59E-07	4.56E-08	2.17E-07	0.00E+00	0.00E+00	4.07E-05	9.76E-04	0.00E+00	0.00E+00	2.71E-07	2.06E-05	1.41E-03	0.00E+00	3.31E-07	1.14E-06	0.00E+00	2.17E-08	1.84E-06	1.19E-06
EC13560.12	BLDG 1360	Steam Unit	0.44	mmBtu/hr	3.87	10^6 scf/yr	NG	2.40E-05	3.67E-07	0.00E+00	1.10E-08	2.07E-06	2.57E-06	1.54E-07	7.20E-08	0.00E+00	0.00E+00	1.38E-04	3.30E-03	0.00E+00	0.00E+00	9.18E-07	6.97E-05	4.77E-03	0.00E+00	1.12E-06	3.85E-06	0.00E+00	7.30E-08	6.24E-06	4.04E-06
EC13560.13	BLDG 1360	Steam Unit	0.44	mmBtu/hr	3.87	10^6 scf/yr	NG	2.40E-05	3.67E-07	0.00E+00	1.10E-08	2.07E-06	2.57E-06	1.54E-07	7.20E-08	0.00E+00	0.00E+00	1.38E-04	3.30E-03	0.00E+00	0.00E+00	9.18E-07	6.97E-05	4.77E-03	0.00E+00	1.12E-06	3.85E-06	0.00E+00	7.30E-08	6.24E-06	4.04E-06
EC13560.14	BLDG 1360	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	2.00E-07	0.00E+00	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-05	1.30E-03	0.00E+00	3.05E-07	1.05E-06	0.00E+00	2.00E-08	1.70E-06	1.10E-06
EC13560.15	BLDG 1360	IR Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	2.00E-07	0.00E+00	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-05	1.30E-03	0.00E+00	3.05E-07	1.05E-06	0.00E+00	2.00E-08	1.70E-06	1.10E-06
EC13561.1	BLDG 1361	Heater	0.3	mmBtu/hr	1.67	10^6 scf/yr	NG	1.09E-05	1.67E-07	0.00E+00	5.01E-09	9.18E-07	1.17E-06	7.01E-08	1.00E-06	0.00E+00	0.00E+00	6.26E-05	1.50E-03	0.00E+00	0.00E+00	4.17E-07	3.17E-05	2.17E-03	0.00E+00	5.09E-07	1.75E-06	0.00E+00	3.00E-08	2.84E-06	1.84E-06
EC13561.2	BLDG 1361	Heater	0.3	mmBtu/hr	1.67	10^6 scf/yr	NG	1.09E-05	1.67E-07	0.00E+00	5.01E-09	9.18E-07	1.17E-06	7.01E-08	1.00E-06	0.00E+00	0.00E+00	6.26E-05	1.50E-03	0.00E+00	0.00E+00	4.17E-07	3.17E-05	2.17E-03	0.00E+00	5.09E-07	1.75E-06	0.00E+00	3.00E-08	2.84E-06	1.84E-06
EC13561.3	BLDG 1361	Heater	0.3	mmBtu/hr	1.67	10^6 scf/yr	NG	1.09E-05	1.67E-07	0.00E+00	5.01E-09	9.18E-07	1.17E-06	7.01E-08	1.00E-06	0.00E+00	0.00E+00	6.26E-05	1.50E-03	0.00E+00	0.00E+00	4.17E-07	3.17E-05	2.17E-03	0.00E+00	5.09E-07	1.75E-06	0.00E+00	3.00E-08	2.84E-06	1.84E-06
EC13561.4	BLDG 1361	Heater	0.3	mmBtu/hr	1.67	10^6 scf/yr	NG	1.09E-05	1.67E-07	0.00E+00	5.01E-09	9.18E-07	1.17E-06	7.01E-08	1.00E-06	0.00E+00	0.00E+00	6.26E-05	1.50E-03	0.00E+00	0.00E+00	4.17E-07	3.17E-05	2.17E-03	0.00E+00	5.09E-07	1.75E-06	0.00E+00	3.00E-08	2.84E-06	1.84E-06
EC13561.5	BLDG 1361	Heater	0.3	mmBtu/hr	1.67	10^6 scf/yr	NG	1.09E-05	1.67E-07	0.00E+00	5.01E-09	9.18E-07	1.17E-06	7.01E-08	1.00E-06	0.00E+00	0.00E+00	6.26E-05	1.50E-03	0.00E+00	0.00E+00	4.17E-07	3.17E-05	2.17E-03	0.00E+00	5.09E-07	1.75E-06	0.00E+00	3.00E-08	2.84E-06	1.84E-06
EC13561.6	BLDG 1361	Heater	0.3	mmBtu/hr	1.67	10^6 scf/yr	NG	1.09E-05	1.67E-07	0.00E+00	5.01E-09	9.18E-07	1.17E-06	7.01E-08	1.00E-06	0.00E+00	0.00E+00	6.26E-05	1.50E-03	0.00E+00	0.00E+00	4.17E-07	3.17E-05	2.17E-03	0.00E+00	5.09E-07	1.75E-06	0.00E+00	3.00E-08	2.84E-06	1.84E-06
EC13561.7	BLDG 1361	Heater	0.3	mmBtu/hr	1.67	10^6 scf/yr	NG	1.09E-05	1.67E-07	0.00E+00	5.01E-09	9.18E-07	1.17E-06	7.01E-08	1.00E-06	0.00E+00	0.00E+00	6.26E-05	1.50E-03	0.00E+00	0.00E+00	4.17E-07	3.17E-05	2.17E-03	0.00E+00	5.09E-07	1.75E-06	0.00E+00	3.00E-08	2.84E-06	1.84E-06
EC13561.8	BLDG 1361	Heater	0.3	mmBtu/hr	1.67	10^6 scf/yr	NG	1.09E-05	1.67E-07	0.00E+00	5.01E-09	9.18E-07	1.17E-06	7.01E-08	1.00E-06	0.00E+00	0.00E+00	6.26E-05	1.50E-03	0.00E+00	0.00E+00	4.17E-07	3.17E-05	2.17E-03	0.00E+00	5.09E-07	1.75E-06	0.00E+00	3.00E-08	2.84E-06	1.84E-06
EC13561.9	BLDG 1361	Heater	0.3	mmBtu/hr	1.67	10^6 scf/yr	NG	1.09E-05	1.67E-07	0.00E+00	5.01E-09	9.18E-07	1.17E-06	7.01E-08	1.00E-06	0.00E+00	0.00E+00	6.26E-05	1.50E-03	0.00E+00	0.00E+00	4.17E-07	3.17E-05	2.17E-03	0.00E+00	5.09E-07	1.75E-06	0.00E+00	3.00E-08	2.84E-06	1.84E-06
EC13562.1	BLDG 1362	Heater	0.175	mmBtu/hr	1.46	10^6 scf/yr	NG	9.56E-06	1.46E-07	0.00E+00	4.38E-09	8.02E-07	1.02E-06	6.13E-08	8.76E-07	0.00E+00	0.00E+00	5.48E-05	1.31E-03	0.00E+00	0.00E+00	3.65E-07	2.77E-05	1.90E-03	0.00E+00	4.45E-07	1.53E-06	0.00E+00	8.76E-09	2.48E-06	1.61E-06
EC13562.2	BLDG 1362	Heater	0.175	mmBtu/hr	1.46	10^6 scf/yr	NG	9.56E-06	1.46E-07	0.00E+00	4.38E-09	8.02E-07	1.02E-06	6.13E-08	8.76E-07	0.00E+00	0.00E+00	5.48E-05	1.31E-03	0.00E+00	0.00E+00	3.65E-07	2.77E-05	1.90E-03	0.00E+00	4.45E-07	1.53E-06	0.00E+00	8.76E-09	2.48E-06	1.61E-06
EC13563.1	BLDG 1363	Boiler	0.3	mmBtu/hr	2.50	10^6 scf/yr	NG	1.64E-05	2.50E-07	0.00E+00	7.51E-09	1.38E-06	1.75E-06	1.05E-07	1.50E-06	0.00E+00	0.00E+00	9.39E-05	2.25E-03	0.00E+00	0.00E+00	6.26E-07	4.76E-05	3.25E-03	0.00E+00	7.63E-07	2.63E-06	0.00E+00	1.50E-08	4.25E-06	2.75E-06
EC13563.2	BLDG 1363	Furnace	0.3	mmBtu/hr	2.50	10^6 scf/yr	NG	1.64E-05	2.50E-07	0.00E+00	7.51E-09	1.38E-06	1.75E-06	1.05E-07	1.50E-06	0.00E+00	0.00E+00	9.39E-05	2.25E-03	0.00E+00	0.00E+00	6.26E-07	4.76E-05	3.25E-03	0.00E+00	7.63E-07	2.63E-06	0.00E+00	1.50E-08	4.25E-06	2.75E-06
EC13564.1	BLDG 1364	Boiler	0.3	mmBtu/hr	2.50	10^6 scf/yr	NG	1.64E-05	2.50E-07	0.00E+00	7.51E-09	1.38E-06	1.75E-06	1.05E-07	1.50E-06	0.00E+00	0.00E+00	9.39E-05	2.25E-03	0.00E+00	0.00E+00	6.26E-07	4.76E-05	3.25E-03	0.00E+00	7.63E-07	2.63E-06	0.00E+00	1.50E-08	4.25E-06	2.75E-06
EC13564.2	BLDG 1364	Furnace	0.3	mmBtu/hr	2.50	10^6 scf/yr	NG	1.64E-05	2.50E-07	0.00E+00	7.51E-09	1.38E-06	1.75E-06	1.05E-07	1.50E-06	0.00E+00	0.00E+00	9.39E-05	2.25E-03	0.00E+00	0.00E+00	6.26E-07	4.76E-05	3.25E-03	0.00E+00	7.63E-07	2.63E-06	0.00E+00	1.50E-08	4.25E-06	2.75E-06
EC13565.1	BLDG 1365	Boiler	0.175	mmBtu/hr	1.53	10^6 scf/yr	NG	9.56E-06	1.46E-07	0.00E+00	4.38E-09	8.02E-07	1.02E-06	6.13E-08	8.76E-07	0.00E+00	0.00E+00	5.48E-05	1.31E-03	0.00E+00	0.00E+00	3.65E-07	2.77E-05	1.90E-03	0.00E+00	4.45E-07	1.53E-06	0.00E+00	8.76E-09	2.48E-06	1.61E-06
EC13565.2	BLDG 1365	Furnace	0.175	mmBtu/hr	1.53	10^6 scf/yr	NG	9.56E-06	1.46E-07	0.00E+00	4.38E-09	8.02E-07	1.02E-06	6.13E-08	8.76E-07	0.00E+00	0.00E+00	5.48E-05	1.31E-03	0.00E+00	0.00E+00	3.65E-07	2.77E-05	1.90E-03	0.00E+00	4.45E-07	1.53E-06	0.00E+00	8.76E-09	2.48E-06	1.61E-06
EC13571.1	BLDG 1367	Heater	0.3	mmBtu/hr	1.67	10^6 scf/yr	NG	1.09E-05	1.67E-07	0.00E+00	5.01E-09	9.18E-07	1.17E-06	7.01E-08	1.00E-06	0.00E+00	0.00E+00	6.26E-05	1.50E-03	0.00E+00	0.00E+00	4.17E-07	3.17E-05	2.17E-03	0.00E+00	5.09E-07	1.75E-06	0.00E+00	3.00E-08	2.84E-06	1.84E-06
EC13572.1	BLDG 1367	Heater	0.3	mmBtu/hr	1.67	10^6 scf/yr	NG	1.09E-05	1.67E-07	0.00E+00	5.01E-09	9.18E-07	1.17E-06	7.01E-08	1.00E-06	0.00E+00	0.00E+00	6.26E-05	1.50E-03	0.00E+00	0.00E+00	4.17E-07	3.17E-05	2.17E-03	0.00E+00	5.09E-07	1.75E-06	0.00E+00	3.00E-08	2.84E-06	1.84E-06
EC1599	BLDG 1600	FA Furnace	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-05	1.30E-03	0.00E+00	3.05E-07	1.05E-06	0.00E+00	2.00E-08	1.70E-06	1.10E-06
EC1602	BLDG 1600	Heater	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	0.00E+00	3.75E-05	9.01E-04	0.00E+00	0.00E+00	2.50E-07	1.90E-05	1.30E-03	0.00E+00	3.05E-07	1.05E-06	0.00E+00	2.00E-08	1.70E-06	1.10E-06
EC1606	BLDG 1606	HVSI	0.61	mmBtu/hr	5.34	10^6 scf/yr	NG	3.57E-05	5.46E-07	0.00E+00	1.64E-08	3.08E-06	3.82E-06	2.29E-07	3.29E-06	0.00E+00	0.00E+00	2.05E-04	4.91E-03	0.00E+00	0.00E+00	1.36E-06	1.04E-04	7.09E-03	0.00E+00	1.66E-06	5.74E-06	0.00E+00	3.28E-08	9.28E-06	6.01E-06
EC1610	BLDG 1610	HVSI	0.3	mmBtu/hr	2.50	10^6 scf/yr	NG	1.64E-05	2.50E-07	0.00E+00	7.51E-09	1.38E-06	1.75E-06	1.05E-07	1.50E-06	0.00E+00	0.00E+00	9.39E-05	2.25E-03	0.00E+00	0.00E+00	6.26E-07	4.76E-05	3.25E-03	0.00E+00	7.63E-07	2.63E-06	0.00E+00	1.50E-08	4.25E-06	2.75E-06
EC1612	BLDG 1612	HVSI	1.83	mmBtu/hr	8.65	10^6 scf/yr	NG	3.67E-05	8.63E-07	0.00E+00	2.60E-08	4.76E-06	6.06E-06

Table 12.2.2.1-5-3
Insignificant Activities
External Combustion HAP PTE

Em. Source ID	Location	Emission Source	Power Rating	Power Rating Units	Power Rating	Power Rating Units	Fuel	Acrolein tpy
EC2408	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC2412.1	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC2412.2	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC2412.3	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC2416.1	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC2416.2	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC2422.1	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC2422.2	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC2425.1	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC2425.2	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC2427	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC2428	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC2601.1	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC2601.2	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC2603.1	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC2603.2	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC2604.1	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC2604.2	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC2606.1	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC2606.2	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC2606.3	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC2607	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC2610.1	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC2610.2	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC2610.3	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC2610.4	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC2618.1	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC2618.2	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC2618.3	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	5.19E-05
EC2621	BLDG 2621		0.75	mmBtu/hr	6.26	10^6 scf/yr	NG	4.10E-05
EC2630.1	BLDG 2630	FA Furnace	0.075	mmBtu/hr	0.63	10^6 scf/yr	NG	4.10E-06
EC2630.2	BLDG 2630	FA Furnace	0.075	mmBtu/hr	0.63	10^6 scf/yr	NG	4.10E-06
EC2630.3	BLDG 2630	FA Furnace	0.075	mmBtu/hr	0.63	10^6 scf/yr	NG	4.10E-06
EC2630.4	BLDG 2630	Ceiling Heater	0.03	mmBtu/hr	0.25	10^6 scf/yr	NG	1.64E-06
EC2630.5	BLDG 2630	HWH	0.075	mmBtu/hr	0.63	10^6 scf/yr	NG	4.10E-06
EC2700.1	BLDG 2700	Fryer	0.075	mmBtu/hr	0.63	10^6 scf/yr	NG	4.10E-06
EC2700.2	BLDG 2700	Fryer	0.075	mmBtu/hr	0.63	10^6 scf/yr	NG	4.10E-06
EC2700.3	BLDG 2700	Fryer	0.075	mmBtu/hr	0.63	10^6 scf/yr	NG	4.10E-06
EC2700.4	BLDG 2700	Fryer	0.075	mmBtu/hr	0.63	10^6 scf/yr	NG	4.10E-06
EC2700.5	BLDG 2700	Fryer	0.075	mmBtu/hr	0.63	10^6 scf/yr	NG	4.10E-06
EC2700.6	BLDG 2700	Fryer	0.08	mmBtu/hr	0.67	10^6 scf/yr	NG	4.37E-06
EC2706.1	BLDG 2706	DHW	0.199	mmBtu/hr	1.66	10^6 scf/yr	NG	1.09E-05
EC2706.2	BLDG 2706	Boiler	3.55	mmBtu/hr	29.62	10^6 scf/yr	NG	1.94E-04
EC2805.1	BLDG 2805	Boiler	0.26	mmBtu/hr	2.17	10^6 scf/yr	NG	1.42E-05
EC2805.2	BLDG 2805	Boiler	0.688	mmBtu/hr	5.74	10^6 scf/yr	NG	3.76E-05
EC2806	BLDG 2806	Boiler	0.5	mmBtu/hr	4.17	10^6 scf/yr	NG	2.73E-05
EC2807	BLDG 2807	Boiler	0.6	mmBtu/hr	5.01	10^6 scf/yr	NG	3.28E-05
EC2810	BLDG 2810	Boiler	0.95	mmBtu/hr	7.93	10^6 scf/yr	NG	5.19E-05
EC2990.1	BLDG 2990		0.85	mmBtu/hr	7.09	10^6 scf/yr	NG	4.64E-05
EC2990.2	BLDG 2990		0.06	mmBtu/hr	0.50	10^6 scf/yr	NG	3.28E-06
EC3016	BLDG 3016	Boiler	0.1	mmBtu/hr	0.83	10^6 scf/yr	NG	5.46E-06
EC3018	BLDG 3018	Boiler	0.25	mmBtu/hr	2.09	10^6 scf/yr	NG	1.37E-05
EC3020.1	BLDG 3020	Boiler	0.789	mmBtu/hr	6.58	10^6 scf/yr	NG	4.31E-05
EC3020.2	BLDG 3020	Boiler	0.789	mmBtu/hr	6.58	10^6 scf/yr	NG	4.31E-05
EC3025	BLDG 3025	Boiler	1.025	mmBtu/hr	8.55	10^6 scf/yr	NG	5.60E-05
EC3509	BLDG 3509	Furnace	0.184	mmBtu/hr	0.0013	1000 Gal/hr	Diesel	0.00E+00
EC4109	BLDG 4109	Boiler	0.325	mmBtu/hr	2.71	10^6 scf/yr	NG	1.78E-05
EC4200.1	BLDG 4200	Boiler	0.5	mmBtu/hr	4.17	10^6 scf/yr	NG	2.73E-05
EC4200.2	BLDG 4200	Furnace	0.125	mmBtu/hr	1.04	10^6 scf/yr	NG	6.83E-06
EC4401.1	BLDG 4401	FA Furnace	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06
EC4401.2	BLDG 4401	FA Furnace	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06
EC4827.1	BLDG 4827	Ceiling Heater	0.025	mmBtu/hr	0.21	10^6 scf/yr	NG	1.37E-06
EC4827.2	BLDG 4827	Ceiling Heater	0.025	mmBtu/hr	0.21	10^6 scf/yr	NG	1.37E-06
EC6001.1	BLDG 6001	Furnace	0.06	mmBtu/hr	0.50	10^6 scf/yr	NG	3.28E-06
EC6001.2	BLDG 6001	IR Heater	0.084	mmBtu/hr	0.70	10^6 scf/yr	NG	4.59E-06
EC6001.3	BLDG 6001	IR Heater	0.084	mmBtu/hr	0.70	10^6 scf/yr	NG	4.59E-06
EC6001.4	BLDG 6001	IR Heater	0.084	mmBtu/hr	0.70	10^6 scf/yr	NG	4.59E-06
EC6001.5	BLDG 6001	IR Heater	0.084	mmBtu/hr	0.70	10^6 scf/yr	NG	4.59E-06
EC6001.6	BLDG 6001	IR Heater	0.084	mmBtu/hr	0.70	10^6 scf/yr	NG	4.59E-06
EC6001.7	BLDG 6001	IR Heater	0.084	mmBtu/hr	0.70	10^6 scf/yr	NG	4.59E-06
EC6001.8	BLDG 6001	IR Heater	0.084	mmBtu/hr	0.70	10^6 scf/yr	NG	4.59E-06
EC6001.9	BLDG 6001	IR Heater	0.084	mmBtu/hr	0.70	10^6 scf/yr	NG	4.59E-06
EC6210.1	BLDG 6210	IR Heater	0.075	mmBtu/hr	0.63	10^6 scf/yr	NG	4.10E-06
EC6210.2	BLDG 6210	Heater	0.03	mmBtu/hr	0.25	10^6 scf/yr	NG	1.64E-06
EC6500.1	BLDG 6500	DHW	0.08	mmBtu/hr	0.67	10^6 scf/yr	NG	4.37E-06
EC6500.2	BLDG 6500	FA Furnace	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06
EC6500.3	BLDG 6500	FA Furnace	0.12	mmBtu/hr	1.00	10^6 scf/yr	NG	6.56E-06
EC6500.4	BLDG 6500	IR Heater	0.07	mmBtu/hr	0.58	10^6 scf/yr	NG	3.83E-06
EC6500.5	BLDG 6500	IR Heater	0.07	mmBtu/hr	0.58	10^6 scf/yr	NG	3.83E-06
EC7001	BLDG 7001	FA Furnace	0.08	mmBtu/hr	0.67	10^6 scf/yr	NG	4.37E-06
EC31074	BLDG 31074	Boiler	1.35	mmBtu/hr	11.26	10^6 scf/yr	NG	7.38E-05
EC31075	BLDG 31075	Boiler	0.95	mmBtu/hr	7.93	10^6 scf/yr	NG	5.19E-05
Total								1.05E-02

Em. Source ID	Arsenic Compounds tpy	Benzene tpy	Beryllium tpy	Cadmium tpy	Chromium Compounds tpy	Cobalt tpy	1,4-Dichlorobenzene tpy	Ethyl Benzene tpy	Formaldehyde tpy	Hexane tpy
EC2408	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC2412.1	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC2412.2	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC2412.3	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC2416.1	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC2416.2	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC2422.1	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC2422.2	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC2425.1	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC2425.2	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC2427	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC2428	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC2601.1	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC2601.2	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC2603.1	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC2603.2	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC2604.1	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC2604.2	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC2606.1	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC2606.2	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC2606.3	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC2607	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC2610.1	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC2610.2	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC2610.3	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC2610.4	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC2618.1	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC2618.2	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC2618.3	7.93E-07	0.00E+00	2.38E-08	4.36E-06	5.55E-06	3.33E-07	4.76E-06	0.00E+00	2.97E-04	7.13E-03
EC2621	6.26E-07	0.00E+00	1.88E-08	3.44E-06	4.38E-06	2.63E-07	3.75E-06	0.00E+00	2.35E-04	5.61E-03
EC2630.1	6.26E-08	0.00E+00	1.88E-09	3.44E-07	4.38E-07	2.63E-08	3.75E-07	0.00E+00	2.35E-05	5.63E-04
EC2630.2	6.26E-08	0.00E+00	1.88E-09	3.44E-07	4.38E-07	2.63E-08	3.75E-07	0.00E+00	2.35E-05	5.63E-04
EC2630.3	6.26E-08	0.00E+00	1.88E-09	3.44E-07	4.38E-07	2.63E-08	3.75E-07	0.00E+00	2.35E-05	5.63E-04
EC2630.4	2.50E-08	0.00E+00	7.51E-10	1.38E-07	1.75E-07	1.05E-08	1.50E-07	0.00E+00	9.39E-06	2.25E-04
EC2630.5	6.26E-08	0.00E+00	1.88E-09	3.44E-07	4.38E-07	2.63E-08	3.75E-07	0.00E+00	2.35E-05	5.63E-04
EC2700.1	6.26E-08	0.00E+00	1.88E-09	3.44E-07	4.38E-07	2.63E-08	3.75E-07	0.00E+00	2.35E-05	5.63E-04
EC2700.2	6.26E-08	0.00E+00	1.88E-09	3.44E-07	4.38E-07	2.63E-08	3.75E-07	0.00E+00	2.35E-05	5.63E-04
EC2700.3	6.26E-08	0.00E+00	1.88E-09	3.44E-07	4.38E-07	2.63E-08	3.75E-07	0.00E+00	2.35E-05	5.63E-04
EC2700.4	6.26E-08	0.00E+00	1.88E-09	3.44E-07	4.38E-07	2.63E-08	3.75E-07	0.00E+00	2.35E-05	5.63E-04
EC2700.5	6.26E-08	0.00E+00	1.88E-09	3.44E-07	4.38E-07	2.63E-08	3.75E-07	0.00E+00	2.35E-05	5.63E-04
EC2700.6	6.67E-08	0.00E+00	2.00E-09	3.67E-07	4.67E-07	2.80E-08	4.00E-07	0.00E+00	2.50E-05	6.01E-04
EC2706.1	1.66E-07	0.00E+00	4.98E-09	9.13E-07	1.16E-06	6.97E-08	9.96E-07	0.00E+00	6.23E-05	1.49E-03
EC2706.2	2.96E-06	0.00E+00	8.89E-08	1.63E-05	2.07E-05	1.24E-06	1.78E-05	0.00E+00	1.11E-03	2.67E-02
EC2805.1	2.17E-07	0.00E+00	6.51E-09	1.19E-06	1.52E-06	9.11E-08	1.30E-06	0.00E+00	8.13E-05	1.95E-03
EC2805.2	5.74E-07	0.00E+00	1.72E-08	3.16E-06	4.02E-06	2.41E-07	3.44E-06	0.00E+00	2.15E-04	5.17E-03
EC2806	4.17E-07	0.00E+00	1.25E-08	2.29E-06	2.92E-06	1.75E-07	2.50E-06	0.00E+00	1.56E-04	3.75E-03
EC2807	5.01E-07	0.00E+00	1.50E-08	2.75E-06	3.50E-06	2.10E-07	3.00E-06	0.00E+00	1.88E-04	4.51E-03
EC2810	7.93E-07	0.00E+00	2.38E-08	4.36E-06	5.55E-06	3.33E-07	4.76E-06	0.00E+00	2.97E-04	7.13E-03
EC2990.1	7.09E-07	0.00E+00	2.13E-08	3.90E-06	4.96E-06	2.98E-07	4.25E-06	0.00E+00	2.66E-04	6.38E-03
EC2990.2	5.01E-08	0.00E+00	1.50E-09	2.75E-07	3.50E-07	2.10E-08	3.00E-07	0.00E+00	1.88E-05	4.51E-04
EC3016	8.34E-08	0.00E+00	2.50E-09	4.59E-07	5.84E-07	3.50E-08	5.01E-07	0.00E+00	3.13E-05	7.51E-04
EC3018	2.09E-07	0.00E+00	6.26E-09	1.15E-06	1.46E-06	8.76E-08	1.25E-06	0.00E+00	7.82E-05	1.88E-03
EC3020.1	6.58E-07	0.00E+00	1.97E-08	3.62E-06	4.61E-06	2.76E-07	3.95E-06	0.00E+00	2.47E-04	5.92E-03
EC3020.2	6.58E-07	0.00E+00	1.97E-08	3.62E-06	4.61E-06	2.76E-07	3.95E-06	0.00E+00	2.47E-04	5.92E-03
EC3025	8.55E-07	0.00E+00	2.57E-08	4.70E-06	5.99E-06	3.59E-07	5.13E-06	0.00E+00	3.21E-04	7.70E-03
EC3509	0.00E+00	[illegible]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	8.74E-07	1.04E-04	0.00E+00
EC4109	2.71E-07	0.00E+00	8.13E-09	1.49E-06	1.90E-06	1.13E-07	1.63E-06	0.00E+00	1.02E-04	2.44E-03
EC4200.1	4.17E-07	0.00E+00	1.25E-08	2.29E-06	2.92E-06	1.75E-07	2.50E-06	0.00E+00	1.56E-04	3.75E-03
EC4200.2	1.04E-07	0.00E+00	3.13E-09	5.74E-07	7.30E-07	4.38E-08	6.26E-07	0.00E+00	3.91E-05	9.39E-04
EC4401.1	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04
EC4401.2	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04
EC4827.1	2.09E-08	0.00E+00	6.26E-10	1.15E-07	1.46E-07	8.76E-09	1.25E-07	0.00E+00	7.82E-06	1.88E-04
EC4827.2	2.09E-08	0.00E+00	6.26E-10	1.15E-07	1.46E-07	8.76E-09	1.25E-07	0.00E+00	7.82E-06	1.88E-04
EC6001.1	5.01E-08	0.00E+00	1.50E-09	2.75E-07	3.50E-07	2.10E-08	3.00E-07	0.00E+00	1.88E-05	4.51E-04
EC6001.2	7.01E-08	0.00E+00	2.10E-09	3.85E-07	4.91E-07	2.94E-08	4.20E-07	0.00E+00	2.63E-05	6.31E-04
EC6001.3	7.01E-08	0.00E+00	2.10E-09	3.85E-07	4.91E-07	2.94E-08	4.20E-07	0.00E+00	2.63E-05	6.31E-04
EC6001.4	7.01E-08	0.00E+00	2.10E-09	3.85E-07	4.91E-07	2.94E-08	4.20E-07	0.00E+00	2.63E-05	6.31E-04
EC6001.5	7.01E-08	0.00E+00	2.10E-09	3.85E-07	4.91E-07	2.94E-08	4.20E-07	0.00E+00	2.63E-05	6.31E-04
EC6001.6	7.01E-08	0.00E+00	2.10E-09	3.85E-07	4.91E-07	2.94E-08	4.20E-07	0.00E+00	2.63E-05	6.31E-04
EC6001.7	7.01E-08	0.00E+00	2.10E-09	3.85E-07	4.91E-07	2.94E-08	4.20E-07	0.00E+00	2.63E-05	6.31E-04
EC6001.8	7.01E-08	0.00E+00	2.10E-09	3.85E-07	4.91E-07	2.94E-08	4.20E-07	0.00E+00	2.63E-05	6.31E-04
EC6001.9	7.01E-08	0.00E+00	2.10E-09	3.85E-07	4.91E-07	2.94E-08	4.20E-07	0.00E+00	2.63E-05	6.31E-04
EC6210.1	6.26E-08	0.00E+00	1.88E-09	3.44E-07	4.38E-07	2.63E-08	3.75E-07	0.00E+00	2.35E-05	5.63E-04
EC6210.2	2.50E-08	0.00E+00	7.51E-10	1.38E-07	1.75E-07	1.05E-08	1.50E-07	0.00E+00	9.39E-06	2.25E-04
EC6500.1	6.67E-08	0.00E+00	2.00E-09	3.67E-07	4.67E-07	2.80E-08	4.00E-07	0.00E+00	2.50E-05	6.01E-04
EC6500.2	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04
EC6500.3	1.00E-07	0.00E+00	3.00E-09	5.51E-07	7.01E-07	4.20E-08	6.01E-07	0.00E+00	3.75E-05	9.01E-04
EC6500.4	5.84E-08	0.00E+00	1.75E-09	3.21E-07	4.09E-07	2.45E-08	3.50E-07	0.00E+00	2.19E-05	5.26E-04
EC6500.5	5.84E-08	0.00E+00	1.75E-09	3.21E-07	4.09E-07	2.45E-08	3.50E-07	0.00E+00	2.19E-05	5.26E-04
EC7001	6.67E-08	0.00E+00	2.00E-09	3.67E-07	4.67E-07	2.80E-08	4.00E-07	0.00E+00	2.50E-05	6.01E-04
EC31074	1.13E-06	0.00E+00	3.38E-08	6.19E-06	7.88E-06	4.73E-07	6.76E-06	0.00E+00	4.22E-04	1.01E-02
EC31075	7.93E-07	0.00E+00	2.38E-08	4.36E-06	5.55E-06	3.33E-07	4.76E-06	0.00E+00	2.97E-04	7.13E-03
Total	1.60E-04	4.17E-06	4.79E-06	8.78E-04	1.12E-03	6.20E-05	9.57E-04	1.24E-06	8.05E-02	1.44E+00

Em. Source ID	Hexavalent Chromium ion	Hydrogen Chloride tpy	Lead and Compounds tpy	Manganese tpy	Mercury tpy	Methyl Chloroform tpy	Naphthalene tpy	Nickel tpy	O-Xylene tpy	Selenium tpy	Toluene tpy	Xylenes (o, m, p) tpy
EC2408	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC2412.1	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC2412.2	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC2412.3	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC2416.1	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC2416.2	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC2422.1	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC2422.2	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC2425.1	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC2425.2	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC2427	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC2428	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC2601.1	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC2601.2	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC2603.1	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC2603.2	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC2604.1	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC2604.2	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC2606.1	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC2606.2	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC2606.3	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC2607	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC2610.1	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC2610.2	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC2610.3	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC2610.4	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC2618.1	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC2618.2	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
EC2618.3	0.00E+00	0.00E+00	1.98E-06	1.51E-06	1.03E-06	0.00E+00	2.42E-06	8.32E-06	0.00E+00	4.76E-08	1.35E-05	8.72E-06
EC2621	0.00E+00	0.00E+00	1.56E-06	1.19E-06	8.13E-07	0.00E+00	1.91E-06	6.57E-06	0.00E+00	3.75E-08	1.06E-05	6.88E-06
EC2630.1	0.00E+00	0.00E+00	1.56E-07	1.19E-07	8.13E-08	0.00E+00	1.91E-07	6.57E-07	0.00E+00	3.75E-09	1.06E-06	6.88E-07
EC2630.2	0.00E+00	0.00E+00	1.56E-07	1.19E-07	8.13E-08	0.00E+00	1.91E-07	6.57E-07	0.00E+00	3.75E-09	1.06E-06	6.88E-07
EC2630.3	0.00E+00	0.00E+00	1.56E-07	1.19E-07	8.13E-08	0.00E+00	1.91E-07	6.57E-07	0.00E+00	3.75E-09	1.06E-06	6.88E-07
EC2630.4	0.00E+00	0.00E+00	6.26E-08	4.76E-08	3.25E-08	0.00E+00	7.63E-08	2.63E-07	0.00E+00	1.50E-09	4.25E-07	2.75E-07
EC2630.5	0.00E+00	0.00E+00	1.56E-07	1.19E-07	8.13E-08	0.00E+00	1.91E-07	6.57E-07	0.00E+00	3.75E-09	1.06E-06	6.88E-07
EC2700.1	0.00E+00	0.00E+00	1.56E-07	1.19E-07	8.13E-08	0.00E+00	1.91E-07	6.57E-07	0.00E+00	3.75E-09	1.06E-06	6.88E-07
EC2700.2	0.00E+00	0.00E+00	1.56E-07	1.19E-07	8.13E-08	0.00E+00	1.91E-07	6.57E-07	0.00E+00	3.75E-09	1.06E-06	6.88E-07
EC2700.3	0.00E+00	0.00E+00	1.56E-07	1.19E-07	8.13E-08	0.00E+00	1.91E-07	6.57E-07	0.00E+00	3.75E-09	1.06E-06	6.88E-07
EC2700.4	0.00E+00	0.00E+00	1.56E-07	1.19E-07	8.13E-08	0.00E+00	1.91E-07	6.57E-07	0.00E+00	3.75E-09	1.06E-06	6.88E-07
EC2700.5	0.00E+00	0.00E+00	1.56E-07	1.19E-07	8.13E-08	0.00E+00	1.91E-07	6.57E-07	0.00E+00	3.75E-09	1.06E-06	6.88E-07
EC2700.6	0.00E+00	0.00E+00	1.67E-07	1.27E-07	8.68E-08	0.00E+00	2.04E-07	7.01E-07	0.00E+00	4.00E-09	1.13E-06	7.34E-07
EC2706.1	0.00E+00	0.00E+00	4.15E-07	3.15E-07	2.16E-07	0.00E+00	5.06E-07	1.74E-06	0.00E+00	9.96E-09	2.82E-06	1.83E-06
EC2706.2	0.00E+00	0.00E+00	7.40E-06	5.63E-06	3.85E-06	0.00E+00	9.03E-06	3.11E-05	0.00E+00	1.78E-07	5.03E-05	3.26E-05
EC2805.1	0.00E+00	0.00E+00	5.42E-07	4.12E-07	2.82E-07	0.00E+00	6.62E-07	2.28E-06	0.00E+00	1.30E-08	3.69E-06	2.39E-06
EC2805.2	0.00E+00	0.00E+00	1.43E-06	1.09E-06	7.46E-07	0.00E+00	1.75E-06	6.03E-06	0.00E+00	3.44E-08	9.76E-06	6.31E-06
EC2806	0.00E+00	0.00E+00	1.04E-06	7.93E-07	5.42E-07	0.00E+00	1.27E-06	4.38E-06	0.00E+00	2.50E-08	7.09E-06	4.59E-06
EC2807	0.00E+00	0.00E+00	1.25E-06	9.51E-07	6.51E-07	0.00E+00	1.53E-06	5.26E-06	0.00E+00	3.00E-08	8.51E-06	5.51E-06
EC2810	0.00E+00	0.00E+00	1.98E-06	1.51E-06	1.03E-06	0.00E+00	2.42E-06	8.32E-06	0.00E+00	4.76E-08	1.35E-05	8.72E-06
EC2990.1	0.00E+00	0.00E+00	1.77E-06	1.35E-06	9.22E-07	0.00E+00	2.16E-06	7.45E-06	0.00E+00	4.25E-08	1.21E-05	7.80E-06
EC2990.2	0.00E+00	0.00E+00	1.25E-07	9.51E-08	6.51E-08	0.00E+00	1.53E-07	5.26E-07	0.00E+00	3.00E-09	8.51E-07	5.51E-07
EC3016	0.00E+00	0.00E+00	2.09E-07	1.59E-07	1.08E-07	0.00E+00	2.54E-07	8.76E-07	0.00E+00	5.01E-09	1.42E-06	9.18E-07
EC3018	0.00E+00	0.00E+00	5.21E-07	3.96E-07	2.71E-07	0.00E+00	6.36E-07	2.19E-06	0.00E+00	1.25E-08	3.55E-06	2.29E-06
EC3020.1	0.00E+00	0.00E+00	1.65E-06	1.25E-06	8.56E-07	0.00E+00	2.01E-06	6.91E-06	0.00E+00	3.95E-08	1.12E-05	7.24E-06
EC3020.2	0.00E+00	0.00E+00	1.65E-06	1.25E-06	8.56E-07	0.00E+00	2.01E-06	6.91E-06	0.00E+00	3.95E-08	1.12E-05	7.24E-06
EC3025	0.00E+00	0.00E+00	2.14E-06	1.62E-06	1.11E-06	0.00E+00	2.61E-06	8.98E-06	0.00E+00	5.13E-08	1.45E-05	9.41E-06
EC3509	0.00E+00	0	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	8.41E-07	0.00E+00	3.09E-05	0.00E+00
EC4109	0.00E+00	0.00E+00	6.78E-07	5.15E-07	3.52E-07	0.00E+00	8.27E-07	2.85E-06	0.00E+00	1.63E-08	4.61E-06	2.98E-06
EC4200.1	0.00E+00	0.00E+00	1.04E-06	7.93E-07	5.42E-07	0.00E+00	1.27E-06	4.38E-06	0.00E+00	2.50E-08	7.09E-06	4.59E-06
EC4200.2	0.00E+00	0.00E+00	2.61E-07	1.98E-07	1.36E-07	0.00E+00	3.18E-07	1.10E-06	0.00E+00	6.26E-09	1.77E-06	1.15E-06
EC4401.1	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC4401.2	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC4827.1	0.00E+00	0.00E+00	5.21E-08	3.96E-08	2.71E-08	0.00E+00	6.36E-08	2.19E-07	0.00E+00	1.25E-09	3.55E-07	2.29E-07
EC4827.2	0.00E+00	0.00E+00	5.21E-08	3.96E-08	2.71E-08	0.00E+00	6.36E-08	2.19E-07	0.00E+00	1.25E-09	3.55E-07	2.29E-07
EC6001.1	0.00E+00	0.00E+00	1.25E-07	9.51E-08	6.51E-08	0.00E+00	1.53E-07	5.26E-07	0.00E+00	3.00E-09	8.51E-07	5.51E-07
EC6001.2	0.00E+00	0.00E+00	1.75E-07	1.33E-07	9.11E-08	0.00E+00	2.14E-07	7.36E-07	0.00E+00	4.20E-09	1.19E-06	7.71E-07
EC6001.3	0.00E+00	0.00E+00	1.75E-07	1.33E-07	9.11E-08	0.00E+00	2.14E-07	7.36E-07	0.00E+00	4.20E-09	1.19E-06	7.71E-07
EC6001.4	0.00E+00	0.00E+00	1.75E-07	1.33E-07	9.11E-08	0.00E+00	2.14E-07	7.36E-07	0.00E+00	4.20E-09	1.19E-06	7.71E-07
EC6001.5	0.00E+00	0.00E+00	1.75E-07	1.33E-07	9.11E-08	0.00E+00	2.14E-07	7.36E-07	0.00E+00	4.20E-09	1.19E-06	7.71E-07
EC6001.6	0.00E+00	0.00E+00	1.75E-07	1.33E-07	9.11E-08	0.00E+00	2.14E-07	7.36E-07	0.00E+00	4.20E-09	1.19E-06	7.71E-07
EC6001.7	0.00E+00	0.00E+00	1.75E-07	1.33E-07	9.11E-08	0.00E+00	2.14E-07	7.36E-07	0.00E+00	4.20E-09	1.19E-06	7.71E-07
EC6001.8	0.00E+00	0.00E+00	1.75E-07	1.33E-07	9.11E-08	0.00E+00	2.14E-07	7.36E-07	0.00E+00	4.20E-09	1.19E-06	7.71E-07
EC6001.9	0.00E+00	0.00E+00	1.75E-07	1.33E-07	9.11E-08	0.00E+00	2.14E-07	7.36E-07	0.00E+00	4.20E-09	1.19E-06	7.71E-07
EC6210.1	0.00E+00	0.00E+00	1.56E-07	1.19E-07	8.13E-08	0.00E+00	1.91E-07	6.57E-07	0.00E+00	3.75E-09	1.06E-06	6.88E-07
EC6210.2	0.00E+00	0.00E+00	6.26E-08	4.76E-08	3.25E-08	0.00E+00	7.63E-08	2.63E-07	0.00E+00	1.50E-09	4.25E-07	2.75E-07
EC6500.1	0.00E+00	0.00E+00	1.67E-07	1.27E-07	8.68E-08	0.00E+00	2.04E-07	7.01E-07	0.00E+00	4.00E-09	1.13E-06	7.34E-07
EC6500.2	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC6500.3	0.00E+00	0.00E+00	2.50E-07	1.90E-07	1.30E-07	0.00E+00	3.05E-07	1.05E-06	0.00E+00	6.01E-09	1.70E-06	1.10E-06
EC6500.4	0.00E+00	0.00E+00	1.46E-07	1.11E-07	7.59E-08	0.00E+00	1.78E-07	6.13E-07	0.00E+00	3.50E-09	9.93E-07	6.42E-07
EC6500.5	0.00E+00	0.00E+00	1.46E-07	1.11E-07	7.59E-08	0.00E+00	1.78E-07	6.13E-07	0.00E+00	3.50E-09	9.93E-07	6.42E-07
EC7001	0.00E+00	0.00E+00	1.67E-07	1.27E-07	8.68E-08	0.00E+00	2.04E-07	7.01E-07	0.00E+00	4.00E-09	1.13E-06	7.24E-07
EC31074	0.00E+00	0.00E+00	2.82E-06	2.14E-06	1.46E-06	0.00E+00	3.44E-06	1.18E-05	0.00E+00	6.76E-08	1.91E-05	1.24E-05
EC31075	0.00E+00	0.00E+00	1.98E-06	1.51E-06	1.03E-06	0.00E+00	2.42E-06	8.12E-06	0.00E+00	4.76E-08	1.15E-05	8.72E-06
Total	0.00E+00	0.00E+00	3.99E-04	3.03E-04	2.07E-04	0.00E+00	5.09E-04	1.48E-03	2.12E-06	9.57E-06	2.43E-03	1.76E-03

Conversion Factors

1.0 scf NG equals	1050 Btu NG
1.0 Gallon propane	91500 Btu Propane
1.0 Gallon LP	91500 Btu LP
1.0 Gallon Diesel	140000 Btu Diesel
1.0 mmBtu equals	1,000,000 Btu

Multipliers
8760 hours per year