



STATE OF IDAHO
DEPARTMENT OF
ENVIRONMENTAL QUALITY

900 North Skyline, Suite B • Idaho Falls, Idaho 83402-1718 • (208) 528-2650

Dirk Kempthorne, Governor
C. Stephen Allred, Director

October 10, 2000

CERTIFIED MAIL # 70000520001570572155

Doyle Beck
BECO Construction Company
P.O. Box 1768
Idaho Falls, ID 83403

RE: P-000526, BECO Construction Company, Portable
(Portable Rock Crusher, Permit to Construct No. 777-00168)

Dear Mr. Beck:

On July 12, 2000, the Idaho Department of Environmental Quality (DEQ) received a Permit to Construct (PTC) application from BECO Construction Company for a portable rock crushing facility. The facility is currently located near Idaho Falls, Idaho. Based on review of the application and all applicable state and federal rules and regulations, DEQ finds that this project meets the provisions of IDAPA 58.01.01.200 (*Rules for the Control of Air Pollution in Idaho*). Enclosed is PTC No. 777-00168 for the portable rock crushing facility which supersedes and replaces the PTC No. 777-00168 that was issued on February 21, 1996.

Enclosed is a copy of the Portable Equipment Registration and Relocation Form that is required to be completed and submitted to DEQ at least ten (10) days prior to relocation of any equipment covered by this permit. Also enclosed are copies of maps showing all nonattainment areas within the state of Idaho.

This permit does not release the Permittee from compliance with all other applicable federal, state, local, or tribal laws, regulations, or ordinances. With regard to collocation with another portable facility, conservative assumptions were used to derive the throughput limitations. If this throughput is too restrictive for a particular project, contact DEQ prior to collocation and request a detailed site-specific analysis.

Please pay particular attention to the reporting requirements contained in Paragraph E of the General Provisions section of the permit. This information is needed to properly track the progress of the permit. Please refer to the appropriate permit number when submitting reports required in the Reporting Requirements section of the permit.


Mr. Doyle Beck
October 10, 2000
Page 2

You are strongly encouraged to review this PTC. Mr. Jorge Garcia of the Idaho Falls Regional Office will contact you regarding the permit handoff meeting to discuss terms and requirements with which your facility must comply. Your facility's plant manager, your responsible official, environmental contact, and any operations staff responsible for day-to-day compliance with permit conditions must be present during the meeting.

You, as well as any other entity, may have the right to appeal this final agency action pursuant to the Idaho Department of Health and Welfare Rules, Title 5, Chapter 3, "Rules Governing Contested Case Proceedings and Declaratory Rulings," by filing a petition with the Hearings Coordinator, Department of Environmental Quality, 1410 N. Hilton, Boise, ID 38706-1255, within thirty-five (35) days of the date of this decision. However, DEQ encourages you to contact the Air Quality Permit Program to address any concerns you may have with the enclosed permit prior to filing a petition for a contested case.

If you have any questions regarding the terms or conditions of the enclosed permit, please contact Jorge Garcia, at (208) 528-2650.

Sincerely,



James Johnston
Regional Administrator
Idaho Falls Regional Office

JJ/AJ/bm 9028.7004 Q:\PERMITS\BECO\000528.PL

Enclosures

cc: DEQ State Office - Marilyn Seymore
Idaho Falls Regional Office
EPA, Region X

State of Idaho
Department of Environmental Quality

**PERMIT TO CONSTRUCT
AN AIR POLLUTION
EMITTING SOURCE**

PERMIT NUMBER

7 7 7 - 0 0 1 6 8

AQCR

CLASS

S M

SIC

1 4 4 2

ZONE

UTM COORDINATE (km)

1. PERMITTEE

BECO Construction Company

2. PROJECT

Portable Rock Crushing Plant

3. MAILING ADDRESS

PO Box 1768

CITY

Idaho Falls

STATE

Idaho

ZIP CODE

83403

4. SITE LOCATION COUNTY

Portable

NO. OF FULL-TIME EMPLOYEES

3

PROPERTY AREA AT SITE (Acreage)

Varies

5. PERSON TO CONTACT

Doyle Beck

TITLE

President

TELEPHONE

(208) 529-9891

6. EXACT PLANT LOCATION

Portable

7. GENERAL NATURE OF BUSINESS & KINDS OF PRODUCTS

Rock Crushing

8. GENERAL CONDITIONS

This permit is issued according to the *Rules for the Control of Air Pollution in Idaho*, Section 58.01.01.200, and pertains only to emissions of air contaminants that are regulated by the State of Idaho and to the sources specifically allowed to be constructed by this permit.

This permit (a) does not affect the title of the premises upon which the equipment is to be located, (b) does not release the Permittee from any liability for any loss due to damage to person or property caused by, resulting from, or arising out of the design, installation, maintenance, or operation of the proposed equipment, (c) does not release the Permittee from compliance with other applicable federal, state, tribal, or local laws, regulations, or ordinances, (d) in no manner implies or suggests that the Idaho Department of Environmental Quality (DEQ) or its officers, agents, or employees, assumes any liability, directly or indirectly, for any loss due to damage to person or property caused by, resulting from, or arising out of design, installation, maintenance, or operation of the proposed equipment.

This permit is not transferable to another person, place, piece, or set of equipment. This permit will expire if construction has not begun within two years of its issue date or if construction is suspended for one year.

This permit has been granted on the basis of design information presented with its application. Changes of design or equipment may require Department approval pursuant to the *Rules for the Control of Air Pollution in Idaho*, IDAPA 58.01.01.200, et.seq.

DISCLAIMER: This document may serve as a Preliminary Inspection Finding Form for use by Department personnel in communicating your compliance status upon inspection. It does not constitute a final determination of compliance status with the Idaho Code or any rules promulgated, permits issued, or consent or judicial orders entered into pursuant to the law. The Idaho Department of Environmental Quality reserves the right to supplement this document with additional compliance determinations, and amend, change, or otherwise modify any compliance determination stated in this document. This document in no way restricts the State of Idaho Department of Environmental Quality from taking any action available under law to address past, present, or future violations of the laws administered by the agency.


ADMINISTRATOR, IDAHO FALLS REGIONAL OFFICE
DEPARTMENT OF ENVIRONMENTAL QUALITY

DATE: October 10, 2000

Permittee: BECO Construction Company Project: Rock Crushing Plant Location: Portable Source: Portable Rock Crushing Plant	PERMIT NUMBER <table border="1" style="margin: auto; border-collapse: collapse;"> <tr> <td style="padding: 2px 10px;">7</td> <td style="padding: 2px 10px;">7</td> <td style="padding: 2px 10px;">7</td> <td style="padding: 2px 10px;">-</td> <td style="padding: 2px 10px;">0</td> <td style="padding: 2px 10px;">0</td> <td style="padding: 2px 10px;">1</td> <td style="padding: 2px 10px;">6</td> <td style="padding: 2px 10px;">8</td> </tr> </table>	7	7	7	-	0	0	1	6	8
7	7	7	-	0	0	1	6	8		

FOR DEQ USE ONLY
 IN OUT PEND UNK

A. STATEWIDE REQUIREMENTS

The Permittee shall comply with the following source wide conditions when the rock crushing facility is operated anywhere (nonattainment, attainment, or unclassifiable areas) within the state of Idaho.

A.1 EMISSION LIMITS

A.1.1 Crusher Opacity Limit

Particulate matter (PM) emissions from portable rock crushers shall not exhibit more than fifteen percent (15%) opacity. Opacity shall be determined using the procedures specified in IDAPA 58.01.01.625 (*Rules for the Control of Air Pollution in Idaho*).

A.1.2 Transfer Point Opacity Limit

PM emissions from any transfer point on belt conveyors, or from each grinding mill, screening operation, bucket elevator, belt conveyor bagging operation, storage bin, enclosed truck, or rail car loading station shall not exhibit greater than ten percent (10%) opacity. Opacity shall be determined using the procedures specified in IDAPA 58.01.01.625.

A.1.3 Opacity Limit

Emissions emanating from any stack, vent, or other functionally equivalent opening, shall not exceed twenty percent (20%) opacity for a period or periods aggregating more than three (3) minutes in any sixty (60) minute period as required in IDAPA 58.01.01.625. Opacity shall be determined using the procedures contained in IDAPA 58.01.01.625.

A.1.4 Visible Emission Limits at Property Boundary

Fugitive emissions shall not be observed leaving the property boundary for a period or periods aggregating more than three (3) minutes in any sixty (60) minute period. Visible emissions shall be determined by Method 22, as described in 40 CFR Part 60, Appendix A, or a DEQ-approved alternative method.

A.1.5 Generator Exhaust Grain Loading

The particulate matter (PM) emissions from the generator shall not exceed 0.05 grains per dry standard cubic foot of effluent gas adjusted to three percent (3%) oxygen by volume when Number 2 fuel oil (ASTM Grade 2) is combusted, as required in IDAPA 58.01.01.675.

Inspection Comments:

DATE: 10-10-00

Permittee: BECO Construction Company
 Project: Rock Crushing Plant
 Location: Portable
 Source: Portable Rock Crushing Plant

PERMIT NUMBER

7	7	7	-	0	0	1	6	8
---	---	---	---	---	---	---	---	---

FOR DEQ USE ONLY

IN	OUT	PEND.	UNK
----	-----	-------	-----

A.2 OPERATING REQUIREMENTS

A.2.1 Number of Crushers and Generators

The rock crushing facility shall not use more than six (6) crushers and one (1) one thousand-kilowatt (1000-kW) generator.

A.2.2 Reasonable Control of Fugitive Emissions

All reasonable precautions shall be taken to prevent PM from becoming airborne as required in IDAPA 58.01.01.651. In determining what is reasonable, considerations will be given to factors such as the proximity of dust-emitting operations to human habitations and/or activities and atmospheric conditions which might affect the movement of PM. Some of the reasonable precautions include, but are not limited to, the following:

- A.2.2.1 Use, where practical, of water or chemicals for control of dust in the demolition of existing buildings or structures, construction operations, the grading of roads, or the clearing of lands;
- A.2.2.2 Application, where practical, of asphalt, water, or suitable chemicals to dirt roads, material stockpiles, and other surfaces which can create dust;
- A.2.2.3 Installation and use, where practical, of hoods, fans, and fabric filters or equivalent systems to enclose and vent the handling of dusty materials. Adequate containment methods should be employed during sandblasting or other operations;
- A.2.2.4 Covering, where practical, of open-bodied trucks transporting materials likely to give rise to airborne dusts;
- A.2.2.5 Paving of roadways and their maintenance in a clean condition, where practical; or
- A.2.2.6 Prompt removal of earth or other stored material from streets, where practical.

A.2.3 Fugitive Dust Control Plan

Within sixty (60) days of issuance of the permit, the permittee shall have developed and submitted to the appropriate DEQ Regional Office a Fugitive Dust Control Plan for the crushing facility. Upon DEQ approval, the Fugitive Dust Control Plan shall become an enforceable part of this permit. This plan shall include the following information:

Inspection Comments:

DATE: 10-10-00

AJ:bm 000525 PTT

Permittee: BECO Construction Company Project: Rock Crushing Plant Location: Portable Source: Portable Rock Crushing Plant	PERMIT NUMBER <table border="1" style="margin: auto; border-collapse: collapse;"> <tr> <td style="padding: 2px 10px;">7</td> <td style="padding: 2px 10px;">7</td> <td style="padding: 2px 10px;">7</td> <td style="padding: 2px 10px;">-</td> <td style="padding: 2px 10px;">0</td> <td style="padding: 2px 10px;">0</td> <td style="padding: 2px 10px;">1</td> <td style="padding: 2px 10px;">6</td> <td style="padding: 2px 10px;">8</td> </tr> </table>	7	7	7	-	0	0	1	6	8
7	7	7	-	0	0	1	6	8		

FOR DEQ USE ONLY
 IN OUT PEND UNK

A.2.3.1 Identify and list all areas of operations where fugitive dust may be generated (i.e., haul roads, vehicle traffic areas, storage piles, transfer points, etc.).

A.2.3.2 For each fugitive dust source listed, identify and describe the type of control methods and procedures to be used to control fugitive emissions (i.e., application of water or chemical dust suppressants, covering open trucks transporting dusty material, paving of roadways, etc.).

A.2.3.3 The plan shall include a log to record when each fugitive dust source is controlled and the type of control used. A sample copy of the log shall be submitted to DEQ with the Fugitive Dust Control Plan for DEQ approval.

A.2.4 Fuel Sulfur Content

The sulfur content in the Number 2 fuel oil (ASTM Grade 2) shall not exceed 0.5 percent (0.5%) by weight as required in IDAPA 58.01.01.728.

A.3 MONITORING AND RECORD KEEPING REQUIREMENTS

A.3.1 Monitor Facility Throughput

The Permittee shall monitor and record the total throughput of aggregate to the crushing facility in tons per day (T/day) and tons per year (T/yr). The most recent two (2) years' compilation of data shall be kept on site, in a log, and shall be made available to DEQ representatives upon request.

A.3.2 Reasonable Control Measures

The Permittee shall monitor and record in a log, during operation, the periodic method(s) used to reasonably control fugitive emissions from this facility. The log shall include the type of control used (e.g., water, environmentally safe chemical dust suppressants, spray bars, screen deck covers, etc.) as well as the circumstances under which no controls are used. The most recent two (2) years' compilation of data shall be kept on site and shall be made available to DEQ representatives upon request.

A.3.3 Monitor Generator Hours of Operation

The Permittee shall monitor and record the generator's hours of operation on a daily and monthly basis if generator hours of operation are limited in sections B, C, or D of this permit. The most recent two (2) years' compilation of data shall be kept on site, in a log, and shall be made available to DEQ representatives upon request.

Inspection Comments:

DATE: 10-10-00

Permittee: BECO Construction Company
 Project: Rock Crushing Plant
 Location: Portable
 Source: Portable Rock Crushing Plant

PERMIT NUMBER

7	7	7	-	0	0	1	6	8
---	---	---	---	---	---	---	---	---

FOR DEQ USE ONLY

IN OUT PEND UNK

A.3.4 40 CFR 60.675 Initial Performance Testing Requirements

The Permittee shall conduct a performance test on the rock crushing facility in accordance with 40 CFR 60.675, IDAPA 58.01.01.157 and General Provision F of this permit. The performance test shall be conducted to demonstrate compliance with the applicable particulate matter standards defined in 40 CFR 60.672.

If the rock crushing facility has previously conducted a performance test in accordance with 40 CFR 60.675 which demonstrates compliance with the applicable standards, then an additional performance test is not required by this Section of the permit. The Permittee shall maintain a copy of the performance test results of the most recently conducted test on this rock crushing facility. This report shall be made available to DEQ representatives upon request.

A.3.5 Visible Emissions Testing

The Permittee shall conduct a visual determination of emissions at the property boundary in accordance with IDAPA 58.01.01.157 and General Provision F of this permit.

A.4 REPORTING REQUIREMENTS

A.4.1 Performance Test Protocol

Prior to conducting any emission test, the Permittee is strongly encouraged to submit in writing to DEQ, at least thirty (30) days in advance, a performance test protocol in accordance with IDAPA 58.01.01.157.01.a.

A.4.2 Performance Test Report

In accordance with IDAPA 58.01.01.157.04, the Permittee shall submit a written report of the performance test results to DEQ within thirty (30) days of completion of the test.

 Inspection Comments:

DATE: 10-10-00

Permittee: BECO Construction Company
 Project: Rock Crushing Plant
 Location: Portable
 Source: Portable Rock Crushing Plant

PERMIT NUMBER

7	7	7	-	0	0	1	6	8
---	---	---	---	---	---	---	---	---

A.4.3 Relocation

A.4.3.1 All existing portable equipment shall be registered. At least ten (10) days prior to relocation of any equipment covered by this permit, the Permittee shall submit a complete Portable Equipment Registration and Relocation Form (available on the DEQ website at: www2.state.id.us/deq/air/) in accordance with IDAPA 58.01.01.500 and a scaled plot plan to:

PERF Processing Unit
 Idaho DEQ - Air Quality
 1410 North Hilton
 Boise, Idaho 83706-1255

A.4.3.2 The Permittee may also be required to submit a Fugitive Dust Control Plan, as described in Section A.2.3, to the DEQ Regional Office in charge of the region to which the facility wishes to relocate.

A.4.4 Certification of Documents

All documents including, but not limited to, application forms for Permits to Construct, monitoring data, supporting information, requests for confidential treatment, testing reports, and compliance certifications submitted to DEQ shall contain a certification by a responsible official. The certification shall state that, based on information and belief formed after reasonable inquiry, the statements and information in the document(s) are true, accurate, and complete.

Inspection Comments:

DATE: 10-10-00

Permittee: BECO Construction Company
 Project: Rock Crushing Plant
 Location: Portable
 Source: Portable Rock Crushing Plant

PERMIT NUMBER

7	7	7	-	0	0	1	6	8
---	---	---	---	---	---	---	---	---

FOR DEQ USE ONLY

IN OUT PEND: UNK

B. ATTAINMENT OR UNCLASSIFIABLE AREA REQUIREMENTS WHEN NOT COLLOCATED

The Permittee shall comply with the conditions in Section A of this permit and the following permit conditions when the rock crushing facility is operated in any attainment or unclassifiable areas, and when it is not collocated, within the state of Idaho.

B.1 OPERATING REQUIREMENTS

B.1.1 Facility Throughput Limits

The production rate of the rock crushing facility shall not exceed a maximum of nine hundred eighty-four thousand, nine hundred ninety-six tons per any consecutive 12-month period (984,996 T/yr) when located in any attainment or unclassifiable area.

B.1.2 Collocation Requirements

When the rock crushing facility is to be collocated with another portable rock crushing plant, concrete batch plant, or hot-mix asphalt plant, the collocation requirements of Section C of this permit must be complied with.

B.1.3 Generator Hours of Operation

The generator shall not be operated more than six thousand, four hundred eighty-four hours per any consecutive 12-month period (6,484 hr/yr) when located in any attainment or unclassifiable area.

Inspection Comments:

DATE: 10-10-00

Permittee: BECO Construction Company
 Project: Rock Crushing Plant
 Location: Portable
 Source: Portable Rock Crushing Plant

PERMIT NUMBER

7	7	7	-	0	0	1	6	8
---	---	---	---	---	---	---	---	---

FOR DEQ USE ONLY

IN OUT PEND UNK

C. ATTAINMENT OR UNCLASSIFIABLE AREA REQUIREMENTS WHEN COLLOCATED

The Permittee shall comply with the conditions in Section A of this permit and the following permit conditions when the rock crushing facility is to be collocated with another portable rock crushing plant, concrete batch plant, or hot-mix asphalt plant within the state of Idaho. The rock crusher may only collocate with either one (1) portable concrete batch plant, one (1) portable hot-mix asphalt plant, or one (1) other portable rock crusher which has been permitted to specifically allow collocation.

C.1 OPERATING REQUIREMENTS

C.1.1 Collocation Areas

The rock crushing facility may collocate in attainment or unclassifiable areas only. The Permittee shall not collocate in a nonattainment area or proposed nonattainment area without obtaining a permit which specifically allows for collocation in a nonattainment area.

C.1.2 Number of Portable Sources

The rock crushing facility may only collocate with either one (1) portable concrete batch plant, one (1) portable hot-mix asphalt plant, or one (1) other portable rock crushing plant which has been permitted to specifically allow collocation.

C.1.3 Facility Throughput Limits

The production rate of the rock crushing facility shall not exceed a maximum of four hundred ninety-two thousand, four hundred ninety-eight tons per any consecutive 12-month period (492,498 T/yr) when collocated with another rock crushing plant, concrete batch plant, or hot-mix asphalt plant.

C.1.4 Generator Hours of Operation

The generator shall not be operated more than three thousand, two hundred forty-two hours per consecutive 12-month period (3,242 hr/yr) when collocated with another rock crushing plant, concrete batch plant, or hot-mix asphalt plant.

Inspection Comments:

DATE: 10-10-00

PERMIT TO CONSTRUCT GENERAL PROVISIONS

FOR DEQ USE ONLY
IN OUT PEND UNK

- A. All emissions authorized herein shall be consistent with the terms and conditions of this permit and the *Rules for the Control of Air Pollution in Idaho*. The emission of any pollutant in excess of the limitations specified herein, or noncompliance with any other condition or limitation contained in this permit, shall constitute a violation of this permit and the *Rules for the Control of Air Pollution in Idaho*, and the Environmental Protection and Health Act, Idaho Code 39-101, et.seq.
- B. The Permittee shall at all times (except as provided in the *Rules for the Control of Air Pollution in Idaho*) maintain in good working order and operate as efficiently as practicable, all treatment or control facilities or systems installed or used to achieve compliance with the terms and conditions of this permit and other applicable Idaho laws for the control of air pollution.
- C. The Permittee shall allow the Director, and/or the authorized representative(s), upon the presentation of credentials:
 - 1. To enter at reasonable times upon the premises where an emission source is located, or in which any records are required to be kept under the terms and conditions of this permit; and
 - 2. At reasonable times to have access to and copy any records required to be kept under the terms and conditions of this permit, to inspect any monitoring methods required in this permit, and require stack emission testing in conformance with IDAPA 58.01.01.157 when deemed appropriate by the Director.
- D. Nothing in this permit is intended to relieve or exempt the Permittee from compliance with any applicable federal, state, or local law or regulation, except as specifically provided herein.
- E. The Permittee shall notify DEQ, in writing, of the required information for the following events within five (5) working days after occurrence:
 - 1. Initiation of Construction - Date
 - 2. Completion/Cessation of Construction - Date
 - 3. Actual Production Startup - Date
 - 4. Initial Date of Achieving Maximum Production Rate - Production Rate and Date
- F. If emission testing is specified, the Permittee must schedule such testing within sixty (60) days after achieving the maximum production rate, but not later than one hundred and eighty (180) days after initial startup. Such testing must strictly adhere to the procedures outlined in IDAPA 58.01.01.157, and shall not be conducted on weekends or state holidays without prior written DEQ approval. Testing procedures and specific time limitations may be modified by DEQ by prior negotiation if conditions warrant adjustment. DEQ shall be notified at least fifteen (15) days prior to the scheduled compliance test. Any records or data generated as a result of such compliance test shall be made available to DEQ upon request.

Inspection Comments:

DATE: 10-10-00

