

January 11, 2000

MEMORANDUM

TO: Steve West, Regional Administrator
Boise Regional Office

FROM: Tom Anderson, Air Quality Engineer 
Technical Services

SUBJECT: **PERMIT TO CONSTRUCT TECHNICAL ANALYSIS**
P-990149, Arrow Planers, Meridian
(Wood Products Manufacturing, PTC No. 001-00117)

PURPOSE

The purpose for this memorandum is to satisfy the requirements of IDAPA 16.01.01.200 (*Rules for the Control of Air Pollution in Idaho*) for issuing Permits to Construct (PTC).

PROJECT DESCRIPTION

Arrow Planers and Moulding is proposing to modify a wood planer/sander/moulding facility in Meridian, Idaho. The facility is not a major source of emissions. The emissions that are emitted do not cause or contribute to a violation of any applicable air quality standard.

DISCUSSION

On November 9, 1999, the Idaho Department of Health and Welfare, Division of Environmental Quality (DEQ) received a PTC application from Arrow Planers and Moulding for their wood planer/sander/moulding equipment. On November 22, 1999, the application was determined complete. The proposed modification consists of the requirement for Arrow Planers and Moulding to install and operate a baghouse. No emission change results from this modification request, therefore, the information contained in the original permit to construct application, and the Technical Memorandum dated September 9, 1998, for project number P-980069, remain unchanged.

FEES

The Arrow Planers and Moulding facility is not a major facility as defined in IDAPA 16.01.01.008.14. Therefore, registration fees are not applicable in accordance with IDAPA 16.01.01.527.

RECOMMENDATION

Based on review of application materials and all applicable state and federal rules and regulations, staff recommend that Arrow Planers and Moulding be issued a modified PTC No. 001-00117 for the wood products manufacturing facility. No public comment period is recommended, no entity has requested a comment period, and the project does not involve PSD requirements.

TA/tk G:\HW\TANDERSO\PTC\ARROW\990149.TM

cc: P. Rayne/AFS
R. Wilkosz/AQP
Boise Regional Office
Database/Source File (001-00117)
RO Source File
RO COF

RO Source File
RO COF
T. Anderson, TSO