



STATE OF IDAHO
DEPARTMENT OF
ENVIRONMENTAL QUALITY

1410 North Hilton • Boise, Idaho 83706 • (208) 373-0502

C.L. "Butch" Otter, Governor
Toni Hardesty, Director

March 7, 2008

Certified Mail No. 7190 0596 0014 0000 2185

Susan Diehl
Sr. Vice President, Logistics
Holcim (US), Incorporated
6211 Ann Arbor Road
Dundee, MI 48103

RE: Facility ID No. 047-00013, Holcim (US) Inc., Bliss, Idaho
Final Permit to Construct and Tier II Operating Permit

Dear Ms. Diehl:

The Department of Environmental Quality (DEQ) is issuing Permit to Construct and Tier II Operating Permit (PTC/T2) No. T2-2007.0220 to Holcim (US) Inc. for the renewal of the Permit to Construct and Tier II Operating Permit for the facility located at Bliss, in accordance with the Rules for the Control of Air Pollution in Idaho, 58.01.01.200 – 228 and IDAPA 58.01.01.400 - 470, respectively.

This permit is based on your permit application received on November 23, 2007. This permit is effective immediately and replaces PTC/T2 No. T2-030404, issued on December 11, 2002, the terms and conditions of which no longer apply. This permit does not release Holcim (US) Inc. from compliance with all other applicable federal, state, or local laws, regulations, permits, or ordinances.

In order to fully understand the compliance requirements of this permit, DEQ highly recommends that you schedule a meeting with Steve VanZandt, Air Quality Compliance Officer, at (208) 736-2190 to review and discuss the terms and conditions of this permit. Should you choose to schedule this meeting, DEQ recommends the following representatives attend the meeting: your facility's plant manager, responsible official, environmental contact, and any other staff responsible for day-to-day compliance with permit conditions.

The enclosed permit is effective immediately and is based on the information contained in your permit application and on the relevant comments received during the public comment period. Modification to and/or renewal of this permit shall be requested in a timely manner in accordance with the Rules for the Control of Air Pollution in Idaho.

DEQ has assessed the emissions for this permit and determined that a Tier II processing fee of \$1,250 will be due. A fee invoice will be sent to you from the DEQ fiscal office once a final

Holcim (US), Bliss
March 7, 2008
Page 2

permit is issued. Failure to submit a Tier II operating permit processing fee within 45 days of receipt of the fee invoice will result in a monthly accrual of interest in the amount of 12% per annum on the outstanding balance until the fee is paid in full. You have the choice to pay the Tier II processing fee in advance of receiving the fee invoice. If you choose to pay in advance, please remit the fee according to the instructions on the next page.

You, as well as any other entity, may have the right to appeal this final agency action pursuant to IDAPA 58.01.23 (Rules of Administrative Procedure Before the Board of Environmental Quality). A petition may be filed with the Hearings Coordinator, Department of Environmental Quality, 1410 N. Hilton, Boise, ID 83706-1255, within 35 days of the date of this decision. However, prior to filing a petition for a contested case, DEQ encourages you to contact Robert Baldwin at (208) 373-0502 to address any questions or concerns you may have with the enclosed permit.

Sincerely,



Mike Simon
Stationary Source Program Manager
Air Quality Division

Enclosures

MS/REB/hp Permit No. T2- 2007.0220

Holcim (US) Inc., Bliss
March 7, 2008
Page 3

✂-----

Please make checks payable to: Department of Environmental Quality. Please write your permit number on the check and remit the fee and this information to the following:

Department of Environmental Quality
Fiscal Office – Air Quality
1410 N. Hilton, Boise, ID 83706-1255

Amount Enclosed: \$ _____

Check No.: _____

DEPARTMENT USE ONLY:			
Facility	Holcim (US), Inc.	Facility ID:	047-00013
Project	PTC/T2 Renewal	Permit No.:	T2-2007.0220
Fee Type:	Tier II Processing Fee	Fee Amount:	\$ 1,250.00
Routing Instructions: Copy Air Program upon receipt of fee.			

✂-----

Holcim (US) Inc., Bliss
March 7, 2008
Page 4

HARD COPY TO FACILITY

en: Bill Allred and Steve VanZandt, Twin Falls Regional Office
Robert Baldwin, Permit Writer
Marilyn Seymore/ Pat Rayne, AQ Division
Stationary Source Administrative Assistant

en-web: Laurie Kral, U.S. EPA Region 10

bec: Jean Francis, Fiscal (Ltr Only) (Only if Tier II processing fee is due, otherwise, do not send to fiscal)

ec: Susan Diehl, susan.diehl@holcim.com
Jim Donaldson, jim.donaldson@holcim.com

c: Reading File (Ltr Only)
Source File
Permit Binder
Bill Rogers, Permit Coordinator (Ltr Only)
Phyllis Heitman, AQ Division (Ltr Only)



**Air Quality
PERMIT TO CONSTRUCT
and
TIER II OPERATING PERMIT**

State of Idaho
Department of Environmental Quality

PERMIT No.: T2-2007.0220
FACILITY ID No.: 047-00013
AQCR: 63 **CLASS:** SM
SIC: 4214 **ZONE:** 11
UTM COORDINATE (km): 667.7 , 4754.8

1. PERMITTEE
Holcim (US) Inc.

2. PROJECT
Permit to Construct and Tier II operating permit renewal – Portland Cement Transfer Facility - Bliss Terminal

3. MAILING ADDRESS 6211 Ann Arbor Road	CITY Dundee	STATE MI	ZIP 48103
--	-----------------------	--------------------	---------------------

4. FACILITY CONTACT Jim Donaldson	TITLE Terminal Manager	TELEPHONE (208) 352-4418
---	----------------------------------	------------------------------------

5. RESPONSIBLE OFFICIAL Susan Diehl	TITLE Sr. Vice President, Logistics	TELEPHONE (734) 529-4318
---	---	------------------------------------

6. EXACT PLANT LOCATION 350 Proctor Street, Bliss, Idaho 83314	COUNTY Gooding
--	--------------------------

7. GENERAL NATURE OF BUSINESS & KINDS OF PRODUCTS
Portland Cement Transfer Terminal


8. PERMIT AUTHORITY

This permit to construct and Tier II operating permit is issued according to the Rules for the Control of Air Pollution in Idaho, IDAPA 58.01.01.200 through 228 and IDAPA 58.01.01.400 through 470, respectively. This permit pertains only to emissions of air contaminants regulated by the state of Idaho and to the sources specifically allowed to be constructed or modified by this permit.

Only the terms and conditions pertaining to Tier II operating permit requirements are subject to the expiration date of this permit.

The permit to construct conditions in this permit will expire if construction has not begun within two years of its issue date or if construction is suspended for one year.

This permit has been granted on the basis of design information presented with its application. Changes in design, equipment or operations may be considered a modification. Modifications are subject to DEQ review in accordance with IDAPA 58.01.01.200 through 228 of the Rules for the Control of Air Pollution in Idaho.


ROBERT BALDWIN, PERMIT WRITER
DEPARTMENT OF ENVIRONMENTAL QUALITY


MIKE SIMON, STATIONARY SOURCE PROGRAM MANAGER
DEPARTMENT OF ENVIRONMENTAL QUALITY

DATE ISSUED:	March 7, 2008
DATE MODIFIED/REVISED:	
DATE EXPIRES:	March 7, 2013

Table of Contents

LIST OF ACRONYMS, UNITS, AND CHEMICAL NOMENCLATURE.....	3
1. PERMIT SCOPE.....	4
2. FACILITY-WIDE CONDITIONS.....	5
3. STORAGE SILO BIN VENT.....	8
4. TRUCK LOADING.....	9
5. SUMMARY OF EMISSION RATE LIMITS.....	10
6. TIER II OPERATING PERMIT AND PERMIT TO CONSTRUCT GENERAL PROVISIONS.....	11

List of Acronyms, Units, and Chemical Nomenclature

acfm	actual cubic feet per minute
AQCR	Air Quality Control Region
CFR	Code of Federal Regulations
CO	carbon monoxide
Department	Department of Environmental Quality
dscf	dry standard cubic feet
EPA	U.S. Environmental Protection Agency
gr	grain (1 lb = 7,000 grains)
IDAPA	a numbering designation for all administrative rules in Idaho promulgated in accordance with the Idaho Administrative Procedures Act
km	kilometer
lb/hr	pounds per hour
NO _x	nitrogen oxides
NSPS	New Source Performance Standards
O&M	operations and maintenance
PM	particulate matter
PM ₁₀	particulate matter with an aerodynamic diameter less than or equal to a nominal 10 micrometers
PTC	permit to construct
PTC/T2	permit to construct and Tier II operating permit
SIC	Standard Industrial Classification
SIP	State Implementation Plan
SM	synthetic minor
SO ₂	sulfur dioxide
T/yr	tons per year
UTM	Universal Transverse Mercator
VOC	volatile organic compound

AIR QUALITY PERMIT TO CONSTRUCT AND TIER II OPERATING PERMIT NO.: T2-2007.0220

Permittee:	Holcim (US) Inc.	Facility ID No. 047-00013
Location:	Bliss, Idaho	

1. PERMIT SCOPE

Purpose

- 1.1 This PTC/T2 permit establishes facility wide requirements for the Holcim (US) Inc. facility (Holcim) in accordance with the Idaho State Implementation Plan control strategy and the *Rules for the Control of Air Pollution in Idaho* (Rules). In particular, the permit establishes facility-wide requirements to limit the facility's potential to emit below major source rates to comply with ambient air quality standards in accordance with the Rules. This permit is a renewal of the PTC/T2 operating permit No. T2-020406, issued on December 11, 2002.
- 1.2 This PTC and Tier II operating permit renewal replaces the following permit, the terms and conditions of which shall no longer apply:
- Tier II/PTC permit No. T2-020406, issued December 11, 2002.

Regulated Sources

1.3 Table 1.1 lists all sources of regulated emissions in this permit.

Table 1.1 SUMMARY OF REGULATED SOURCES

Permit Section	Source Description	Emissions Control(s)
3	<u>Storage silo bin vent</u> Material handling - railcar unloading into storage silos. Maximum unloading rate - 200 tons Portland cement per hour.	Baghouse filter: Manufacturer - DCL Maximum air flow - 600 acfm Stack diameter - 5.75 inches square Stack height - 77.5 feet Outlet loading - 0.05 gr/dscf
4	<u>Truck loading</u> Material handling - loading from storage silo to truck. Maximum unloading rate - 300 tons Portland cement per hour.	Baghouse filter: Manufacturer - Midwest Maximum air flow - 1,500 acfm Stack diameter - 7.5 inches Stack height - 33.7 feet Outlet loading - 0.05 gr/dscf

AIR QUALITY PERMIT TO CONSTRUCT AND TIER II OPERATING PERMIT NO.: T2-2007.0220

Permittee: Holcim (US) Inc.

Location: Bliss, Idaho

Facility ID No. 047-00013

2. FACILITY-WIDE CONDITIONS

2.1 All reasonable precautions shall be taken to prevent PM from becoming airborne in accordance with IDAPA 58.01.01.650-651. In determining what is reasonable, considerations will be given to factors such as the proximity of dust-emitting operations to human habitations and/or activities and atmospheric conditions that might affect the movement of particulate matter. Some of the reasonable precautions include, but are not limited to, the following:

- Use, where practical, of water or chemicals for control of dust in the demolition of existing buildings or structures, construction operations, the grading of roads, or the clearing of lands.
- Application, where practical, of asphalt, oil, water, or suitable chemicals to, or covering of, dirt roads, material stockpiles, and other surfaces which can create dust.
- Installation and use, where practical, of hoods, fans, and fabric filters or equivalent systems to enclose and vent the handling of dusty materials. Adequate containment methods should be employed during sandblasting or other operations.
- Covering, where practical, of open-bodied trucks transporting materials likely to give rise to airborne dusts.
- Paving of roadways and their maintenance in a clean condition, where practical.
- Prompt removal of earth or other stored material from streets, where practical.

2.2 The permittee shall monitor and maintain records of the frequency and the method(s) used (i.e., water, chemical dust suppressants, etc.) to reasonably control fugitive emissions.

2.3 The permittee shall maintain records of all fugitive dust complaints received. The permittee shall take appropriate corrective action as expeditiously as practicable after receipt of a valid complaint. The records shall include, at a minimum, the date that each complaint was received and a description of the following: the complaint, the permittee's assessment of the validity of the complaint, any corrective action taken, and the date the corrective action was taken.

2.4 The permittee shall conduct a quarterly facility-wide inspection of potential sources of fugitive emissions, during daylight hours and under normal operating conditions to ensure that the methods used to reasonably control fugitive emissions are effective. If fugitive emissions are not being reasonably controlled, the permittee shall take corrective action as expeditiously as practicable. The permittee shall maintain records of the results of each fugitive emissions inspection. The records shall include, at a minimum, the date of each inspection and a description of the following: the permittee's assessment of the conditions existing at the time fugitive emissions were present (if observed), any corrective action taken in response to the fugitive emissions, and the date the corrective action was taken.

AIR QUALITY PERMIT TO CONSTRUCT AND TIER II OPERATING PERMIT NO.: T2-2007.0220

Permittee: Holcim (US) Inc.

Location: Bliss, Idaho

Facility ID No. 047-00013

Odors

- 2.5 The permittee shall not allow, suffer, cause, or permit the emission of odorous gases, liquids, or solids to the atmosphere in such quantities as to cause air pollution.
- 2.6 The permittee shall maintain records of all odor complaints received. If the complaint has merit, the permittee shall take appropriate corrective action as expeditiously as practicable. The records shall, at a minimum, include the date that each complaint was received and a description of the following: the complaint, the permittee's assessment of the validity of the complaint, any corrective action taken, and the date the corrective action was taken.

Visible Emissions

- 2.7 The permittee shall not discharge any air pollutant to the atmosphere from any point of emission for a period or periods aggregating more than three minutes in any 60-minute period which is greater than 20% opacity as determined by procedures contained in IDAPA 58.01.01.625. These provisions shall not apply when the presence of uncombined water, NO_x, and/or chlorine gas is the only reason for the failure of the emission to comply with the requirements of this section.
- 2.8 The permittee shall conduct a quarterly facility-wide inspection of potential sources of visible emissions, during daylight hours and under normal operating conditions. The visible emissions inspection shall consist of a see/no see evaluation for each potential source. If any visible emissions are present from any point of emission, the permittee shall either take appropriate corrective action as expeditiously as practicable, or perform a Method 9 opacity test in accordance with the procedures outlined in IDAPA 58.01.01.625. A minimum of 30 observations shall be recorded when conducting the opacity test. If opacity is greater than 20% for a period or periods aggregating more than three minutes in any 60-minute period, the permittee shall take all necessary corrective action and report the exceedance in accordance with IDAPA 58.01.01.130-136. The permittee shall maintain records of the results of each visible emissions inspection and each opacity test when conducted. The records shall include, at a minimum, the date and results of each inspection and test and a description of the following: the permittee's assessment of the conditions existing at the time visible emissions are present (if observed), any corrective action taken in response to the visible emissions, and the date corrective action was taken.

Open Burning

- 2.9 The permittee shall comply with the requirements of IDAPA 58.01.01.600-616, Rules for Control of Open Burning.

AIR QUALITY PERMIT TO CONSTRUCT AND TIER II OPERATING PERMIT NO.: T2-2007.0220

Permittee: Holcim (US) Inc.

Location: Bliss, Idaho

Facility ID No. 047-00013

Reports and Certifications

- 2.10 Any reporting required by this permit, including but not limited to, records, monitoring data, supporting information, requests for confidential treatment, notifications of intent to test, testing reports, or compliance certifications, shall contain a certification by a responsible official. The certification shall state that, based on information and belief formed after reasonable inquiry, the statements and information in the document(s) are true, accurate, and complete. Any reporting required by this permit shall be submitted to the following address:

Air Quality Permit Compliance
Department of Environmental Quality
Twin Falls Regional Office
601 Pole Line Road, Suite 2
Twin Falls, ID 83301
Phone: (208) 736-2190
Fax: (208) 736-2194

Obligation to Comply

- 2.11 Receiving a Tier II operating permit shall not relieve any owner or operator of the responsibility to comply with all applicable local, state, and federal rules and regulations.

Baghouse/Filter System Procedures

- 2.12 The permittee shall have developed a Baghouse/Filter System Procedures document for the inspection and operation of the baghouses/filter system which controls emissions from the truck loading operation. The Baghouse/Filter System Procedures document shall be a permittee developed document independent of the manufacturer supplied operating manual, but it may include summaries of procedures included in the manufacturer supplied operating manual.

The Baghouse/Filter System Procedures document shall describe the procedures that will be followed to comply with General Provision 2 and shall contain requirements for weekly see-no-see visible emissions inspections of each baghouse. The inspection shall occur during daylight hours and under normal operating conditions.

The Baghouse/Filter System Procedures document shall also include a schedule and procedures for corrective action that will be taken if visible emissions are present from a baghouse at anytime. At a minimum the document shall include:

- procedures to determine if bags or cartridges are ruptured; and
- procedures to determine if bags or cartridges are not appropriately secured in place.

The permittee shall maintain records of the results of each baghouse/filter system inspection in accordance with General Provision 7. The records shall include a description of whether visible emissions were present and if visible emissions were present a description of the corrective action that was taken.

The Baghouse/Filter System Procedures document shall be submitted to DEQ within 60 days of permit issuance for review and comment and shall contain a certification by a responsible official. Any changes to the Baghouse/Filter System Procedures document shall be submitted within 15 days of the change.

AIR QUALITY PERMIT TO CONSTRUCT AND TIER II OPERATING PERMIT NO.: T2-2007.0220

Permittee: Holcim (US) Inc.
Location: Bliss, Idaho

Facility ID No. 047-00013

3. STORAGE SILO BIN VENT

3.1 Process Description

Holcim receives Portland cement via railcar. Portland cement is unloaded from the railcars into one of two storage silos using a collapsible boot to cover the railcar and an enclosed screw conveyor for material transfer.

3.2 Emission Control Description

The collapsible boot and enclosed screw conveyor eliminate fugitive emissions while unloading Portland cement from the railcars. Dust is generated as the Portland cement is unloaded into the storage silos, and the dust is discharged to the atmosphere through a baghouse filter.

Table 3.1 STORAGE SILO BIN VENT

Emissions Unit(s) / Process(es)	Emissions Control Device	Emissions Point
Storage silo bin vent/railcar unloading	Baghouse filter, EU-01	Storage silo bin vent, EU-01

Operating Requirements

3.3 Throughput Limits

The permittee shall limit the annual throughput of Portland cement unloaded from railcars to the storage silos to an amount not to exceed 700,000 tons per any consecutive 12-month period.

3.4 Baghouse Operating Requirements

The permittee shall operate and maintain the baghouse filter (EU-01) at all times that material is unloaded from railcars to the storage silos and at all times that material is stored in the storage silos.

Monitoring and Recordkeeping Requirements

3.5 Throughput Monitoring

Each month, the permittee shall monitor and record the amount of Portland cement unloaded from railcars to the storage silos for that month and for the most recent 12-month period.

The permittee shall maintain the baghouse filter as stated in Permit Condition 2.12.

AIR QUALITY PERMIT TO CONSTRUCT AND TIER II OPERATING PERMIT NO.: T2-2007.0220

Permittee: Holcim (US) Inc.
Location: Bliss, Idaho

Facility ID No. 047-00013

4 TRUCK LOADING

4.1 Process Description

Holcim unloads Portland cement from the storage silos into trucks.

4.2 Control Description

Dust is generated as the Portland cement is unloaded from the storage silos into the trucks. Dust is collected using a 1,500-acfm exhaust fan, and the dust is discharged to the atmosphere through a baghouse filter.

Table 4.1 TRUCK LOADING

Emissions Unit(s) / Process(es)	Emissions Control Device	Emissions Point
Truck loading	Baghouse filter, EU-02	Baghouse filter stack, EU-02

Operating Requirements

4.3 Throughput Limits

The permittee shall limit the annual throughput of Portland cement unloaded from the storage silos to trucks to an amount not to exceed 700,000 tons per any consecutive 12-month period.

4.4 Baghouse Operating Requirements

The permittee shall operate and maintain the baghouse filter (EU-02) at all times that material is unloaded from the storage silos into trucks.

Monitoring and Recordkeeping Requirements

4.5 Throughput Monitoring

Each month, the permittee shall monitor and record the amount of Portland cement unloaded from the storage silos to trucks for that month and for the most recent 12-month period.

The permittee shall maintain the baghouse filter as stated in Permit Condition 2.12

AIR QUALITY PERMIT TO CONSTRUCT AND TIER II OPERATING PERMIT NO.: T2-2007.0220

Permittee:	Holcim (US) Inc.	Facility ID No. 047-00013
Location:	Bliss, Idaho	

5. SUMMARY OF EMISSION RATE LIMITS

Table 5.1 EMISSION LIMITS

Holcim (US) Inc., Bliss Terminal Potential Emissions^a – Hourly(lb/hr), and Annual (T/yr)				
Source Description	Hourly PM₁₀^c Emissions (lb/hr)	Annual PM₁₀^c Emissions (T/yr)	Lead	
			lb/hr	T/yr
Rail unloading	0.26	1.13	2.2E-06	3.8E-06
Truck unloading	0.64	2.82	5.4E-05	6.3E-05
Travel on unpaved roads	0.13	0.55	0	0
Total	1.0	4.5	5.6E-05	6.7E-05

^aAs determined by a pollutant-specific EPA reference method, a DEQ-approved alternative, or as determined by DEQ's emissions estimation methods used in this permit analysis.

^b As determined by multiplying the actual or allowable (if actual is not available) pound per hour emission rate by the allowable hours per year that the process(es) may operate(s), or by actual annual production rates.

^c Includes condensibles

AIR QUALITY PERMIT TO CONSTRUCT AND TIER II OPERATING PERMIT NO.: T2-2007.0220

Permittee:	Holcim (US) Inc.
Location:	Bliss, Idaho

Facility ID No. 047-00013

6. TIER II OPERATING PERMIT AND PERMIT TO CONSTRUCT GENERAL PROVISIONS

General Compliance

1. The permittee has a continuing duty to comply with all terms and conditions of this permit. All emissions authorized herein shall be consistent with the terms and conditions of this permit and the Rules for the Control of Air Pollution in Idaho. The emissions of any pollutant in excess of the limitations specified herein, or noncompliance with any other condition or limitation contained in this permit, shall constitute a violation of this permit, the Rules for the Control of Air Pollution in Idaho, and the Environmental Protection and Health Act.

[Idaho Code §39-101, et seq.]
2. The permittee shall at all times (except as provided in the Rules for the Control of Air Pollution in Idaho) maintain in good working order and operate as efficiently as practicable, all treatment or control facilities or systems installed or used to achieve compliance with the terms and conditions of this permit and other applicable Idaho laws for the control of air pollution.

[IDAPA 58.01.01.211, 405, 5/1/94]
3. Nothing in this permit is intended to relieve or exempt the permittee from the responsibility to comply with all applicable local, state, or federal statutes, rules and regulations.

[IDAPA 58.01.01.212.01, 406, 5/1/94]

Inspection and Entry

4. Upon presentation of credentials, the permittee shall allow DEQ or an authorized representative of DEQ to do the following:
 - a. Enter upon the permittee's premises where an emission source is located or emissions related activity is conducted, or where records are kept under conditions of this permit;
 - b. Have access to and copy, at reasonable times, any records that are kept under the conditions of this permit;
 - c. Inspect at reasonable times any facilities, equipment (including monitoring and air pollution control equipment), practices, or operations regulated or required under this permit; and
 - d. As authorized by the Idaho Environmental Protection and Health Act, sample or monitor, at reasonable times, substances or parameters for the purpose of determining or ensuring compliance with this permit or applicable requirements.

[Idaho Code §39-108]

Construction and Operation Notification

5. The permittee shall furnish DEQ written notifications as follows in accordance with IDAPA 58.01.01.211:
 - a. A notification of the date of initiation of construction, within five working days after occurrence;
 - b. A notification of the date of any suspension of construction, if such suspension lasts for one year or more;

AIR QUALITY PERMIT TO CONSTRUCT AND TIER II OPERATING PERMIT NO.: T2-2007.0220

Permittee: Holcim (US) Inc.

Location: Bliss, Idaho

Facility ID No. 047-00013

- c. A notification of the anticipated date of initial start-up of the stationary source or facility not more than sixty days or less than thirty days prior to such date;
- d. A notification of the actual date of initial start-up of the stationary source or facility within fifteen days after such date; and
- e. A notification of the initial date of achieving the maximum production rate, within five working days after occurrence - production rate and date.

[IDAPA 58.01.01.211, 5/1/94]

Performance Testing

- 6. If performance testing (air emissions source test) is required by this permit, the permittee shall provide notice of intent to test to DEQ at least 15 days prior to the scheduled test date or shorter time period as approved by DEQ. DEQ may, at its option, have an observer present at any emissions tests conducted on a source. DEQ requests that such testing not be performed on weekends or state holidays.

All performance testing shall be conducted in accordance with the procedures in IDAPA 58.01.01.157. Without prior DEQ approval, any alternative testing is conducted solely at the permittee's risk. If the permittee fails to obtain prior written approval by DEQ for any testing deviations, DEQ may determine that the testing does not satisfy the testing requirements. Therefore, at least 30 days prior to conducting any performance test, the permittee is encouraged to submit a performance test protocol to DEQ for approval. The written protocol shall include a description of the test method(s) to be used, an explanation of any or unusual circumstances regarding the proposed test, and the proposed test schedule for conducting and reporting the test.

Within 30 days following the date in which a performance test required by this permit is concluded, the permittee shall submit to DEQ a performance test report. The written report shall include a description of the process, identification of the test method(s) used, equipment used, all process operating data collected during the test period, and test results, as well as raw test data and associated documentation, including any approved test protocol.

[IDAPA 58.01.01.157, 4/5/00]

Monitoring and Recordkeeping

- 7. The permittee shall maintain sufficient records to ensure compliance with all of the terms and conditions of this permit. Records of monitoring information shall include, but not be limited to the following: (a) the date, place, and times of sampling or measurements; (b) the date analyses were performed; (c) the company or entity that performed the analyses; (d) the analytical techniques or methods used; (e) the results of such analyses; and (f) the operating conditions existing at the time of sampling or measurement. All monitoring records and support information shall be retained for a period of at least five years from the date of the monitoring sample, measurement, report, or application. Supporting information includes, but is not limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation and copies of all reports required by this permit. All records required to be maintained by this permit shall be made available in either hard copy or electronic format to DEQ representatives upon request.

[IDAPA 58.01.01.211, 405, 5/1/94]

AIR QUALITY PERMIT TO CONSTRUCT AND TIER II OPERATING PERMIT NO.: T2-2007.0220

Permittee:	Holcim (US) Inc.	Facility ID No. 047-00013
Location:	Bliss, Idaho	

Excess Emissions

8. The permittee shall comply with the procedures and requirements of IDAPA 58.01.01.130-136 for excess emissions due to startup, shutdown, scheduled maintenance, safety measures, upsets and breakdowns.
[IDAPA 58.01.01.130-136, 4/5/00]

Certification

9. All documents submitted to DEQ, including, but not limited to, records, monitoring data, supporting information, requests for confidential treatment, testing reports, or compliance certification shall contain a certification by a responsible official. The certification shall state that, based on information and belief formed after reasonable inquiry, the statements and information in the document(s) are true, accurate, and complete.
[IDAPA 58.01.01.123, 5/1/94]

False Statements

10. No person shall knowingly make any false statement, representation, or certification in any form, notice, or report required under this permit, or any applicable rule or order in force pursuant thereto.
[IDAPA 58.01.01.125, 3/23/98]

Tampering

11. No person shall knowingly render inaccurate any monitoring device or method required under this permit or any applicable rule or order in force pursuant thereto.
[IDAPA 58.01.01.126, 3/23/98]

Expiration and Renewal

12. This permit shall be renewable on the expiration date, provided the permittee submits an application for renewal to the Department and continues to meet all terms and conditions contained in the permit. The expiration of this permit will not affect the operation of the stationary source or facility during the administrative procedure period associated with the permit renewal process.
[IDAPA 58.01.01.209.04, 7/1/02]

Transferability

13. This permit is transferable in accordance with procedures listed in IDAPA 58.01.01.209.06 and 404.05.
[IDAPA 58.01.01.209.06, 404.05, 4/11/06]

Severability

14. The provisions of this permit are severable, and if any provision of this permit to any circumstance is held invalid, the application of such provision to other circumstances, and the remainder of this permit, shall not be affected thereby.
[IDAPA 58.01.01.322.15.h, 5/1/94; 40 CFR 70.6(a)(5)]