

**Idaho Department of Environmental Quality**  
**Reuse Permit**  
**DMI-244-01**

**Table 1. Facility Information**


<b>Facility Name</b>	Golden West Produce, LLC
<b>Facility location</b>	28058 Locker Road Parma, ID 83660
<b>Facility mailing address</b>	418 Commercial Avenue Nyssa, OR 97913
<b>Facility responsible official</b>	Troy Seward, Owner/President, (541) 372-3122 <a href="mailto:troy@prosourceproduce.com">troy@prosourceproduce.com</a> Notify Idaho Department of Environmental Quality (DEQ) within 30 days if there is a change in personnel for the above facility contact. A minor permit modification will be issued by the DEQ to confirm the change.

**Table 2. Permit Limits and Conditions**

<b>Parameter</b>	<b>Permit Conditions</b>
<b>Public Health Hazard or Nuisance Condition</b>	Activities covered under this permit must not create a public health hazard or nuisance condition, as stated in the <i>Wastewater Rules</i> , IDAPA 58.01.16.600.03.
<b>Ground Water</b>	The activities covered under this permit shall not cause a violation of the <i>Ground Water Quality Rule</i> , IDAPA 58.01.11.
<b>Surface Water</b>	The activities covered under this permit shall not cause a violation of the water quality standards in the <i>Water Quality Standards</i> , IDAPA 58.01.02.
<b>Condition no. 1</b>	This permit covers reuse of water generated from steam cleaning, treated with a sand and grease interceptor, and discharged to an infiltration basin as shown in Figure 1. No chemicals or detergents shall be added to the water.
<b>Condition no. 2</b>	Application of water shall not exceed the infiltrative capacity of the infiltration basin.
<b>Condition no. 3</b>	The treatment and reuse system shall receive regular maintenance as outlined in the Reuse Permit Preliminary Technical Report, April 24, 2017, or as amended and reported in the annual certification (see Page 2).
<b>Recordkeeping</b>	An Annual Operational Summary documenting compliance with the limit(s) specified in conditions no. 1, 2, and 3 shall be maintained on site, including any supporting documents used to demonstrate compliance. The Annual Operational Summary documents shall be maintained on site for a minimum of five (5) years from the date of each annual certification.
<b>Reporting Requirement</b>	The laboratory analytical reports and chain of custody forms for the monitoring specified in Table 3, and the flow calculations and observations specified in Table 3 shall be submitted to the DEQ at the address below by January 31, 2018.

**Table 3. Monitoring Requirements**

Monitoring Point Location	Sample Description	Sample Type and Frequency	Constituents (in milligrams per liter unless otherwise specified)
Recycled water at discharge point to the reuse area	Recycled Water to Reuse Area	Grab/monthly (October, November, December of 2017)	- Nitrate-nitrogen, as N - Total Kjeldahl nitrogen, as N - Non-volatile dissolved solids - Chemical oxygen demand - Total coliform organisms/100 milliliters
Water used for steam cleaning	Recycled Water to Reuse Area	Monthly (October, November, December of 2017)	- Flow (gallons/month)



**Figure 1. Facility Map, Reuse Area**

Golden West Produce, LLC (hereafter “permittee”) is hereby authorized to construct, install, and operate a reuse facility in accordance with (1) this permit; and (2) IDAPA 58.01.17 “Recycled Water Rules.” To maintain this permit, the responsible official for the permittee must sign and certify annually in writing that the facility operation and conditions upon which this permit was granted have not changed, including the basis for that assessment. Certification is due no later than January 31 of each year at the following address:

Engineering Manager  
Idaho Department of Environmental Quality  
Boise Regional Office  
1445 N. Orchard St.  
Boise, ID 83706

The Department of Environmental Quality reserves the right to revoke the permit for the reasons set forth in IDAPA 58.01.17.920. This permit does not relieve the permittee from responsibility for compliance with other applicable federal, state or local laws, rules, standards and ordinances.

This permit is effective from the date of signature and expires on August 9, 2027.

Signed,

  
\_\_\_\_\_  
Aaron Scheff, Administrator  
Boise Regional Office  
Department of Environmental Quality

Date 8/9/17