

Big and Little Willow Creek

LWC-1

Date	DO	Temp	%Sat	Cond	TDS	pH	CFS	SSC	TP	OP	E-coli
4/10/2007	11.78	10.5	105.4	609	310	8.2	1.88	9.2	0.273	0.24	75
4/25/2007	11.97	13.1	113.9	780	394	8.17	1.45	15.2	0.28	0.28	150
5/8/2007	10.48	17.1	109	657	337	8.33	5.55	34.7	0.363	0.242	1600
5/22/2007	9.7	13.6	93.3	556	282	8.08	2.56	64.7	0.445	0.327	2400
6/5/2007	6.6	15.6	6.5	593	298	7.8	3.25	45.7	0.539	0.406	1700
6/19/2007	8.6	18.2	91.2	578	297	8.05	3.03	86.2	0.638	0.345	2000
7/2/2007	7.3	18.5	76.3	526	270	7.91	6.23	165	0.874	0.382	1700
7/19/2007	6.85	22.8	79.4	495	249	7.87	9.59	151.4	0.911	0.406	920
8/1/2007	7.74	20.3	85.7	487	245	8.03	15.39	109.2	0.565	0.432	730
8/16/2007	7.71	18.5	82.2	486	249	7.93	13.6	24.7	0.5	0.038	610
8/30/2007	8.2	18.2	86.2	577	298	8.11	4.18	33.7	0.535	0.406	690
9/11/2007	8.49	14.5	83.3	496	259	8.06	14.7	46.8	0.454	0.314	730
9/26/2007	8.98	12.7	84.6	570	298	x	16.7	42.3	0.796	0.318	280
10/10/2007	8.25	11.9	76.3	727	365	8.08	9.2	34	0.373	0.321	180
10/23/2007	10.52	9.2	91.6	735	374	8.34	12.8	27.3	0.345	0.303	93

LWC-2

Date	DO	Temp	%Sat	Cond	TDS	pH	CFS	SSC	TP	OP	E-coli
4/10/2007	11.28	12	104.7	356	179	8.26	6.37	6.5	0.194	0.148	190
4/25/2007	10.9	12.8	103	181.5	90.5	8.43	21.57	15.4	0.175	0.146	520
5/8/2007	10.76	16.6	110.8	164	82	8.42	31.1	16.1	0.24	0.151	440
5/22/2007	12.91	14.7	127.4	201	100	8.69	18.36	11.1	0.228	0.163	310
6/5/2007	8.59	16.3	87.8	174.1	87.1	7.86	21.1	12.7	0.25	0.198	650
6/19/2007	11.33	18.4	120.7	179.9	89.2	8.64	26.7	6.4	0.212	0.148	280
7/2/2007	9.27	19	100.1	194	98	7.93	23.8	20	0.299	0.211	1000
7/19/2007	8.01	23.5	94.2	194	98	7.85	24.1	56.2	0.696	0.349	2000
8/1/2007	8.5	21.6	96.2	195	98	7.92	25.2	27.2	0.49	0.345	920
8/16/2007	8.15	19.5	88.7	209	106	7.79	21.9	5.8	0.392	0.298	650
8/30/2007	9.26	18.5	98.8	240	121	8.01	16.14	7.3	0.365	0.246	920
9/11/2007	9.79	15.1	97.3	279	143	7.97	15.18	8.7	0.299	0.213	220
9/26/2007	10.41	12.1	96.8	305	158	x	7.54	16	0.271	0.191	270
10/10/2007	9.28	11.9	85.7	510	256	7.98	4.52	4.4	0.239	0.21	490
10/23/2007	11.8	9.4	103.1	494	255	8.26	4.38	7.5	0.232	0.206	290

LWC-3

Date	DO	Temp	%Sat	Cond	TDS	pH	CFS	SSC	TP	OP	E-coli
4/10/2007	10.8	10	95.7	302	151	7.92	3.73	3.3	0.149	d	310
4/25/2007	10.14	10.9	91.6	154.8	77.5	8.01	16.3	8.5	0.152	0.126	410
5/8/2007	9.19	14.6	90.3	128	65	8.06	13.1	12.2	0.19	0.113	190
5/22/2007	9.7	13.6	93.3	160	79.5	8.03	12.2	9	0.231	0.151	580
6/5/2007	7.97	16.3	81.3	131.4	65.9	7.77	14.6	12.3	0.246	0.182	690
6/19/2007	8.43	17.3	88	144.9	73.4	8.05	18.3	11.9	0.221	0.14	300
7/2/2007	7.95	18.9	85.7	137.9	69.6	7.75	17.6	13.7	0.29	0.211	200
7/19/2007	7.19	22.2	82.9	150.6	75.9	7.89	19.4	20.6	0.63	0.351	210
8/1/2007	7.68	21.2	86.2	152.2	77.1	7.87	20.1	13.2	0.612	0.374	330
8/16/2007	7.31	19.9	80.5	149	75	7.78	16	4.2	0.255	0.252	140
8/30/2007	7.5	18.1	79.4	169.9	85.5	7.76	15.1	5.8	0.332	0.215	440
9/11/2007	8.37	14.4	81.4	167.9	85.3	7.87	10.16	4.5	0.261	0.164	200
9/26/2007	8.83	11.5	81	197	100	x	11.25	12.3	0.266	0.164	160
10/10/2007	7.76	11.6	71.2	387	194	7.72	1.88	6.1	0.239	0.189	100
10/23/2007	8.21	7.6	68.3	386	200	7.81	1.62	4.1	0.203	0.174	23