


# **Categorical Exclusion**

## **City of Cascade Sanitary Sewer Rehabilitation Project Phase 1 & Phase 2**

Submitted to:  
Department of Environmental Quality  
1445 North Orchard  
Boise, ID 83706  
(208) 373-0550



Submitted by:  
Project Engineering Consultants, Ltd.  
1307 North 39<sup>th</sup> Street, Suite 101  
Nampa, ID 83687-9230  
(208) 466-7190

City of Cascade Contact:  
Mayor Richard Carter  
105 South Main Street  
Cascade, ID 83611  
(208) 382-4279

## TABLE OF CONTENTS

<u>Section</u>	<u># of pages</u>
Categorical Exclusion Letter	6

<u>Attachments</u>	<u># of pages</u>
A – Flood Insurance Rate Map	1
B – EPA Region 10 Correspondence	2
C – Idaho Fish and Game Correspondence	11
D- State Historic Preservation Office (SHPO) Correspondence	2
E- Army Corps of Engineers Correspondence	2
F- Phasing Plan and STAG grant priority list	1
G- Non-Responsive Agency Letters	3
H- Public Participation	17



September 20, 2011

Ester Ceja  
Idaho Department of Environmental Quality  
1410 North Hilton  
Boise, ID 83706

RE: Categorical Exclusion, City of Cascade Sanitary Sewer Collection System Phases 1 & 2 Rehabilitation.

Dear Ms. Ceja:

Project Engineering Consultant, Ltd. (PEC) is working with the City of Cascade on a citywide wastewater rehabilitation project as detailed in the recently approved sewer facility planning study. PEC has evaluated the project location for compliance with environmental rules and regulations. It is our belief that the proposed rehabilitation project can be classified as a Categorical Exclusion. The intent of this application is to obtain a categorical exclusion determination for all proposed collection system improvements (including phases 1 and 2). Information supporting our determination is listed below.

### **Purpose of Project**

The City of Cascade has an aging sewer collection system that is generally in poor condition. There are extensive amounts of infiltration from ground water into the sewer collection system via defective service line connections, pipelines, and manholes. There is also a large amount of inflow into the system, a portion of which has been identified as coming from direct roof drain connections to the sewer mains. These connections are in the downtown area and are generally from structures with large flat roof structures. This inflow and infiltration (I&I) is allowing many thousands of gallons of clean groundwater to be unnecessarily transmitted to and treated by the wastewater treatment facility, consuming expensive and limited treatment capacity. By replacing the most deficient sewer mains with similar size jointless pipe where practical, and disconnecting and redirecting the roof drainage, infiltration and inflow quantities will be reduced by an estimated 60%, thus restoring capacity for collection, transportation, and treatment of sewage. The proposed project allows for future economic and population growth and the permanent lifting of a self imposed building moratorium due to no sewer capacity available for new connections.

Rehabilitating the sewer collection system will lessen the current demand on the treatment works and restore its usable treatment capacity. Phases 1 and 2 of the proposed project are for the sewer collection system and I&I reduction only and will not include extending the City of Cascade's sewer collection system.

## **Project Description**

The proposed project includes replacing and repairing the sewer collection piping by utilizing open excavation and trenchless construction methods where applicable and practical. If any method other than cured in place pipe is used open excavation is required at service line reconnections and manholes or to correct vertical misalignments of the gravity sewer pipe.

The terminus of the collection system will be enhanced by installing a new primary lift station in approximately the same location as the existing primary lift station. Additionally, three lift stations in town will have needed improvements installed to allow for better control, monitoring and reliability of the sewer collections system. Proposed lift station improvements do not require excavation of undisturbed areas.

The project will be comprised of two phases. A detailed map of the phased project locations can be seen in Attachment F.

**Phase I:** This phase will include the rehabilitation of some of the city's critical wastewater collection facilities as well as eliminate a large portion of the I&I into the system; it includes but is not limited to the following:

- The city's 15-inch main wastewater collector that conveys the collected wastewater to the treatment lagoons will be replaced with a new 18-inch HDPE transmission main from the treatment plant to Mill Street.
- The flow path from Lakeshore Drive to the 15-inch main will be replaced with a new 12-inch collection line to allow for future expansion and connections along Lakeshore Drive.
- The collection lines along east and west service way will be replaced eliminating all service connections associated with roof drains or other storm water connections.
- Harpo's area improvements to eliminate the need for another lift station and eliminate the recurrence of the nearly yearly septic sewer overflows.
- New and deeper lift station at the city shop.

**Phase II:** This phase will continue the efforts to further reduce I&I, while replacing more of the lines that are currently undersized (4 & 6-inch lines) and lines that do not have manholes along their alignments. This phase includes but is not limited to the following:

- Install a new sewer collection line parallel to Highway 55 south of the Pinewood Lodge to the sports complex to eliminate the need for a lift station at the facility.
- Install new collection lines along Cabarton Road to replace the undersized lines.
- Install new collection lines and manholes on the west end of Spring Street to eliminate the undersized lines and lines without manholes.

### **Wetlands or Floodplains**

No wetlands that are protected under the May 1977 Executive Order 11990 (Protection of Wetlands) will be affected. In addition, the wastewater treatment plant and the city are located outside of the North Fork Payette River 100-year floodplain. As a result, all construction activities for the sewer collection system will be outside of the floodplains and wetlands. (Flood insurance rate map showing the areas of the city within the floodplain included as Attachment "A").

### **Surface and Ground Water**

The project lies within Valley County, which is not a sole source aquifer. The project will have no adverse affect on the surface or ground water including nearby Lake Cascade and the North Fork of the Payette River. A detailed storm water prevention plan (SWPP) will be completed prior to any construction. PEC has been in contact with various regulatory agencies and received correspondence from EPA Region 10 (see Attachment "B").

PEC sent a letter to Mary McGown, State NFIP Coordinator, with Idaho Department of Water Resources regarding the proposed project. However, no correspondence was received. A copy of the letter sent to Mary McGown can be seen in Attachment G.

### **Cultural Resources and Noise and Air Quality**

By preferring trenchless construction methods the disruption to local commerce and citizens will be negligible. If trenchless methods are used there will be minimal noise levels during construction, and the small excavations needed for accessing the sewer mains at insertion points and at service connections will create very little dust; therefore, no measurable air quality impacts are expected for this pipeline rehabilitation project.

If traditional open trenching construction is used for the replacement of the sewer mains, then dust, noise, traffic closures and construction equipment will increase the environmental impact on the community.

PEC sent a letter to Carolyn Bower Smith and Ted Howard, Cultural Resources Coordinators for the Shoshone Bannock Tribe and Shoshone Paiute Tribes respectively, regarding the proposed project. No responses were received. Agency letters can be seen in Attachment G.

### **Public Health and Safety**

There are locations that have frequent sewer overflow issues due to improper design and construction of the local sewer mains. As stated previously, the city experiences copious amounts of ground water infiltration into their wastewater collection system. The water enters the collection system through defects in pipes, manholes and vented manhole lids. When ground water recedes to an elevation below the pipes, wastewater

then leaks out through the holes and cracks into the surrounding soil; therefore, raw sewage exfiltration is a concern.

The locations of these deficiencies have been identified through closed circuit television inspection. The proposed project will not only repair these deficiencies, but if a more flexible and joint-less pipe is used, as is proposed, similar failures in the future are eliminated.

### **Future Growth**

The continued development of nearby McCall and Tamarack Resort has increased the property values of Valley County; pushing many people to relocate to the neighboring area of Donnelly and Cascade and commute the short distance to the popular resorts of McCall, Tamarack, and West Mountain. The economic recession of 2008 through current has curtailed the commercial and recreational expansion and growth of the area.

Prior to the recession, the expected growth spurred two large subdivisions in Cascade Riverwoods and Silverleaf. There are approximately 75 lots available for infill growth in Cascade. The majority of growth is expected to occur in the two aforementioned subdivisions. The population of Cascade was 939 according to the 2010 Census; an annual population increase of 2 percent is expected. The population is estimated to be 1,500 by the year 2040.

The current EDU count is 805, with the anticipated growth mentioned above the EDU count is projected to be 1,285 by the year 2040.

### **Flora, Fauna, and Natural Communities**

The majority of this project includes sewer main replacement efforts, therefore, the majority of the work will occur in existing roadways and easements. The proposed replacement to the existing wastewater collection system is not expected to negatively impact any of the listed endangered species in the area (Fish and Wildlife Service correspondence dated September 14, 2010 included as Attachment "C"). Requirements of Section 7 of the Endangered Species Act are fulfilled.

### **National Register of Historic Places**

Pursuant to 36 CFR 800 (Protection of Historic Properties), a consultation letter was sent to the Idaho State Historical Society (SHPO). PEC surveyed the project area and consulted with SHPO to determine if there were any historic properties within the project area that may be a concern. Records researched revealed that there are no historic properties within the project area. According to Section 106 of the National Historic Preservation Act of 1966, "no additional investigations are recommended: project can proceed as planned". (SHPO response letter included as Attachment "D").

## **Permitting**

There are two areas within the project boundary that have sewer lines across or adjacent to seasonal streams. The first area is west of the High School; the second is west of Highway 55 near the “Harpo’s” gas station. The second area has a sewer line that is currently exposed and rather than bore under the seasonal stream the City intends to reroute the sewer to the south and into an existing sewer main along Morgan Shop Road. By rerouting the sewer main to Morgan Shop Road the City would no longer be working in or near the seasonal stream.

PEC has been in contact with the Army Corps of Engineers regarding the proposed project. Although there are sewer collections lines that will be replaced in close proximity to seasonal streams, the work can be completed without disturbing the stream banks, or wetlands, thus, a 404 Permit will not be required for the proposed project. Correspondence from Greg Martinez clarifying the requirements for a 404 permit is included in Attachment “E”.

## **Public Participation**

The citizens of Cascade were invited to participate in the discussions concerning the proposed sewer project. The city published a legal notice in the Star News on May 5, 12, 19<sup>th</sup> 2011. The notice indicated that the current FPS was available for review at City Hall. A public meeting was held on May 23, 2011 in which citizens had the opportunity to participate in discussions concerning the proposed sewer rehabilitation project. The public comment period started on May 5, 2011 and ended at the public meeting on May 23, 2011 (18 days). Citizens were given the opportunity to submit comments prior to the meeting or leave comments (a comment sheet and collection box were provided) at City Hall during or after the public meeting. An attendance roll was available at the meeting; those in attendance either did not see the sign in sheet or chose not to sign in. Pam DeChambeau (City Clerk) made a list of those in attendance after the meeting. The public meeting met all DEQ and block grant requirements. The meeting advertisement, minutes from public meeting and City Council decision on sewer project, and attendance log are included in Attachment H.

## **Public Controversy**

By utilizing trenchless construction methods where applicable, disruption to the community will be minimal, as only a small amount of excavation is required as compared to traditional open trench excavation. Construction costs will be reduced by the use of trenchless construction methods where possible. Pedestrian traffic will remain open and only minor disruptions to vehicle traffic are expected, due largely to most of the sewer lines being located in alley ways. The project will rehabilitate areas with the most need; therefore, no socio-economic groups will be favored during the project. The community as a whole will benefit from the proposed project.

The project will be broken up into two construction periods, the first period will constitute rehabilitating the sewer collection system (phases 1 and 2 on the attached map), the second period will include wastewater treatment improvements. With the first period being constructed with the current funding package, while the remaining unconstructed work to constitute second construction period (waste water treatment improvements) to be continued in the future. The highlighted locations are areas of immediate concern that will use money from a STAG grant the City of Cascade received through a sub award from Valley County, a DEQ Clean Water SRF loan, and a Community Development Block Grant (see Attachment "F").

If you have any questions, please contact Victor Godfrey at (208) 466-7190 or via email at [vgodfrey@pec.us.com](mailto:vgodfrey@pec.us.com). Thank you for your time and effort in this matter.

Sincerely,  
Project Engineering Consultant, Ltd.



Victor B. Godfrey, P.E.  
Project Engineer

**Attachment A – Flood Insurance Rate Map**



*Categorical Exclusion for the Rehabilitation  
of the Collection System in Cascade, Valley County, Idaho*

---

**Attachment B – EPA Region 10 Correspondence**

## Victor Godfrey

---

**From:** Ennes.Susan@epamail.epa.gov  
**Sent:** Friday, September 03, 2010 1:02 PM  
**To:** victor@pecid.com  
**Subject:** RE: Cascade- WW improvement project EPA SSA review

You are correct. Your project must meet both the criteria of location and federal funding.

Sue Ennes, Environmental Scientist  
EPA Region 10  
1200 Sixth Ave. Suite 900, OWW-136  
Seattle, WA. 98101  
SDWA Tribal & CWA Indian Set Aside Program, Sole Source Aquifer Program

206-553-6249  
[ENNES.SUSAN@EPA.GOV](mailto:ENNES.SUSAN@EPA.GOV)

**From:** "Victor Godfrey" <[victor@pecid.com](mailto:victor@pecid.com)>  
**To:** Susan Ennes/R10/USEPA/US@EPA  
**Date:** 08/31/2010 12:42 PM  
**Subject:** RE: Cascade- WW improvement project EPA SSA review

Sue,

Thank you for the information, our project is located in Valley County which is not within the sole source aquifer regions as depicted on the map you provided. We are trying to get grant monies however so do you still need to review the project? ie do you still need me to fill out the form you requested? In your below email you emphasized the word AND, so I would assume if we don't meet both requirements you are not required to review the project..... am I correct? If you still need to review the project I can fill out the paperwork and get it to you, just let me know.

Victor B. Godfrey, P.E.  
Project Engineering Consultants, Ltd  
3818 East Newby Street Suite 101  
Nampa, ID 83687  
Email [victor@pecid.com](mailto:victor@pecid.com)  
PH 208.466.7190  
FX 208.466.7168  
CL 208.401.5816

-----Original Message-----

From: Ennes.Susan@epamail.epa.gov [mailto:Ennes.Susan@epamail.epa.gov]  
Sent: Friday, August 27, 2010 6:40 PM  
To: victor@pecid.com  
Subject: Cascade- WW improvement project EPA SSA review

Be advised I only represent the Sole Source Aquifer Program at EPA Region 10.

I am in receipt of your letter dated Aug 20,2010.

EPA has the obligation and statutory authority to review all projects that 1. are located within the review area (aquifer boundary AND source area) and 2. are receiving federal funding.

I am attaching a link to the Region 10 Sole Source Aquifer web site which links to maps of the aquifer. These are detailed maps you can zoom in on to ensure your projects location is either in or out of the review area.

I am also attaching a short check list for you to fill out if your project is in the review area AND receiving federal funding. In the vast majority of cases answering the questions gives me the information I need to do a review.

<http://yosemite.epa.gov/r10/water.nsf/Sole+Source+Aquifers/SSA>

(See attached file: R10 Sole Source Aquifer Checklist.doc)

Sue Ennes, Environmental Scientist  
EPA Region 10  
1200 Sixth Ave. Suite 900, OWW-136  
Seattle, WA. 98101  
SDWA Tribal & CWA Indian Set Aside Program, Sole Source Aquifer Program

206-553-6249  
[ENNES.SUSAN@EPA.GOV](mailto:ENNES.SUSAN@EPA.GOV)

---

This email has been scanned by the MessageLabs Email Security System.  
For more information please visit <http://www.messagelabs.com/email>

---

---

This email has been scanned by the MessageLabs Email Security System.  
For more information please visit <http://www.messagelabs.com/email>

---

---

This email has been scanned by the MessageLabs Email Security System.  
For more information please visit <http://www.messagelabs.com/email>

---

*Categorical Exclusion for the Rehabilitation  
of the Collection System in Cascade, Valley County, Idaho*

---

**Attachment C – Idaho Fish and Game Correspondence**

## Victor Godfrey

---

**From:** Bob\_Kibler@fws.gov  
**Sent:** Tuesday, September 14, 2010 12:16 PM  
**To:** victor@pecid.com  
**Subject:** City of Cascade Wastewater Treatment Facilities; COMM-250c  
**Attachments:** 080610 Idaho Species List.pdf

Greetings:

Per your request, a species list is being provided via the following email and attachment

**Idaho's Endangered, Threatened, Proposed, and Candidate Species  
(With Associated Proposed and Critical Habitats)  
Under the Jurisdiction of the Fish and Wildlife Service  
*(This page was last updated August 6, 2010)***

The Fish and Wildlife Service is developing a web-based system that will allow you to generate your own project-specific species lists. We will provide instructions when the new web-based species list system is launched. In the interim, you are requested to use the attached table in concert with the area affected by your project, to generate your project-specific species list(s).

Before starting an action, a federal action agency (or their designated representative) that is planning an activity must contact the Fish and Wildlife Service to obtain information regarding threatened, endangered, and proposed species and their habitats, which may be present in the area affected by the project. Federal agencies (or their designated representatives) are to use this information to generate their project-specific species lists, which facilitate their assessments of effect via Sections 7(a)(2), (7(a)(3), or 7(a)(4) of the Endangered Species Act, as applicable. Please note the actual affected area typically encompasses a larger area than the footprint of the construction. The affected area includes any effects of the action (direct and indirect) that may potentially affect the species or its habitat.

The information contained and attached to this email, meets the Fish and Wildlife Services' regulatory obligation under Section 7(c) of the Endangered Species Act to provide a list of species at the request of a federal agency. Please print and retain a copy of this table and email with your project records, and use this information to verify the habitats and/or species present in the area affected by the projects you are developing. Any project-specific species lists you generate from this email and attachment is valid for up to 180-days.

Because the species information provided via this email may change, you are advised to visit our internet page (<http://www.fws.gov/idaho/species/IdahoSpeciesList.pdf>) frequently to ensure that your project records contain the most up-to-date species list. Should your project plans expand or change to include additional effects or counties, you will need to download an updated list and prepare a new project specific species list for your project.

If you find that you need to submit a request for Section 7 Consultation, please include with your

biological assessment package, a copy of this email and the attached or updated list you used to generate your project specific species list. This information is needed to document your compliance with 50 CFR 402.12(c).

Please note that this information is only applicable for Idaho. If the area affected by the proposed project extends beyond the boundary of the State of Idaho, please contact the appropriate Fish and Wildlife Service office listed below, to obtain a species list for their area of jurisdiction.

**Fish and Wildlife Service Contacts:**

Idaho Idaho Fish and Wildlife Office (208) 378-5255  
Montana Montana Ecological Services Field Office (406) 449-5225  
Nevada Nevada Fish & Wildlife Office (775) 861-6300  
Oregon La Grande Field Office (541) 962-8584  
Utah Utah Ecological Service Field Office (801) 975-3330  
Washington Spokane Field Office (509) 891-6839  
Wyoming Wyoming Ecological Services Field Office (307) 772-2374

**Candidate Species Conservation:**

Although candidate species have no protection under the Act, they are included in the attached table for your early planning consideration. Candidate species could be proposed or listed during the species that may occur in the project area; this may expedite section 7 consultation under the Act should the species become listed.

**Species of NOAA Fisheries Jurisdiction:**

Please be advised, the attached table does not contain listed or proposed species under the National Marine Fisheries Service's (NOAA Fisheries) jurisdiction. If you need a list of species under the NOAA Fisheries' jurisdiction, please visit their internet site at (<http://www.nwr.noaa.gov/Species-Lists.cfm>), or call (208) 378-5696.

*(See attached file: 080610 Idaho Species List.pdf)*

If you require additional assistance please contact Bob Kibler as described below.

---

Bob Kibler - Fish and Wildlife Biologist  
U.S. Department of The Interior - Fish and Wildlife Service  
Idaho Fish and Wildlife Office  
1387 South Vinnell Way, Room 368  
Boise, Idaho USA 83709

Phone: (208) 378-5255  
Fax: (208) 378-5262  
EMail: BOB\_KIBLER@FWS.GOV

---

This email has been scanned by the MessageLabs Email Security System.

species that may occur in the project area; this may expedite section 7 consultation under the Act should the species become listed.

**Species of NOAA Fisheries Jurisdiction:**

Please be advised, the table does not contain listed or proposed species under the National Marine Fisheries Service's (NOAA Fisheries) jurisdiction. If you need a list of species under the NOAA Fisheries' jurisdiction, please visit their internet site at <http://www.nwr.noaa.gov/Species-Lists.cfm>, or call (208) 378-5696.

Grouping	Amphibian	Bird	
Common Name	Columbia spotted frog - Great Basin population	Greater Sage-Grouse	Yellow-billed cuckoo
Scientific Name	<i>Rana luteiventris</i>	<i>Centrocercus urophasianus</i>	<i>Coccyzus americanus</i>
Status	[C]	[C]	[C]
Ada		X	X
Adams		X	
Bannock		X	X
Bear Lake		X	
Benewah			
Bingham		X	X
Blaine		X	X
Boise			X
Bonner			
Bonneville		X	X
Boundary			
Butte		X	
Camas		X	
Canyon			X
Caribou		X	
Cassia		X	X
Clark		X	X
Clearwater			
Custer		X	X
Elmore		X	X
Franklin		X	
Fremont		X	X
Gem		X	
Gooding		X	
Idaho			X
Jefferson		X	X
Jerome		X	
Kootenai			X
Latah			X
Lemhi		X	X
Lewis			X
Lincoln		X	
Madison		X	X
Minidoka		X	X
Nez Perce			
Oneida		X	
Owyhee	X	X	X
Payette		X	
Power		X	
Shoshone			
Teton			
Twin Falls	X	X	X
Valley			
Washington		X	

[C] Candidate  
[P] Proposed

[T] Threatened  
[E] Endangered

[CH] Designated Critical Habitat  
[PCH] Proposed Critical Habitat

Grouping	Mammal				
Common Name	Canada lynx		Grizzly bear	Northern Idaho ground squirrel	Selkirk Mountain caribou
Scientific Name	<i>Lynx canadensis</i>		<i>Ursus arctos horribilis</i>	<i>Spermophilus brunneus brunneus</i>	<i>Rangifer tarandus caribou</i>
Status	[T]	[CH]	[T]	[T]	[E]
Ada					
Adams	X			X	
Bannock					
Bear Lake	X				
Benewah	X				
Bingham					
Blaine	X				
Boise	X				
Bonner	X		X		X
Bonneville	X		X		
Boundary	X	X	X		X
Butte	X				
Camas	X				
Canyon					
Caribou	X				
Cassia					
Clark	X		X		
Clearwater	X				
Custer	X				
Elmore	X				
Franklin	X				
Fremont	X		X		
Gem					
Gooding					
Idaho	X				
Jefferson	X				
Jerome					
Kootenai	X				
Latah	X				
Lemhi	X				
Lewis					
Lincoln					
Madison	X				
Minidoka					
Nez Perce	X				
Oneida					
Owyhee					
Payette					
Power					
Shoshone	X				
Teton	X		X		
Twin Falls					
Valley	X			X	
Washington				X	

[C] Candidate  
[P] Proposed

[T] Threatened  
[E] Endangered

[CH] Designated Critical Habitat  
[PCH] Proposed Critical Habitat

Grouping	Mammal	
Common Name	Southern Idaho ground squirrel	Wolverine
Scientific Name	<i>Spermophilus brunneus enemicus</i>	<i>Gulo gulo</i>
Status	[C]	[C]
Ada		X
Adams	X	X
Bannock		X
Bear Lake		X
Benevah		X
Bingham		X
Blaine		X
Boise		X
Bonner		X
Bonneville		X
Boundary		X
Butte		X
Camas		X
Canyon		X
Caribou		X
Cassia		
Clark		X
Clearwater		X
Custer		X
Elmore		X
Franklin		X
Fremont		X
Gem	X	X
Gooding		X
Idaho		X
Jefferson		X
Jerome		
Kootenai		X
Latah		X
Lemhi		X
Lewis		X
Lincoln		X
Madison		X
Minidoka		
Nez Perce		X
Oneida		
Owyhee		
Payette	X	
Power		
Shoshone		X
Teton		X
Twin Falls		X
Valley		X
Washington	X	X

[C] Candidate  
[P] Proposed

[T] Threatened  
[E] Endangered

[CH] Designated Critical Habitat  
[PCH] Proposed Critical Habitat

Grouping	Fish				Mollusk			
	Bull trout		Kootenai River white sturgeon		Banbury Springs lanx	Bliss Rapids snail	Bruneau hot springsnail	Snake River physa snail
Common Name								
Scientific Name	<i>Salvelinus confluentus</i>		<i>Acipenser transmontanus</i>		<i>Lanx sp.</i>	<i>Talorconcha serpenticola</i>	<i>Pyrgolopsis bruneauensis</i>	<i>Haitia (Physa) natricinia</i>
Status	[T]	[CH]	[E]	[CH]	[E]	[T]	[E]	[E]
Ada	X							X
Adams	X	X						
Bannock								
Bear Lake								
Benewah	X	X						
Bingham								
Blaine	X	X						
Boise	X	X						
Bonner	X	X						
Bonneville								
Boundary	X	X	X	X				
Butte	X	X						
Camas	X	X						
Canyon								X
Caribou								
Cassia								X
Clark								
Clearwater	X	X						
Custer	X	X						
Elmore	X	X				X		X
Franklin								
Fremont								
Gem	X	X						
Gooding					X	X		X
Idaho	X	X						
Jefferson								
Jerome						X		X
Kootenai	X	X						
Latah								
Lemhi	X	X						
Lewis	X	X						
Lincoln								
Madison								
Minidoka								X
Nez Perce	X	X						
Oneida								
Owyhee	X	X					X	X
Payette	X	X						X
Power								
Shoshone	X	X						
Teton								
Twin Falls					X	X		X
Valley	X	X						
Washington	X	X						X

[C] Candidate  
[P] Proposed

[T] Threatened  
[E] Endangered

[CH] Designated Critical Habitat  
[PCH] Proposed Critical Habitat

Grouping	Plant				
	Christ's paintbrush	Goose Creek milkvetch	Macfarlane's four-o'clock	Packard's Milkvetch	Slickspot peppergrass
Common Name					
Scientific Name	<i>Castilleja christii</i>	<i>Astragalus anserrinus</i>	<i>Mirabilis macfarlanei</i>	<i>Astragalus cusickii</i> var. <i>parkardiae</i>	<i>Lepidium papilliferum</i>
Status	[C]	[C]	[T]	[C]	[T] [PCH]
Ada					X
Adams					
Bannock					
Bear Lake					
Benewah					
Bingham					
Blaine					
Boise					
Bonner					
Bonneville					
Boundary					
Butte					
Camas					
Canyon					X
Caribou					
Cassia	X	X			
Clark					
Clearwater					
Custer					
Elmore					X X
Franklin					
Fremont					
Gem					X X
Gooding					
Idaho			X		
Jefferson					
Jerome					
Kootenai					
Latah					
Lemhi					
Lewis					
Lincoln					
Madison					
Minidoka					
Nez Perce					
Oneida					
Owyhee					X X
Payette				X	X X
Power					
Shoshone					
Teton					
Twin Falls					
Valley					
Washington					

[C] Candidate  
[P] Proposed

[T] Threatened  
[E] Endangered

[CH] Designated Critical Habitat  
[PCH] Proposed Critical Habitat

Grouping	Plant			
Common Name	Spalding's catchfly	Ute ladies'-tresses	Water Howellia	Whitebark Pine
Scientific Name	<i>Silene spaldingii</i>	<i>Spiranthese diluvialis</i>	<i>Howellia aquatilis</i>	<i>Pinus albicaulis</i>
Status	[T]	[T]	[T]	[C]
Ada				
Adams				X
Bannock				
Bear Lake				X
Benewah	X		X	
Bingham		X		
Blaine				X
Boise				X
Bonner				X
Bonneville		X		X
Boundary				X
Butte				X
Camas				X
Canyon				
Caribou				X
Cassia				
Clark				X
Clearwater				X
Custer				X
Elmore				X
Franklin				
Fremont		X		X
Gem				X
Gooding				
Idaho	X			X
Jefferson		X		
Jerome				
Kootenai	X		X	
Latah	X		X	
Lemhi				
Lewis	X			
Lincoln				
Madison		X		
Minidoka				
Nez Perce	X			
Oneida				
Owyhee				
Payette				
Power				
Shoshone	X		X	X
Teton				X
Twin Falls				
Valley				X
Washington				X

[C] Candidate  
 [P] Proposed

[T] Threatened  
 [E] Endangered

[CH] Designated Critical Habitat  
 [PCH] Proposed Critical Habitat

**Attachment D – State Historic Preservation Office (SHPO)  
Correspondence**



Aug 20, 2010

Suzi Pengilly, Deputy SHPO  
Idaho State Historical Society  
210 Main Street  
Boise, ID 83702

RE: City of Cascade-Wastewater Improvement Project

Dear Suzi:

Project Engineering Consultant, Ltd. is working with the City of Cascade on a citywide wastewater improvement planning project. We need your assistance in completing an environmental assessment to determine the potential environmental risks of the projects suggested in the study.

To assist with this evaluation, we would appreciate your comments on any known or suspected environmentally related issues that may relate to the proposed projects. The general locations of the potential project limits are shown on the attached map.

Please see the enclosed documents to help with your evaluation of these possible projects. If no comments are received within 30 days from the date of this letter, the City of Cascade, and Project Engineering Consultant, Ltd. will assume that your office has no comment and the planning will continue.

If you have any questions, please contact Victor Godfrey at (208) 466-7190 or via email at [victor@pecid.com](mailto:victor@pecid.com). Thank you for your time and effort in this matter.

Sincerely,  
Project Engineering Consultant, Ltd.

Victor B. Godfrey, P.E.



September 20, 2010

Victor B. Godfrey, P.E.  
 Project Engineering Consultants, Ltd.  
 3818 East Newby Street, Suite 101  
 Nampa, Idaho 83687

Preserving the past, Enriching the future

Our mission: to preserve and promote Idaho's cultural heritage.

RE: City of Cascade-Wastewater Improvement Project

www.idahohistory.net

C.L. "Butch" Otter  
 Governor of Idaho

Janet L. Gallimore  
 Executive Director

Administration  
 2205 Old Penitentiary Road  
 Boise, Idaho 83712-8250  
 Office: (208) 334-2682  
 Fax: (208) 334-2774

Membership and Fund Development  
 2205 Old Penitentiary Road  
 Boise, Idaho 83712-8250  
 Office: (208) 514-2310  
 Fax: (208) 334-2774

Archaeological Survey of Idaho  
 210 Main Street  
 Boise, Idaho 83702-7264  
 Office: (208) 334-3847  
 Fax: (208) 334-2775

Historical Museum and Education Programs  
 610 North Julia Davis Drive  
 Boise, Idaho 83702-7695  
 Office: (208) 334-2120  
 Fax: (208) 334-4059

Historic Preservation Office  
 210 Main Street  
 Boise, Idaho 83702-7264  
 Office: (208) 334-3861  
 Fax: (208) 334-2775

Old Penitentiary and Historic Sites  
 2445 Old Penitentiary Road  
 Boise, Idaho 83712-8254  
 Office: (208) 334-2844  
 Fax: (208) 334-3225

Statewide Sites  
 - Franklin Historic Site  
 - Pierce Courthouse  
 - Rock Creek Station & Stricker Homesite

Public Archives and Research Library  
 2205 Old Penitentiary Road  
 Boise, Idaho 83712-8250  
 Office: (208) 334-3356  
 Fax: (208) 334-3198  
 - Public Archives  
 - Research Library  
 - Oral History

North Idaho Office  
 112 W. Fourth Street, Suite 7  
 Moscow, ID 83843  
 Office: (208) 882-1540  
 Fax: (208) 882-1763

**Section 106 Evaluation**

	The field work and documentation presented in this report meet the Secretary of the Interior's Standards.
X	No additional investigations are recommended; project can proceed as planned.
	Additional information is required to complete the project review. (See comments.)
	Additional investigations are recommended. (See comments.)

**Identification of Historic Properties (36 CFR 800.4):**

X	No historic properties were identified within the project area.
	Property is not eligible.
	Property is listed in National Register of Historic Places.
	Property is eligible for listing in the National Register of Historic Places. Criterion: A B C D Context for evaluation:
X	No historic properties will be affected within project area.

**Assessment of Adverse Effects (36 CFR 800.5):**

	Project will have <i>no adverse effect</i> on historic properties.
	Project will have an <i>adverse effect</i> on historic properties; further consultation is recommended.

If you have any questions, feel free to contact me at 208-334-3847 or [travis.pitkin@ishs.idaho.gov](mailto:travis.pitkin@ishs.idaho.gov).

Comments:

Travis Pitkin, Archaeologist  
 State Historic Preservation Office



The Idaho State Historical Society is an Equal Opportunity Employer.

*Categorical Exclusion for the Rehabilitation  
of the Collection System in Cascade, Valley County, Idaho*

---

**Attachment E – Army Corps of Engineers Correspondence**



Kimmel, Andrew <akimmel@pec.us.com>

---

## RE: Cascade Sewer 404 Permit Clarifications (UNCLASSIFIED)

1 message

---

Martinez, Greg J NWW <Greg.J.Martinez@usace.army.mil>

Thu, Sep 8, 2011 at 3:53 PM

To: "Kimmel, Andrew" <akimmel@pec.us.com>

Classification: UNCLASSIFIED

Caveats: NONE

Andrew,

9-8-11

A 404 permit would be required if you open trench through perennial streams, intermittent streams, ephemeral streams and wetlands adjacent to any of the listed stream types. A permit is required if you open trench through man-made features to include irrigation canals, laterals and drain ditches which have a surface connection with another natural stream or wetland swale.

A permit is not required if you bore under any of the above listed waters. A permit is not required if you open trench along a stream or man-made feature so long as the work does not result in the discharge of excavated or imported fill material into adjacent wetlands or into the stream. This includes the temporary placement of fill material into wetlands or open surface waters.

Hope this helps.

Greg Martinez  
Boise Regulatory Office

-----Original Message-----

From: Kimmel, Andrew [mailto:[akimmel@pec.us.com](mailto:akimmel@pec.us.com)]

Sent: Tuesday, September 06, 2011 2:21 PM

To: Martinez, Greg J NWW

Subject: Cascade Sewer 404 Permit Clarifications

Greg,

As we discussed earlier, I have a few questions pertaining to construction activities near the seasonal creeks in Cascade and what may or may not trigger the need to obtain a 404 permit from your office. We intend to use trenchless construction methods (horizontal directional drilling or pipe bursting) in this area to limit disturbance to the area and banks along the stream.

1. The sewer collection pipe that the City intends to replace is within 5-6 feet of the creek itself. What criteria would trigger the need to obtain a 404 permit?

2. If the City will not be disturbing any wetlands (identified by wetland plant life), banks of the stream or the stream itself will a 404 permit be required?

3. If we were to open trench adjacent to the stream bed (approximately 800 feet) for the entire length would a 404 permit be required?

4. If we were to pipe burst the collection line adjacent to the stream bed (approximately 800 feet, with 4-20' x 6' access pits near the 4 manholes and 6'x6' service pits for service connections) would a 404 permit be required?

--  
<[http://farm7.static.flickr.com/6191/6074053435\\_890472c5e7.jpg](http://farm7.static.flickr.com/6191/6074053435_890472c5e7.jpg)>

Classification: UNCLASSIFIED

Caveats: NONE


---

*Categorical Exclusion for the Rehabilitation  
of the Collection System in Cascade, Valley County, Idaho*

---

**Attachment F – Phasing Plan and STAG grant priority list**

**Attachment G – Non-Responsive Agency Letters**



Aug 20, 2010

Ted Howard, Cultural Resources Program  
Shoshone-Paiute Tribes  
P.O. Box 219  
Owyhee, NV 89832

RE: City of Cascade-Wastewater Improvement Project

Dear Ted:

Project Engineering Consultant, Ltd. is working with the City of Cascade on a citywide wastewater improvement planning project. We need your assistance in completing an environmental assessment to determine the potential environmental risks of the projects suggested in the study.


To assist with this evaluation, we would appreciate your comments on any known or suspected environmentally related issues that may relate to the proposed projects. The general locations of the potential project limits are shown on the attached map.

Please see the enclosed documents to help with your evaluation of these possible projects. If no comments are received within 30 days from the date of this letter, the City of Cascade, and Project Engineering Consultant, Ltd. will assume that your office has no comment and the planning will continue.

If you have any questions, please contact Victor Godfrey at (208) 466-7190 or via email at [victor@pecid.com](mailto:victor@pecid.com). Thank you for your time and effort in this matter.

Sincerely,  
Project Engineering Consultant, Ltd.

Victor B. Godfrey, P.E.



Aug 20, 2010

Carolyn Boyer Smith, Cultural Resources Coordinator  
Shoshone-Bannock Tribes  
P.O. Box 306  
Fort Hall, ID 83203

RE: City of Cascade-Wastewater Improvement Project

Dear Carolyn:

Project Engineering Consultant, Ltd. is working with the City of Cascade on a citywide wastewater improvement planning project. We need your assistance in completing an environmental assessment to determine the potential environmental risks of the projects suggested in the study.


To assist with this evaluation, we would appreciate your comments on any known or suspected environmentally related issues that may relate to the proposed projects. The general locations of the potential project limits are shown on the attached map.

Please see the enclosed documents to help with your evaluation of these possible projects. If no comments are received within 30 days from the date of this letter, the City of Cascade, and Project Engineering Consultant, Ltd. will assume that your office has no comment and the planning will continue.

If you have any questions, please contact Victor Godfrey at (208) 466-7190 or via email at [victor@pecid.com](mailto:victor@pecid.com). Thank you for your time and effort in this matter.

Sincerely,  
Project Engineering Consultant, Ltd.

Victor B. Godfrey, P.E.



Aug 20, 2010

Mary McGown, State NFIP Coordinator  
Idaho Dept. of Water Resources  
P.O. Box 83720  
Boise, ID 83720-0098

RE: City of Cascade-Wastewater Improvement Project

Dear Mary:

Project Engineering Consultant, Ltd. is working with the City of Cascade on a citywide wastewater improvement planning project. We need your assistance in completing an environmental assessment to determine the potential environmental risks of the projects suggested in the study.

To assist with this evaluation, we would appreciate your comments on any known or suspected environmentally related issues that may relate to the proposed projects. The general locations of the potential project limits are shown on the attached map.

Please see the enclosed documents to help with your evaluation of these possible projects. If no comments are received within 30 days from the date of this letter, the City of Cascade, and Project Engineering Consultant, Ltd. will assume that your office has no comment and the planning will continue.

If you have any questions, please contact Victor Godfrey at (208) 466-7190 or via email at [victor@pecid.com](mailto:victor@pecid.com). Thank you for your time and effort in this matter.

Sincerely,  
Project Engineering Consultant, Ltd.

Victor B. Godfrey, P.E.

**Attachment H – Public Participation**



Date	05/19/11
Invoice No.	28584
Terms	Net 30

# Invoice

1000 First Street  
McCall, ID 83638

Bill To  
CITY OF CASCADE  
PO BOX 649  
CASCADE ID 83611-0649

Item	Description	Quantity	Rate	Amount
09	Legal Advertising-SEWER FACILITIES PLANNING STUDY-HEARING-MAY 5, 12, 19		66.00	66.00

	<b>Total</b>	<b>\$66.00</b>
--	--------------	----------------



FRSDAY, MAY 12, 2011

### S receives grant for shelter aid

PAWS Regional Shelter has received a grant from PetSmart to help pay to spay or neuter pets belonging to low-income families in the city. The grant will be used to pay for the services of a veterinarian at the shelter. The grant is for \$17,000 for cats and dogs. The shelter is open Monday through Friday with a goal of spaying or neutering 180 cats. For more information on the program, call an appointment, PAWS at 684-3647.

### PAWS Thrift store seeks volunteer workers

PAWS Regional Shelter is looking for volunteers to work at its store at 301 Lenora St. in downtown McCall. The store is also in need of anyone who could spend an hour or two per week on outside clean-up, and anyone who could take items to the recycling center once a week. Volunteers must be at least 16 years old and may be asked to do work that will work for them. The thrift store is open from noon to 5 p.m. on Mondays through Fridays, and 10 a.m. to 5 p.m. on Saturdays. For more information, call to pick up an application, or visit the thrift store.

### is Friday!

Free admission FOR FREE

## PUBLIC NOTICES

in the amount not less than 5% of the total amount bid, payable to the City of McCall, Idaho Public Works Licenses are required to submit a bid in accordance with the project manual.

Any objections to the contents or terms of the bidding instruction and project plans and specifications shall be raised (5) days prior to the bid opening, or it shall be deemed to have been waived.

The City reserves the right to reject any and all bids.

Nathan Stewart  
City of McCall Staff Engineer  
208-634-3943. 3tc5/26

### INVITATION FOR BIDS

NOTICE IS HEREBY GIVEN that written sealed bids for the operation of the concession stand at the Cascade Sports Park from Memorial Day weekend 2011 to Labor Day weekend 2011, will be received by the City of Cascade, at Cascade City Hall, 105 South Main Street, P. O. Box 649, Cascade, Idaho, 83611, until 5:00 p.m. on Friday, May 20, 2011. Bids will be opened and read aloud at the second regular City Council meeting on Monday, May 23, 2011 at 6 p.m. at the Cascade City Hall.

A Central District Health Certificate is required for the operation of the concession stand. Any interested party may obtain specifications and bid forms at the above address. The City reserves the right to waive any informality or to reject any or all bids.

Pamela J. DeChambeau  
City Clerk / Treasurer. 2tc5/19

### CITY OF MCCALL, IDAHO GENERAL ENGINEERING SERVICES

### REQUEST FOR STATEMENTS OF QUALIFICATION

The City of McCall, Idaho is seeking the services of a qualified and experienced team of professionals with an understanding of mountain town issues to assist the City with general engineering services.

To obtain a copy of the Request for Qualifications, please contact Peter Borner, City of McCall Public Works Director @ 208-634-3458 or pborner@mccall.id.us. 3tc5/12

## PUBLIC LANDS

These notices inform you of pending decisions affecting public lands, should you want to comment.

## PUBLIC NOTICES

Kenneth R. McClure  
Address: c/o Ahrens DeAngeli Law Group LLP, P.O. Box 9500, Boise, Idaho 83707-9500. Telephone: (208) 639-7799. 3tc5/26

### NOTICE OF PETITION AND HEARING

(I.C. 15-1-401)  
Case No. CV 2011-143C  
IN THE DISTRICT COURT OF THE FOURTH JUDICIAL DISTRICT OF THE STATE OF IDAHO, IN AND FOR THE COUNTY OF VALLEY

In the Matter of the Estate of DAVID OBERBILLIG, Deceased.

Notice is hereby given that on April 15, 2011, Allesta Green, whose address is 7570 W. Solano Drive, Boise, ID 83704, filed a Petition for Formal Probate of Will and Formal Appointment of Personal Representative, which Will is that of the Deceased and is dated April 15, 2010.

A copy of the Petition is on file with the Clerk of the Court and may be reviewed upon request.

The Petition has been set for hearing in this Court at the courthouse of this Court, 219 Main Street, Cascade, Idaho 83611, on the 13th day of June, 2011, at 11:00 a.m.

William D. Collins, Attorney for Westberg, McCabe & Collins, Ctd., P.O. Box 2836, Boise, ID 83701-2836. 3tc5/12

## ENVIRONMENTAL

These notices inform you of environmental issues and events which might affect you.

### NOTICE OF DRAFT PERMIT

Notice is given of draft permit(s) allowing the operation of an injection well as per provisions of Title 42, Chapter 39, Idaho Code for the following injection well(s) listed in this format // Well Number, Location, Operator, Injectate //: // 65-W-024-002, T14N-R3E-S25-NESWSW, Cascade School District 422, Heat Exchange Return Flow. Copies can be requested from the Idaho Department of Water Resources at (208) 287-4800. Comments or requests for fact-finding hearings must be filed with the Department within 30 days of the initial publication date of this notice.

Gary Spackman, Interim Director. 2tc5/12

## PUBLIC NOTICES

comment period to follow.

The proposed plan is and supporting documentation is available for viewing at Cascade City Hall. All interested persons are invited to attend the hearing to express their views regarding the study and the proposed sewer system improvements. Oral and written comment may be offered at the hearing or may be submitted up to the time of the hearing. Assistance for persons with disabilities will be provided - to make arrangements please call City Clerk Pam DeChambeau at 382-4279 at least 24 hours prior to the hearing. 3tc5/19

### NOTICE OF PUBLIC HEARING VALLEY COUNTY BOARD OF COMMISSIONERS

NOTICE is hereby given that the Valley County Board of Commissioners will hold a public hearing on June 6, 2011, in the Valley County Court House, 219 North Main, Cascade, Idaho; on the following:

9:05 am -- Amendments to the Valley County Land Use and Development Ordinance (LUDO): The LUDO was published on August 26, 2010. A portion of Section 3.03.09 Residential Uses is missing from the text. Corrections necessary for the codification process have also been identified.

9:30 am -- VAC 11-01 Vacation of a Portion of Rapid Creek Road in Paddy Flat Subdivision, Lot 13: George and Lorraine Fryklund and Leonard and Susan Iventosch are requesting a vacation of a portion of Rapid Creek Road. The road has not been constructed. The vacated land would be transferred to the adjacent landowners (Lots 13G and 13H). The site is located in the NE 1/4 Section 34, T.17N, R.4E, B.M., Valley County, Idaho.

On April 14, 2011, the Planning & Zoning Commission recommended that the Board of County Commissioners approve both the proposed LUDO amendments and VAC 11-01. A copy of the minutes will be posted at www.co.valley.id.us/PZ\_minutes.htm.

All interested parties are invited to attend and be heard in support of or opposition to the above proposals. Comments received prior to the hearing will also be considered (via phone, fax, mail, or email).

The file for the proposals may be reviewed at the Valley County Planning and Zoning Office at 219 North Main Street, Cascade, Idaho or phone 208-382-7115. Any person needing special accommoda-

## PUBLIC NOTICES

2008, as Instrument No. 332143, as modified by Modification Of Deed Of Trust recorded January 29, 2010 as instrument No. 349118, records of Valley County, Idaho. The above Grantor(s) are named to comply with Idaho Code Section 45-1506(4)(a). No representation is made that they are or are not presently responsible for this obligation.

The nature of the default for which this sale is to be made is the failure of the Grantor(s) to pay monthly interest installments due for the months of October, 2010 (in part), and November, 2010 through April, 2011, inclusive, in accordance with the provisions of the Promissory Note of even date, secured by said deed of trust.

The original loan amount was \$391,391.00, with interest thereon at the initial adjustable rate of 6.75 % per annum commencing on January 21, 2010. The unpaid balance of said Promissory Note, including accrued interest through March 28, 2011, is \$405,820.77, with interest accruing thereafter at the rate of 7.75% per annum, until paid, late charges of \$460.43, and insurance expense of \$682.50.

All delinquent amounts are now due and payable, along with all accruing late charges, and all costs and fees associated with this foreclosure. The sale is made without representation, warranty, or covenant of any kind or nature.

DATED this 28th day of April, 2011.

SUCCESSOR TRUSTEE  
/s/David B. Wishney  
Attorney at Law  
P.O. Box 837, Boise, ID 83701  
EXHIBIT "A"  
(LEGAL DESCRIPTION)  
PARCEL 1:

A parcel of land situate in Government Lot -3 of Section 5, Township 17 North, Range 3 East, Boise Meridian,

Valley County, Idaho more particularly described as follows:

Commencing at a brass cap marking the northwest corner of Section 5, Township 17 North, Range 3 East,

Boise Meridian, Valley County, Idaho; Thence South 89° 25' 04" East, 707.58 feet along the north boundary of said Section 5 to the south corner common to Sections 31 and 32, Township 18 North, Range 3 East, Boise

Meridian; Thence South 89° 53' 21" East, 1,072.85 feet along the north boundary of said Section 5 to a 1/2 inch rebar the REAL POINT

Attendance roll for May 23, 2011 city council meeting:

Dan Davis  
Jim Hass  
Gary Young  
Kathy Young  
Bill Wheeler  
Tobie Olson  
Rick Owens  
Dan Gallagher  
Matt Neukom  
Robin Mayfield  
Jim Mayfield  
Phil Davis  
Yvette Davis  
Rachel Huckaby

Attendance roll for review of sewer facilities planning study before public meeting.

R. K. Scott



**CASCADE CITY COUNCIL MINUTES**  
**SECOND REGULAR MEETING**  
**Monday, May 23, 2011**  
**6:00 PM**

**CALL TO ORDER AND ROLL CALL**

Mayor Carter called the second regular meeting of the Cascade City Council to order on Monday, May 23, 2011 at 6:00 p.m. at Cascade City Hall.

The following councilors were present: Debbie Haskins, Troy Huckaby, and Connie Smith.

Also present were the following city officials: Fire Chief Jim Hass, Superintendent Randy Redmon, Parks Director Stephen Yamamoto, Library Director Robin Mayfield, and Clerk/Treasurer Pam DeChambeau.

**PUBLIC COMMENT**

Jim Hass distributed information on municipal water authorities implementing strategies, including standby fees and other policies, for water connections for fire suppression systems.

Jim Hass distributed The Extinguisher, the Cascade Rural Fire Protection District newsletter for April 2011.

Jim Hass requested a letter of support from the city for the grant application to the Idaho Emergency Medical Services Bureau for epinephrine auto-injectors for the ambulances.

Dan Davis reported on the Idaho Transportation Department Statewide Transportation Improvement Program project beginning next summer that builds a new bridge at the south end of town, and rebuilds the base material and resurfaces the highway through downtown. Reported on the Idaho Transportation Department paying for the construction and design of the storm sewer to drain the state highway system and on the city paying for pipe. Reported on the items the Idaho Transportation Department needs from the city as soon as possible and that the contact person is Bob Amoureux, Designer for District 3.

## APPROVAL OF THE BILLS

**A motion was made by Debbie Haskins to approve payment of the bills dated May 25, 2011 in the amount \$6,691.68, and Connie Smith seconded the motion.** Connie Smith verified the payment to Pamela S. Widener was a refund of her building permit fee because Pamela was unable to do the building and requested a refund. **Roll call vote: Debbie Haskins, aye; Troy Huckaby, aye; Connie Smith, aye. Motion carried.**

## NEW BUSINESS

**Jeffrey Weston - Chalk on the Walk** – Robin Mayfield reported on the Chalk on the Walk event to be held August 20, 2011 from 9 a.m. to 2 p.m. on the sidewalk from Tea Leaves-N-Coffee Beans to the Valley Club to benefit Cascade School District's music and art departments. **A motion was made by Debbie Haskins to allow the Life Style and Education Team to utilize the city sidewalks on August 20, 2011 for Chalk on the Walk, and Troy Huckaby seconded the motion. Roll call vote: Troy Huckaby, aye; Connie Smith, aye; Debbie Haskins, aye. Motion carried.**

**June 30<sup>th</sup> Cleanup Day in Preparation of 4<sup>th</sup> of July** – Scotty Davenport announced the community is coming together at 5:30 a.m. on Thursday June 30, 2011 to clean downtown in preparation of the parade.

**Public Meeting - Public Comment on Sewer Facilities Planning Study and Proposed Sewer System Improvements** – Fred Ostler clarified the public comment on the sewer facilities planning study is not a public hearing but a public meeting for public comment. Reported the Department of Environmental Quality and the Environmental Protection Agency took a long time to agree on the capacity of the sewer system. Discussed recent funding options that have become available. Reported a requirement of the sewer facilities planning study is to hold a public meeting asking the community, council, and mayor to give input and ask questions. Reported Project Engineering Consultants, Ltd. engineered the repair and improvements for the collection system, and Schiess & Associates engineered the wastewater treatment plant.

Victor Godfrey presented the sewer collection system of the city and the proposed project phase the sewer collection lines would be improved. Reported multiple roof drains through the downtown corridor are connected directly to the sewer collection system. Reported the sewer collection lines were analyzed by video camera, smoke testing, and information from the operators. Reported the proposed best location to start working are to improve the bellies, cracks, and disjointed pipes of the main sewer collection lines. Presented and reported on the annual inflow, infiltration and waste water volume from 2006 to 2009 into the treatment system. Reported on the inflow of storm water from improper connections to the sewer collection system and the infiltration of storm water from broken and defective pipes.

Marvin Fielding reported on the wastewater treatment plant and the permit to discharge treated wastewater to the river and the special resource water designation of the river. Reported future discharge permit limits are based on the current configuration of the wastewater treatment plant operating at capacity. Reported on the current discharge permit being based on a limit of 720,000 gallons a day, the current monthly average of 340,000 gallons a day, and the capacity for growth. Reported on anticipated future discharge permit limits on ammonia and phosphorus. Reported on proposed improvements to supply enough aeration for treatment and disinfection for discharging into the river. Presented four alternatives to supply aeration to the lagoons; diffused air, mechanical air, reuse, and mechanical waste water treatment plant. Explained the seepage test of the lagoons. Explained in detail the recommended improvements for a partial mix lagoon with mechanical aerators. Reported on the sampling of treated waste water.

Fred Ostler proposed a multi-phase approach to the improvements, proposed improvements to the collection system first, reported reducing inflow and infiltration will determine the improvements to the treatment of waste water. Reported in detail the analysis of the different funding options for the improvements and the change in the monthly rate for sewer service.

Phil Davis, 19 Warm Lake Road, questioned why the City of Cascade could not qualify for stimulus money like other cities, and reported on at least thirty cities that received stimulus money and the terms of the loan. Fred Ostler reported on the city applying, not being chosen, and the facilities planning study delays. Fred Ostler passed around a clip board and asked for any additional comments or questions from the public attending.

**Cascade Planning and Zoning Commission - Variance Application Submitted by Gary Inman** - Mayor Carter reported the variance application submitted by Gary Inman requests a relaxation of the side yard setback to three feet, and discussed the property's steep ravine to the south east. Steve Yamamoto reported the city property adjacent to this property will always have the driveway plowed in order to get to the water tower so there is not a problem if snow encroaches onto the driveway to the water tower from the roof of the proposed garage. Connie Smith verified the eaves of the proposed roof will

encroach an additional sixteen inches. Troy Huckaby verified the property survey pins were located and the proposed garage will have a metal roof. **A motion was made by Debbie Haskins to follow the Cascade Planning and Zoning Commission's recommendation and to approve variance application 11-01 to relax the side yard setback from ten feet to three feet as described in the application submitted by the Inman's, and Troy Huckaby seconded the motion.** Troy Huckaby questioned the lease of the adjacent city property by Verizon Wireless and the non-exclusive right for ingress and egress. **Roll call vote: Connie Smith, aye; Debbie Haskins, aye; Troy Huckaby, no. Motion carried.**

**Fred Ostler - Trinity Pines Camp and Conference Center Water Meters -** Fred Ostler presented Trinity Pines Camp and Conference Center's proposal to resolve the fire system pressure issue, and recommended the city consider the proposal. **A motion was made by Troy Huckaby to proceed forward with the Trinity Pines Camp and Conference Center proposal, and Connie Smith seconded the motion.** Mayor Carter asked for clarification of the motion. Troy Huckaby stated we read the documentation, we talked to our attorney, we talked to their attorney, we proceed forward until we have a document that we can bring before the council to approve. **Roll call vote: Debbie Haskins, no; Troy Huckaby, aye; Connie Smith, aye. Motion carried.** Troy Huckaby requested copies of the proposal letter from Trinity Pines Camp and Conference Center to Fred Ostler.


**Matt Neukom - Public Lands Highways Discretionary Program for Lakeshore Drive -** Matt Neukom reported on the Public Lands Highways Discretionary Program that funds for the design and construction of transportation improvement projects in and around federal lands. Reported on the Lakeshore Drive improvement project being a good match. Reported on the required water and sewer improvements and costs. Reported on including a segment to Lakeview Drive in the project. **A motion was made by Troy Huckaby to authorize Horrocks Engineers to submit the Public Lands Highways Discretionary Program application for funding for Lakeshore Drive improvements to the Idaho Transportation Department, and to authorize the mayor to sign scope of work and fee in the amount of \$100.00, and Connie Smith seconded the motion. Roll call vote: Troy Huckaby, aye; Connie Smith, aye; Debbie Haskins, aye. Motion carried.**

**UNFINISHED BUSINESS**

**Connie Smith - Proposed Building Code Amendments** - Mayor Carter reported there are three versions of the proposed building code amendments. Connie Smith reported on her evaluation of the seismic calculation. **A motion was made by Debbie Haskins to table the proposed building code amendments until Building Inspector Sally Gossi is able to get together with Valley County to go through the proposed changes and resubmit, and Troy Huckaby seconded the motion.** Troy Huckaby suggested holding a workshop for the proposed amendments. **Roll call vote: Connie Smith, aye; Debbie Haskins, aye; Troy Huckaby, aye. Motion carried.**


There being no further business, the second regular council meeting was adjourned at 7:55 p.m.

Respectfully submitted,




Pamela J. DeChambeau, Clerk/Treasurer

Approved:



R. W. Carter, Mayor

Attest:



Pamela J. DeChambeau, Clerk/Treasurer



# CASCADE CITY COUNCIL MINUTES

## SECOND REGULAR MEETING

Monday, June 27, 2011

6:00 PM

### CALL TO ORDER AND ROLL CALL

Mayor Carter called the second regular meeting of the Cascade City Council to order on Monday, June 27, 2011 at 6:00 p.m. at Cascade City Hall.

The following councilors were present: Debbie Haskins, Troy Huckaby, Connie Smith, and Rob Terry.

Also present were the following city officials: Police Chief Ryan Redmon, City Engineer Fred Ostler, and Clerk/Treasurer Pam DeChambeau.

**A motion was made by Connie Smith to amend the agenda to add Adoption of a Policy for Issuance of an Alcohol Beverage Catering Permit, before Ordinance No. 646, under unfinished business, and Rob Terry seconded the motion.** Troy Huckaby verified an agenda was posted in the notice box with the item Adoption of a Policy for Issuance of an Alcohol Beverage Catering Permit. **Roll call vote: Debbie Haskins, aye; Troy Huckaby, aye; Connie Smith, aye; Rob Terry, aye. Motion carried.**

**A motion was made by Connie Smith to amend the agenda to add two items to the end of the agenda, as requested by Pam DeChambeau, Pre-termination Hearings and Budget Schedule Revision, and Troy Huckaby seconded the motion. Roll call vote: Troy Huckaby, aye; Connie Smith, aye; Rob Terry, aye; Debbie Haskins, aye. Motion carried.**

### PUBLIC COMMENT

Ryan Redmon reported police officers from Garden City and Nampa are coming to work the 4<sup>th</sup> of July weekend at the cost of their meals and lodging.

Mayor Carter, 415 North Hillcrest, reported on the State of Idaho Attorney General's Office's opinion regarding when a city council member went into Reo's Pizza and pronounced to an employee that the beer and wine license issued from the City of Cascade was invalid. This action automatically created a civil liability to the city and the city could be liable for any punitive damages. The Attorney General's Office stated Reo's Pizza had a beer and wine license that was legal under presumption of regularity. Mayor Carter requested anything the city council observes that is wrong or not legal, please bring the issue to city hall.

## APPROVAL OF THE BILLS

**A motion was made by Debbie Haskins to approve payment of the bills dated June 28, 2011 in the amount \$27,638.77, and Rob Terry seconded the motion.** Connie Smith confirmed the payment to T-O Engineers was for work related to completing the required Federal Aviation Administration final engineer's report for acquisition of the Young property in accordance with the Professional Services Agreement dated October 1, 2009 and amended June 3, 2010. **Roll call vote: Connie Smith, aye; Rob Terry, aye; Debbie Haskins, aye; Troy Huckaby, aye. Motion carried.**

## UNFINISHED BUSINESS

**Ronda Sandmeyer - Cascade Air-A-Fair** - Ronda Sandmeyer, Valley County Convention and Visitors Bureau, Inc., reported the council approved to support the Cascade Air-A-Fair event in conjunction with the Valley County Fair, and requested the council allow the Cascade Air-A-Fair to be held at the airport. Reported on the proposed event schedule for August 5 and 6, 2011, on the advertising, rides and entertainment provided to the Valley County Fair, on the time the airport would be closed, and on the liability insurance purchased. **A motion was made by Troy Huckaby to clarify the authorization to hold the Cascade Air-A-Fair in conjunction with the Valley County Fair, and Debbie Haskins seconded the motion. Roll call vote: Rob Terry, aye; Debbie Haskins, aye; Troy Huckaby, aye; Connie Smith, aye. Motion carried.**

**Resolution No. 11-06 - A Resolution Setting a Specific Policy for Issuance of Alcohol Beverage Catering Permits** - The proposed policy for issuance of an alcohol beverage catering permit within the city limits was reviewed and revised. Charging a filing fee in the maximum amount allowed by law, issuing catering permits to only City of Cascade retail alcohol beverage licensee's, establishing limits on the number of catering permits issued to a retail alcohol beverage licensee, previous violations regulating noise, alcohol or food service of a retail alcohol beverage licensee, requiring liability insurance naming the City of Cascade as co-insured if the event is held on city property, the number of people expected to attend the event, and a plan for parking, was discussed. **A motion was made by Troy Huckaby to adopt Resolution No. 11-06, a resolution setting a specific policy for issuance of alcohol beverage catering permits, with the policy changes discussed, and Debbie Haskins seconded the motion. Roll call vote: Debbie Haskins, aye; Troy Huckaby, aye; Connie Smith, aye; Rob Terry, aye. Motion carried.**

**Ordinance No. 646 - An Ordinance Amending Alcoholic Beverages on Public Streets - Third Reading** - Debbie Haskins read the title of Ordinance No. 646. **A motion was made by Debbie Haskins to adopt Ordinance No. 646, an ordinance allowing alcoholic beverages on public streets or ways when sold by a licensee under an Idaho liquor catering permit, and Rob Terry seconded the motion.** Sharon Olson, 342 Cabarton Road, Cascade, demonstrated wrist bands identifying people who are 21 years old or older. Lavona Woodward, 106 School Street, Cascade, reported she would like to see the wrist bands being required and issued because people who are under 21 years old could be with people who are 21 years and older, and reported she feels it is important to do all that we can to help our police do their job. Robin Miller, 413 Cabarton Road, Cascade, stated stupidity cannot be regulated, we do not live in a police nation, we cannot regulate everything, there has to be a responsibility in there somewhere, this is a good policy, and the police chief agrees with the policy. **Roll call vote: Troy Huckaby, aye; Connie Smith, aye; Rob Terry, aye; Debbie Haskins, aye. Motion carried.**

#### **NEW BUSINESS**

**John Gahl - Request to Waive Armstrong Park Fee - Moser Community Health Clinic - A motion was made by Connie Smith to waive the park reservation fee for reserving Armstrong Park for Moser Community Health Clinic on for September 4, 2011, as long as they accept full financial responsibility for damages to the property and equipment, and perform park clean-up, and Debbie Haskins seconded the motion. Roll call vote: Connie Smith, aye; Rob Terry, aye; Debbie Haskins, aye, Troy Huckaby, no. Motion carried.**

**Approval of 2011 Liquor, Beer and Wine Licenses - A motion was made by Debbie Haskins to approve 2011 liquor, beer and wine retail alcoholic beverage licenses for CGC Corporation doing business as Cascade Golf Course, Reo's Enterprises, LLC, doing business as Reo's Pizza, Intermountain Food Stores, Inc., doing business as Howdy's Gas & Grub, Intermountain Food Stores, Inc., doing business as Harpos's Chevron, Sharon and Tom Olson, doing business as Whistle Stop Café, Manteufel Enterprises, LLC, doing business as Route 55 Café and Drive In, Larry J. and Janet Walters, doing business as Valley Store, Ten Cascade Corporation, doing business as D-9, June K. Victor doing business as Valley Club, Frank Spicklemire Post 60 American Legion, Inc. doing business as American Legion Post 60, and Rob Terry seconded the motion. Roll call vote: Rob Terry, aye; Debbie Haskins, aye; Troy Huckaby, aye; Connie Smith, aye. Motion carried.**

**Alcohol Beverage Catering Permit – June K. Victor – Valley Club – A motion was made by Debbie Haskins to waive the \$20.00 fee for the Alcohol Beverage Catering Permit request from June K. Victor, Valley Club to cater for the Lyons Club barbeque at Armstrong Park on July 2, 2011, and Rob Terry seconded the motion. Roll call vote: Debbie Haskins, aye; Troy Huckaby, no; Connie Smith, aye; Rob Terry, aye. Motion carried.**

**Jared Zwygart – Report on Audited Basic Financial Statements and Supplemental Information for the Year Ended September 30, 2011 – Jared Zwygart presented the audit report. Summarized the Independent Auditor's Report. Discussed the omission of the management's discussion and analysis. Summarized the Statement of Net Assets compared to the Balance Sheet. Reviewed the budgetary comparison schedules and the detailed budget comparison schedules. Reported on assigned and unassigned fund balances in the governmental funds, and restricted and unrestricted cash in the proprietary funds. Reviewed the statement of revenues, expenses and changes in fund net assets compared to the statement of cash flows for the proprietary funds. A motion was made by Debbie Haskins to accept the City of Cascade report on audited basic financial statements and supplemental information, by Bailey & Company, Chartered, for the year ended September 30, 2010, and Rob Terry seconded the motion. Roll call vote: Troy Huckaby, aye; Connie Smith, aye; Rob Terry, aye; Debbie Haskins, aye. Motion carried.**

**Barb Hutchinson – McPaws – Barb Hutchinson from McPaws requested \$2,000.00 from the City of Cascade for McPaws general operating expenses and reported a \$55,000.00 reduction in the McPaws budget for the upcoming year. Reported on the Thrift Store's anticipated \$60,000.00 in revenues. Reported on the 596 dogs and cats taken in last year. Reported on a \$20,000.00 grant received to spay and neuter.**

**Fred Ostler – Sewer Facilities Planning Study – Project Priority List – Fred Ostler presented a preliminary charted project schedule and reported today the council needs to select a project priority list and tomorrow he will write a letter to the Environmental Protection Agency informing them of the council's decision. Reported on the bond election, educating citizens, a public development specialist, holding a public meeting with a public development specialist. Outlined the steps in the environmental impact document. Victor Godfrey presented six important areas in the system needing improvement, Terrace Hills Mobile Home Park, Skyline Drive, Lakeview Avenue and Jeffrey Avenue, Mill Street, Cabarton Area and Pine Street Area, as the priority list for use of possible funding from the State and Tribal Assistance Grant. Discussed separating treatment improvements from collection improvements and requesting a category exclusion of the environmental impact document on the collection improvements. A motion was made by Rob Terry for a letter to submit to Keller Engineering for the use of the State Tribal and Assistance**

**funds for the sewer improvements in the City of Cascade, authorizing Project Engineering Consultants to submit that letter and the mayor to sign the letter, and Troy Huckaby seconded the motion. Roll call vote: Connie Smith, aye; Rob Terry, aye; Debbie Haskins, aye; Troy Huckaby, aye. A motion was made by Rob Terry to have Project Engineering Consultants communicate with the Idaho Department of Environmental Quality and state in the Cascade Sewer Facilities Planning Study that Phase 1 improvements, as described by Project Engineering Consultants, is the preferred alternate, and Phase 2 improvements is the secondary alternate for the collection system, and Alternate 2 improvements is the preferred alternate for the treatment system, contingent upon the lagoons passing the leak test, and Troy Huckaby seconded the motion. Roll call vote: Rob Terry, aye; Debbie Haskins, aye; Troy Huckaby, aye; Connie Smith, aye. Motion carried.** Rob Terry reported on arranging a meeting to be held in Cascade with the Idaho Department of Environmental Quality, City Engineer Fred Ostler, and Superintendent Randy Redmon to present the preferred alternate improvements and discuss the Environmental Impact Document each will require.

**Matt Neukom - Project Status Report on Transportation Funding and Sewer Improvements** - Matt Neukom reported on the Public Lands Discretionary Funding application submitted for Lakeshore Drive. Reported on the Idaho Transportation Department recommending the application to the Federal Highway Administration and reported the application ranked number 11 out of 24 applicants.

Reported on the Federal Emergency Management Agency Pre-Disaster Mitigation Program administered through Idaho Bureau of Homeland Security. Recommended submitting a letter of interest for storm water improvements, and reported on Whisper Mountain, a disaster planning/mitigation firm from Chubbuck, Idaho who will complete a letter of interest for the city at no charge. **A motion was made by Troy Huckaby to authorize Horrocks Engineers to contact Whisper Mountain to complete a letter of interest for the city to the Federal Emergency Management Agency for their Pre-Disaster Mitigation Program at no charge, and Rob Terry seconded the motion. Roll call vote: Debbie Haskins, aye; Troy Huckaby, aye; Connie Smith, aye; Rob Terry, aye. Motion carried.**

**Proposals for Lagoon Seepage Test** - Proposals to perform the lagoon seepage test were received from Schiess & Associates, Horrocks Engineers, and Pharmer Engineering. The process and steps to perform a lagoon seepage test were discussed. Jim Fodrea, presented the proposal from Fodrea Land Group and Pharmer Engineering. Matt Neukom presented the proposal from Horrocks Engineers. Further discussion followed on the process and steps to perform a lagoon seepage test. **A motion was made by Debbie Haskins to accept the sewer lagoon leak testing proposal from Horrocks Engineers, their scope of work and fee in the amount of \$5,500.00, and authorize the mayor to sign, and Connie Smith seconded the motion. Roll call vote:**

**Troy Huckaby, aye; Connie Smith, aye; Rob Terry, aye; Debbie Haskins, aye. Motion carried.**

**Public Hearing - Ordinance No. 649 - An Ordinance Amending the Annual Appropriation Ordinance for the Fiscal Period October 1, 2010 to September 30, 2011** - Mayor Carter opened the public hearing for consideration of the proposed amendments to the budget for the fiscal year October 1, 2010 to September 30, 2011. No citizens were present for the public hearing and no written correspondence has been received. The amendments to the budget reflect receipt of \$24,900.00 in fund balance funds for the Local Improvement District 91-1, \$258,750.00 in Federal Aviation Administration grant funds, and \$6,769.00 in Idaho Transportation Department Division of Aeronautics grant funds for the airport. Mayor Carter closed the public hearing. **A motion was made by Debbie Haskins to waive the requirement to read an ordinance on three different days, and to waive the requirement for one reading to be in full, for Ordinance No. 649, and Rob Terry seconded the motion. Roll call vote: Connie Smith, aye; Rob Terry, aye; Debbie Haskins, aye; Troy Huckaby, aye. Motion carried. A motion was made by Debbie Haskins to adopt Ordinance No. 649, an ordinance of the City of Cascade, Idaho amending Ordinance No. 641, the appropriation ordinance for the fiscal year beginning October 1, 2010 and ending September 30, 2011 and providing an effective date. Roll call vote: Rob Terry, aye; Debbie Haskins, aye; Troy Huckaby, aye; Connie Smith, aye. Motion carried.**

**Closure of Market Street between D-9 and Wheeler's Pharmacy for Kelly's Whitewater Park Awards Ceremony and Concert on Sunday, July 10, 2011** - Mayor Carter reported on the event schedule and layout for the awards ceremony for the USA Freestyle Kayak National Championship competition. **A motion by Debbie Haskins to approve the closure of Market Street between D-9 and Wheeler's Pharmacy for the USA Freestyle Kayak National Championship awards ceremony on Sunday, July 10, 2011 and for the 4<sup>th</sup> of July food vendors on Saturday July 2, 2011, and Connie Smith seconded the motion. Roll call vote: Debbie Haskins, aye; Troy Huckaby, aye; Connie Smith, aye; Rob Terry, aye. Motion carried.**

**Ordinance No. 648 - An Ordinance Amending Recreational Activities - Other Vehicles** - The proposed ordinance prohibiting the operation of all motorized vehicles on the Greenbelt/Strand was reviewed and revised to a new subsection (I) and to read "The operation of all motorized vehicles is prohibited within and on the Greenbelt / Strand. Provided, however, that the use of wheelchairs for those with a bona fide physical infirmity shall not be prohibited." **A motion was made by Debbie Haskins to waive the requirement to read an ordinance on three different days, and to waive the requirement for one reading to be in full, for Ordinance No. 648, and Rob Terry seconded the motion. Roll call vote: Troy Huckaby, aye; Connie Smith, aye; Rob Terry, aye; Debbie Haskins, aye. Motion carried.**

**A motion was made by Debbie Haskins to adopt Ordinance No. 648, an ordinance prohibiting the operation of all motorized vehicles on the Greenbelt / Strand, and Rob Terry seconded the motion. Roll call vote: Connie Smith, aye; Rob Terry, aye; Debbie Haskins, aye; Troy Huckaby, aye. Motion carried.**

**Ordinance No. 647 - An Ordinance Amending Time and Place of Meetings - A motion was made by Debbie Haskins to waive the requirement to read an ordinance on three different days, and to waive the requirement for one reading to be in full, for Ordinance No. 647, and Rob Terry seconded the motion. Roll call vote: Rob Terry, aye; Debbie Haskins, aye; Troy Huckaby, aye; Connie Smith, aye. Motion carried. A motion was made by Debbie Haskins to adopt Ordinance No. 647, an ordinance of the City of Cascade, Valley County, Idaho, amending Section 4 of Chapter 6 Title 1 Time and Place of Meetings of the Cascade City Code; Providing for Severability, Conflict, Validity and a Savings Clause; Providing an Effective Date; and Directing the City Clerk, and Rob Terry seconded the motion. Roll call vote: Debbie Haskins, aye; Troy Huckaby, aye; Connie Smith, aye; Rob Terry, aye. Motion carried.**

#### **UNFINISHED BUSINESS**

**Proposed Building Code Amendments to Adopt the 2009 Editions of the International Building, Residential, Fire and Energy Conservation Codes** – The mayor and council reviewed and discussed the proposed building code amendments for adoption of the 2009 editions of the International Building, Residential, Fire and Energy Conservation Codes. Further revision will be completed by City Attorney Chris Nye.


**Proposed Water Service Agreements for Water Service outside the City Limits - A motion was made by Debbie Haskins to table the water service agreements for water service outside the city limits to the July 11, 2011 regular city council agenda, and Rob Terry seconded the motion. Roll call vote: Troy Huckaby, aye; Connie Smith, no; Rob Terry, aye; Debbie Haskins, aye. Motion carried.**

**Pre-Termination Hearings** – A repayment agreement to pay \$100.00 on July 1, 2011, \$65.00 on July 15, 2011, and \$65.00 on August 1, 2011 was submitted for account number 34441.01. **A motion was made by Debbie Haskins to accept the repayment agreement for account number 34441.01, and Rob Terry seconded the motion. Roll call vote: Connie Smith, aye; Rob Terry, aye; Debbie Haskins, aye; Troy Huckaby, aye. Motion carried.**


**Budget Schedule Revision** – Pam DeChambeau reported presentation of budget proposals from the department heads is scheduled for this Wednesday, June 29, 2011 and two department heads are not ready and are requesting more time. The presentation of the budget proposals from the department heads is re-scheduled to Wednesday, July 13, 2011.

There being no further business, the second regular council meeting was adjourned at 10:30 p.m.

Respectfully submitted,

  
\_\_\_\_\_  
Pamela J. DeChambeau, Clerk/Treasurer

Approved:

  
\_\_\_\_\_  
R. W. Carter, Mayor

Attest:

  
\_\_\_\_\_  
Pamela J. DeChambeau, Clerk/Treasurer

**CITY OF CASCADE  
NOTICE OF PUBLIC HEARING**

The City Council of the City of Cascade, Valley County, Idaho will hear comments from the public concerning the City of Cascade Sewer Facilities Planning Study at 6:00 p.m. on Monday, May 23, 2011, at Cascade City Hall, 105 South Main Street, Cascade, Idaho. A short technical presentation will be given before the public comment period to follow.

The proposed plan and supporting documentation is available for viewing at Cascade City Hall. All interested persons are invited to attend the hearing to express their views regarding the study and the proposed sewer system improvements. Oral and written comment may be offered at the hearing or may be submitted up to the time of the hearing. Assistance for persons with disabilities will be provided – to make arrangements please call City Clerk Pam DeChambeau at 382-4279 at least 24 hours prior to the hearing.

Please publish May 5, 12 and 19, 2011



1000 First Street  
McCall, ID 83638

Date	05/19/11
Invoice No.	28584
Terms	Net 30

# Invoice

Bill To  
CITY OF CASCADE  
PO BOX 649  
CASCADE ID 83611-0649

Item	Description	Quantity	Rate	Amount
09	Legal Advertising-SEWER FACILITIES PLANNING STUDY-HEARING-MAY 5, 12, 19		66.00	66.00

	<b>Total</b>	<b>\$66.00</b>
--	--------------	----------------

**CITY OF CASCADE  
NOTICE OF PUBLIC COMMENT PERIOD**

The City Council of the City of Cascade, Valley County, Idaho will be accepting comments from the public regarding the City of Cascade Sewer Facilities Planning Study and proposed sewer system improvements.

The public comment period will be from Friday, September 30, 2011 and will end on Friday, October 14, 2011. Comments will be accepted at Cascade City Hall, 105 South Main Street, P. O. Box 649, Cascade, Idaho, 83611-0649. City hall is open 8 a.m. to 5 p.m. weekdays, telephone 208-382-4279, fax 208-382-7204, and email [clerk@cascadeid.us](mailto:clerk@cascadeid.us).

The intent of the proposed collection system improvements include:

- Reduce groundwater inflows
- Prevent root penetration into the system
- Install a flexible pipe to absorb ground movements/settlement

The proposed project improvements for the collection system include the installation of approximately 18,500 linear feet of high density polyethylene pipe, utilizing pipe bursting methods where applicable. The proposed alternate project improvements for the collection system are the installation of approximately 17,680 linear feet of high density polyethylene pipe, utilizing pipe bursting where applicable.

The proposed project improvements for the treatment system are the construction of a new triplex lift station, construction of a building to house three 40 horse power aeration system blowers, installation of aerators, and construction of a building for a disinfection system.

The sewer facilities planning study and the proposed sewer system improvements with maps showing the proposed improvements are available for viewing at Cascade City Hall.

Please publish September 29 and October 6, 2011

# Publisher's Affidavit of Publication

STATE OF IDAHO

} ss

County of Valley

I, Carol J. Wright, being duly sworn and say, I am the receptionist of The Star-News, a weekly newspaper published at McCall, in the County of Valley, State of Idaho: that said newspaper is in general circulation in the county of afore said and is a legal newspaper; that the PUBLIC NOTICE, a copy of which is enclosed hereto and is a part hereof, was published in said newspaper once a week for a period of two weeks in the regular and entire issue of every number there of during the period of time of publication, and was published in the newspaper proper and not in a supplement; and that publication of such notice began September 29, 2011 and ended October 6, 2011.

*Carol J. Wright*


Subscribed and sworn before me this the 6th day of October, 2011.

STATE OF IDAHO

COUNTY OF VALLEY

}

On this 6th day of October, in the year of 2011, before me, a Notary Public, personally appeared Carol J. Wright, known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that she executed the same.



*Tom Grote*

Tom Grote  
Notary Public for Idaho  
Residing at McCall, Idaho  
Commission Expires 2/8/12

## CITY OF CASCADE

### NOTICE OF PUBLIC COMMENT PERIOD

The City Council of the City of Cascade, Valley County, Idaho will be accepting comments from the public regarding the City of Cascade Sewer Facilities Planning Study and proposed sewer system improvements.

The public comment period will be from Friday, September 30, 2011 and will end on Friday, October 14, 2011. Comments will be accepted at Cascade City Hall, 105 South Main Street, P. O. Box 649, Cascade, Idaho, 83611-0649. City hall is open 8 a.m. to 5 p.m. weekdays, telephone 208-382-4275, fax 208-382-7204, and email clerk@cascaeid.us.


The intent of the proposed collection system improvements include:

- Reduce groundwater inflows
- Prevent root penetration into the system
- Install a flexible pipe to absorb ground movements/settlement

The proposed project improvements for the collection system include the installation of approximately 18,500 linear feet of high density polyethylene pipe, utilizing pipe bursting methods where applicable. The proposed alternate project improvements for the collection system are the installation of approximately 17,680 linear feet of high density polyethylene pipe, utilizing pipe bursting where applicable.

The proposed project improvements for the treatment system are the construction of a new triplex lift station, construction of a building to house three 40 horse power aeration system blowers, installation of aerators, and construction of a building for a disinfection system.

The sewer facilities planning study and the proposed sewer system improvements with maps showing the proposed improvements are available for viewing at Cascade City Hall, 2c:10/6



December 2, 2011

Ester Ceja  
Senior Water Quality Analyst  
Idaho Department of Environmental Quality  
1410 North Hilton  
Boise, Idaho 83706

Dear Ms. Ceja:

At the city council meeting on Monday, June 27, 2011 the city council voted to state in the Cascade Sewer Facilities Planning Study that Phase 1 improvements, as described by Project Engineering Consultants, is the preferred alternate, and Phase 2 improvements is the secondary alternate for the collection system, and Alternate 2 improvements is the preferred alternate for the treatment system, contingent upon the sewer lagoons passing the leak test.


The public comment period process ended on Friday, October 14, 2011. There were no comments received during the public comment period. Based on the fact no comments were received, the city council reaffirms the selection stated above.

Respectfully,

A handwritten signature in blue ink, appearing to read "R. W. Carter", is written over the word "Respectfully,".

R. W. Carter  
Mayor





# City of Cascade

## Cascade Facility Plan Study Phasing Plan



**Project Engineering Consultants**  
3818 E. Newby St. #101  
Nampa, Idaho 83687

Created June 20, 2010

### Legend

	R&R MH	New MH	Sewer Lines
Existing Sewer	●		—
Phase I	●	●	—
Phase II	●	●	—
Force Main			- - -
Private System Boundary			- - - -
Railroad			+ + + +
<b>STAG Grant Priorities</b>			
#1 Terrace Hills		#4 Mill St. Area	
#2 Skyline		#5 Cabarton Area	
#3 Lakeview & Jeffrey		#6 Pine St. Area	



160161 0002 A



NATIONAL FLOOD INSURANCE PROGRAM

**FIRM**  
FLOOD INSURANCE RATE MAP

CITY OF  
CASCADIA,  
IDAHO  
VALLEY COUNTY

**MAP INDEX**  
and  
**STREET INDEX**

PANELS PRINTED: 1, 2

COMMUNITY-PANEL NUMBERS  
160161 0001 - 0002

EFFECTIVE DATE:  
SEPTEMBER 15, 1989



Federal Emergency Management Agency

This is an official copy of a portion of the above referenced flood map. It was extracted using F-MIT On-Line. This map does not reflect changes or amendments which may have been made subsequent to the date on the title block. For the latest product information about National Flood Insurance Program flood maps check the FEMA Flood Map Store at [www.msc.fema.gov](http://www.msc.fema.gov)