



STATE OF IDAHO
DEPARTMENT OF
ENVIRONMENTAL QUALITY

1410 North Hilton • Boise, Idaho 83706 • (208) 373-0502

C.L. "Butch" Otter, Governor
Toni Hardesty, Director

August 15, 2007

Certified Mail No. 71020243684100000093

Mr. Rick Brenneman
Treasure Valley Forest Products
7789 S. Federal Way
Boise, ID 83716

RE: Facility ID No. 001-00208, Treasure Valley Forest Products, Boise
Final Permit Letter

Dear Mr. Brenneman:

The Idaho Department of Environmental Quality (DEQ) is issuing Permit to Construct (PTC) No. P-2007.0060 to Treasure Valley Forest Products, in accordance with IDAPA 58.01.01.200 through 228 (Rules for the Control of Air Pollution in Idaho).

This permit is based on your permit application received on April 15, 2007. This permit is effective immediately. This permit does not release Treasure Valley Forest Products from compliance with all other applicable federal, state, or local laws, regulations, permits, or ordinances.

Pursuant to General Provision 5 of your permit, it is required that Construction and Operation Notification be provided. Please provide this information as listed to DEQ's Boise Regional Office, 1445 N. Orchard, Boise, ID 83706.

In order to fully understand the compliance requirements of this permit, DEQ highly recommends that you schedule a meeting with Mr. Tom Krinke, Air Quality Compliance Officer, at (208) 373-0550 to review and discuss the terms and conditions of this permit. Should you choose to schedule this meeting, DEQ recommends the following representatives attend the meeting: your facility's plant manager, responsible official, environmental contact, and any other staff responsible for day-to-day compliance with permit conditions.

Pursuant to IDAPA 58.01.23, you, as well as any other entity, may have the right to appeal this final agency action within 35 days of the date of this decision. However, prior to filing a petition for a contested case, I encourage you to contact Jonathan Pettit at (208) 373-0502 or Jonathan.Pettit@deq.idaho.gov to address any questions or concerns you may have with the enclosed permit.

Sincerely,

A handwritten signature in black ink, appearing to read "Mike Simon". The signature is fluid and cursive, with a large initial "M" and a long, sweeping underline.

Mike Simon
Stationary Source Program Manager
Air Quality Division

MSVP\fw Project No. P-2007.0060 G:\Air Quality\Stationary Source\Permitting Process\Facilities\Treasure Valley Forest Products
Yamhill.Boise\P-2007.0060\P-2007.0060.Final.PL.doc

Enclosures

c: Tom Krinke, Boise Regional Office
Bill Rogers, Permit Coordinator (Ltr only)
Jonathan Pettit, Permit Writer
Marilyn Seymore/ Pat Rayne, Air Quality Division
Laurie Kral, US EPA Region 10
Permit Binder
Source File
Phyllis Heitman (Ltr Only)
Reading File (Ltr Only)



**Air Quality
PERMIT TO CONSTRUCT
State of Idaho
Department of Environmental Quality**

PERMIT No.: P-2007.0060
FACILITY ID No.: 001-00208
AQCR: 64 **CLASS:** B
SIC: 2452 **ZONE:** 11
UTM COORDINATE (km): 567.7, 4822.3

1. PERMITTEE

Treasure Valley Forest Products

2. PROJECT

Initial PTC – New source at unpermitted existing facility.

3. MAILING ADDRESS

1625 Yamhill Road

CITY

Boise

STATE

ID

ZIP

83716

4. FACILITY CONTACT

Rick Brenneman

TITLE

Direct Sales Manger

TELEPHONE

(208) 336-2450

5. RESPONSIBLE OFFICIAL

Dan Balbach

TITLE

Owner

TELEPHONE

(208) 336-2450

6. EXACT PLANT LOCATION

1625 Yamhill Road, Boise, ID 83716

COUNTY

Ada

7. GENERAL NATURE OF BUSINESS & KINDS OF PRODUCTS

Processing of green logs to lumber product.

8. PERMIT AUTHORITY

This permit is issued according to the Rules for the Control of Air Pollution in Idaho, IDAPA 58.01.01.200 through 228, and pertains only to emissions of air contaminants regulated by the state of Idaho and to the sources specifically allowed to be constructed or modified by this permit.

This permit (a) does not affect the title of the premises upon which the equipment is to be located; (b) does not release the permittee from any liability for any loss due to damage to person or property caused by, resulting from, or arising out of the design, installation, maintenance, or operation of the proposed equipment; (c) does not release the permittee from compliance with other applicable federal, state, tribal, or local laws, regulations, or ordinances; (d) in no manner implies or suggests that the Department of Environmental Quality (DEQ) or its officers, agents, or employees, assume any liability, directly or indirectly, for any loss due to damage to person or property caused by, resulting from, or arising out of design, installation, maintenance, or operation of the proposed equipment.

This permit will expire if construction has not begun within two years of its issue date or if construction is suspended for one year.

This permit has been granted on the basis of design information presented with its application. Changes in design, equipment or operations may be considered a modification. Modifications are subject to DEQ review in accordance with IDAPA 58.01.01.200 through 228 of the Rules for the Control of Air Pollution in Idaho.


**JONATHAN PETTIT, PERMIT WRITER
DEPARTMENT OF ENVIRONMENTAL QUALITY**

DATE MODIFIED/REVISED:

DATE ISSUED:

August 15, 2007



**MIKE SIMON, STATIONARY SOURCE PROGRAM MANAGER
DEPARTMENT OF ENVIRONMENTAL QUALITY**

Table of Contents

ACRONYMS, UNITS, AND CHEMICAL NOMENCLATURE.....	3
1. PERMIT TO CONSTRUCT SCOPE	4
2. WOOD-FIRED BOILER, DRYING KILN, AND ASSOCIATED HANDLING	6
3. SAWMILL AND LOG PROCESSING.....	8
3. PERMIT TO CONSTRUCT GENERAL PROVISIONS.....	11

Acronyms, Units, and Chemical Nomenclature

AIRS	Aerometric Information Retrieval System
AQCR	Air Quality Control Region
Btu	British thermal unit
DEQ	Department of Environmental Quality
dscf	dry standard cubic feet
EPA	U.S. Environmental Protection Agency
gr	grain (1 lb = 7,000 grains)
HAPs	hazardous air pollutants
IDAPA	a numbering designation for all administrative rules in Idaho promulgated in accordance with the Idaho Administrative Procedures Act
km	kilometer
lb/hr	pound per hour
MMBtu	million British thermal units
NO ₂	nitrogen dioxide
PM	particulate matter
PM ₁₀	particulate matter with an aerodynamic diameter less than or equal to a nominal 10 micrometers
PTC	permit to construct
PTE	potential to emit
SIC	Standard Industrial Classification
SO ₂	sulfur dioxide
T/yr	tons per year
µg/m ³	micrograms per cubic meter
UTM	Universal Transverse Mercator

AIR QUALITY PERMIT TO CONSTRUCT NUMBER: P-2006.0060

Permittee:	Treasure Valley Forest Products	Facility ID No. 001-00208
Location:	Boise, Idaho	

1. PERMIT TO CONSTRUCT SCOPE

Purpose

1.1 This is an initial PTC for construction of a C-Frame sawmill at the Treasure Valley Forest Products the facility is at 1625 Yamhill Road, Boise, Idaho 83716. This facility is previously unpermitted.

Regulated Sources

1.4 Table 1.1 lists all sources of regulated emissions in this PTC.

Table 1.1 SUMMARY OF REGULATED SOURCES

Permit Section	Source Description	Emissions Control(s)
2	<p>Wood-fired Boiler, Drying Kiln, and Associated Handling</p> <p><u>Wood-fired Boiler</u> Manufacturer: Central Boiler Model No.: CL 5648SB Max BTU: 500,000</p> <p><u>Drying Kiln</u> Max Capacity: 1 million board feet/yr Actual Operation: 8760 hr/yr Max Operation: 8760 hr/yr</p>	None
3	<p>Sawmilling and Processing</p> <p><u>Debarker/Sorter</u></p> <ul style="list-style-type: none"> - Max Capacity: 13 million board feet/yr - Actual Operation: 2080 hr/yr - Max Operation: 8760 hr/yr <p><u>Debarker/Sorter Screen</u></p> <ul style="list-style-type: none"> - Max Capacity: 13 million board feet/yr - Actual Operation: 2080 hr/yr - Max Operation: 8760 hr/yr <p><u>Green Lathe Cyclone</u></p> <ul style="list-style-type: none"> - Max Capacity: 10,264 tons dry wood/yr - Actual Operation: 2080 hr/yr - Max Operation: 8760 hr/yr <p><u>Green Lathe Cyclone Bin</u></p> <ul style="list-style-type: none"> - Max Capacity: 10,264 tons dry wood/yr - Actual Operation: 2080 hr/yr - Max Operation: 8760 hr/yr <p><u>Processor A Cyclone</u></p> <ul style="list-style-type: none"> - Max Capacity: 1,026 tons dry wood/yr - Actual Operation: 2080 hr/yr - Max Operation: 8760 hr/yr <p><u>Processor A Cyclone Bin</u></p> <ul style="list-style-type: none"> - Max Capacity: 1,026 tons dry wood/yr - Actual Operation: 2080 hr/yr - Max Operation: 8760 hr/yr 	None

AIR QUALITY PERMIT TO CONSTRUCT NUMBER: P-2006.0060

Permittee:	Treasure Valley Forest Products	Facility ID No. 001-00208
Location:	Boise, Idaho	

Table 1.2 SUMMARY OF REGULATED SOURCES

Permit Section	Source Description	Emissions Control(s)
3	<u>Processor B Cyclone</u> - Max Capacity: 153 tons dry wood/yr - Actual Operation: 2080 hr/yr - Max Operation: 8760 hr/yr	None
	<u>Processor B Cyclone Bin</u> - Max Capacity: 153 tons dry wood/yr - Actual Operation: 2080 hr/yr - Max Operation: 8760 hr/yr	
	<u>Pole Lathe Cyclone</u> - Max Capacity: 998 tons dry wood/yr - Actual Operation: 2080 hr/yr - Max Operation: 8760 hr/yr	
	<u>Pole Lathe Cyclone Bin</u> - Max Capacity: 998 tons dry wood/yr - Actual Operation: 2080 hr/yr - Max Operation: 8760 hr/yr	
	<u>Sawmill</u> - Max Capacity: 12 million board feet/yr - Actual Operation: 2080 hr/yr - Max Operation: 8760 hr/yr	
	<u>Sawmill dust bin</u> - Max Capacity: 1,796 tons dry wood/yr - Actual Operation: 2080 hr/yr - Max Operation: 8760 hr/yr	
	<u>Sawmill chip bin 1</u> - Max Capacity: 3,849 tons dry wood/yr - Actual Operation: 2080 hr/yr - Max Operation: 8760 hr/yr	
	<u>Sawmill chip bin 2</u> - Max Capacity: 3,849 tons dry wood/yr - Actual Operation: 2080 hr/yr - Max Operation: 8760 hr/yr	
	Max Operation: 8760 hr/yr	

AIR QUALITY PERMIT TO CONSTRUCT NUMBER: P-2006.0060

Permittee:	Treasure Valley Forest Products	Facility ID No. 001-00208
Location:	Boise, Idaho	

2. WOOD-FIRED BOILER, DRYING KILN, AND ASSOCIATED HANDLING

2.1 Process Description

The wood-fired boiler is used to generate hot water used in the radiators to heat the drying kiln. The boiler burns wood scraps and has a rated fuel input of 500,000 BTU/hr.

Debarked and roughly processed logs are placed in the drying kiln for 8 to 10 weeks to reduce the nominal moisture content of the product from 35% to 15%. The kiln is heated to 120 degrees Fahrenheit with hot water heaters.

2.2 Emissions Control Description

Table 2.1 WOOD-FIRED BOILER AND DRYING KILN DESCRIPTION

Emissions Units/Processes	Emissions Control Device	Emissions Point
Wood-fired boiler	Wood fuel only	BOILER (Stack)
Drying Kiln	None	KILN (Fugitive)

Emissions Limits

2.3 Emissions Limits

PM₁₀ emissions from the Wood-fired boiler stack, drying kiln, and associated handling or any other stack, vent, or functionally equivalent opening associated with sawmilling and processing shall not exceed any corresponding emissions rate limits listed in Table 2.2.

Table 2.2 WOOD-FIRED BOILER AND DRYING KILN EMISSION LIMITS

Source Description	PM₁₀	
	lb/hr	T/yr
Wood-fired Boiler	0.1	0.3
Dryer Kiln	[REDACTED]	2.6E ⁻³

2.4 Opacity Limit

Emissions from the Wood-fired boiler stack and drying kiln, or any other stack, vent, or functionally equivalent opening associated with the wood-fired boiler and drying kiln, shall not exceed 20% opacity for a period or periods aggregating more than three minutes in any 60-minute period as required by IDAPA 58.01.01.625. Opacity shall be determined by the procedures contained in IDAPA 58.01.01.625.

2.5 Particulate Matter Emissions

The permittee shall not discharge to the atmosphere from any fuel-burning equipment PM in excess of 0.2 gr/dscf of effluent gas corrected to 8% oxygen by volume for wood in accordance with IDAPA 58.01.01.677.

AIR QUALITY PERMIT TO CONSTRUCT NUMBER: P-2006.0060

Permittee:	Treasure Valley Forest Products	Facility ID No. 001-00208
Location:	Boise, Idaho	

Operating Requirements

2.6 Kiln Throughput Limit

The total quantity of wood dried in the kiln shall not exceed 1 million board feet per any consecutive 12-month period.

Monitoring and Recordkeeping Requirements

2.7 Kiln Throughput

Each month, the permittee shall monitor and record the following kiln production information in units of board feet per month (bf/mo) and board feet per the most recent consecutive 12-month period (bf/yr).

2.8 Reasonable Control Measures

The permittee shall conduct a monthly facility-wide inspection of potential sources of fugitive emissions listed in Table 2.1, during daylight hours and under normal operating conditions to ensure that the methods used to reasonably control fugitive emissions are effective. If fugitive emissions are not being reasonably controlled, the permittee shall take corrective action as expeditiously as practicable. The permittee shall maintain records of the results of each monthly fugitive emissions inspection. The records shall include, at a minimum, the date of each inspection and a description of the following: the permittees assessment of the conditions existing at the time fugitive emissions were present (if observed), any corrective action taken in response to the fugitive emissions, and the date the corrective action was taken. Records of this information shall be maintained in accordance with General Provision 7.

2.9 Visible Emissions Monitoring

To demonstrate compliance with Permit Condition 2.4, the permittee shall conduct a monthly inspection of potential sources of visible emissions, during daylight hours and under normal operating conditions. The inspection shall consist of a see/no see evaluation of visible emissions. If any visible emissions are present from any point of emission, the permittee shall either take appropriate corrective action as expeditiously as practicable, or perform a Method 9 opacity test in accordance with the procedures outlined in IDAPA 58.01.01.625. A minimum of 30 observations shall be recorded when conducting the opacity test. If opacity is greater than 20% for a period or periods aggregating more than three minutes in any 60-minute period, the permittee shall take all necessary corrective action and report the exceedance in accordance with IDAPA 58.01.01.130-136. The permittee shall maintain records of the results of each visible emissions inspection and each opacity test when conducted. The records shall include, at a minimum, the date and results of each inspection and test and a description of the following: the permittees assessment of the conditions existing at the time visible emissions are present (if observed), any corrective action taken in response to the visible emissions, and the date corrective action was taken. Records of this information shall be maintained in accordance with General Provision 7.

AIR QUALITY PERMIT TO CONSTRUCT NUMBER: P-2006.0060

Permittee:	Treasure Valley Forest Products	Facility ID No. 001-00208
Location:	Boise, Idaho	

3. SAWMILL AND LOG PROCESSING

3.1 Process Description

Treasure Valley Forest Products Yamhill facility is installing a sawmill that will process 12 million board feet per year. The milled lumber is then conveyed to the Debarker/Sorter and Debarker/sorter Screen where the residues are distributed to bins.

The Yamhill facility operates two log processors and two lathes that emit only particulate matter from the processors and associated cyclones and chip bins.

The green lathe roughly sizes green logs that have previously been debarked prior to drying. Wood residue from the lathing process is drawn through a cyclone and collected in adjacent bins.

Processor A and B are used to shave dry logs. Wood residue from the processing is drawn through a cyclone and collected in adjacent bins.

The Pole Lathe is used to size dried logs. Wood residue from the processing is drawn through a cyclone and collected in adjacent bins.

3.2 Emissions Control Description

Table 3.1 SAWMILL AND LOG PROCESSING DESCRIPTION

Emissions Unit/Process	Emissions Point	Emissions Control Devices
Green Lathe Cyclone	GCYCL (Stack)	None
Processor A Cyclone	ACYCL (Stack)	
Processor B Cyclone	BCYCL(Stack)	
Pole Lathe Cyclone	PCYCL(Stack)	
Debarker/Sorter	DEB (Fugitive)	
Debarker/Sorter Screen	DEBS (Fugitive)	
Green Lathe Cyclone Bin	GBIN (Fugitive)	
Processor A Cyclone Bin	ABIN (Fugitive)	
Processor B Cyclone Bin	BBIN (Fugitive)	
Pole Lathe Cyclone Bin	PBIN (Fugitive)	
Sawmill	SAW (Fugitive)	
Sawmill dust bin	SBIN (Fugitive)	
Sawmill chip bin 1	WBIN1 (Fugitive)	
Sawmill chip bin 2	WBIN (Fugitive)	
Sawdust Pile	PILE (Fugitive)	

Emissions Limits

3.3 Emissions Limits

The PM₁₀ emissions from the Sawmill and Log Processing or any other stack, vent, or functionally equivalent opening associated with sawmill and processing shall not exceed any corresponding emissions rate limits listed in Table 3.2.

AIR QUALITY PERMIT TO CONSTRUCT NUMBER: P-2006.0060

Permittee:	Treasure Valley Forest Products	Facility ID No. 001-00208
Location:	Boise, Idaho	

Table 3.2 SAWMILL AND PROCESS EMISSIONS LIMITS

Source Description	PM ₁₀	
	lb/hr	lb/day
Green Lathe Cyclone	1.23	29.52
Processor A Cyclone	0.25	6
Processor B Cyclone	0.02	0.48
Pole Lathe Cyclone	0.12	2.88
TOTAL		38.86

3.4 Opacity Limit

Emissions from the cyclones, sawmill, and debarker/sorter, or any other stack, vent, or functionally equivalent opening associated with sawmill and log processing, shall not exceed 20% opacity for a period or periods aggregating more than three minutes in any 60-minute period as required by IDAPA 58.01.01.625. Opacity shall be determined by the procedures contained in IDAPA 58.01.01.625.

3.5 Fugitive Emissions

All reasonable precautions shall be taken to prevent fugitive PM from becoming airborne in accordance with IDAPA 58.01.01.650-651.

Operating Requirements

3.6 Throughput Limits

The total quantity of wood processed in the sawmill shall not exceed 12 million board feet per any consecutive 12-month period. The total quantity of wood processed by the debarker/sorter and Debarker/Sorter Screen shall not exceed 13 million board feet per any consecutive 12-month period.

Monitoring and Recordkeeping Requirements

3.7 Sawmill and Log Processing Throughput Limit

Each month, the permittee shall monitor and record the sawmill and debarker/sorter information in units of board feet per month (bf/mo) and board feet per the most recent consecutive 12-month period (bf/yr). Records of this information shall be maintained in accordance with General Provision 7.

3.8 Reasonable Control Measures

The permittee shall conduct a monthly facility-wide inspection of potential sources of fugitive emissions listed in Table 3.1, during daylight hours and under normal operating conditions to ensure that the methods used to reasonably control fugitive emissions are effective. If fugitive emissions are not being reasonably controlled, the permittee shall take corrective action as expeditiously as practicable. The permittee shall maintain records of the results of each monthly fugitive emissions inspection. The records shall include, at a minimum, the date of each inspection and a description of the following: the permittees assessment of the conditions existing at the time fugitive emissions were present (if observed), any corrective action taken in response to the fugitive emissions, and the date the corrective action was taken. Records of this information shall be maintained in accordance with General Provision 7.

AIR QUALITY PERMIT TO CONSTRUCT NUMBER: P-2006.0060

Permittee:	Treasure Valley Forest Products	Facility ID No. 001-00208
Location:	Boise, Idaho	

3.9 Visible Emissions Monitoring

To demonstrate compliance with Permit Condition 3.4, the permittee shall conduct a monthly inspection of potential sources of visible emissions, during daylight hours and under normal operating conditions. The inspection shall consist of a see/no see evaluation of visible emissions. If any visible emissions are present from any point of emission, the permittee shall either take appropriate corrective action as expeditiously as practicable, or perform a Method 9 opacity test in accordance with the procedures outlined in IDAPA 58.01.01.625. A minimum of 30 observations shall be recorded when conducting the opacity test. If opacity is greater than 20% for a period or periods aggregating more than three minutes in any 60-minute period, the permittee shall take all necessary corrective action and report the exceedance in accordance with IDAPA 58.01.01.130-136. The permittee shall maintain records of the results of each visible emissions inspection and each opacity test when conducted. The records shall include, at a minimum, the date and results of each inspection and test and a description of the following: the permittees assessment of the conditions existing at the time visible emissions are present (if observed), any corrective action taken in response to the visible emissions, and the date corrective action was taken. Records of this information shall be maintained in accordance with General Provision 7.

AIR QUALITY PERMIT TO CONSTRUCT NUMBER: P-2006.0060

Permittee:	Treasure Valley Forest Products	Facility ID No. 001-00208
Location:	Boise, Idaho	

3. PERMIT TO CONSTRUCT GENERAL PROVISIONS

General Compliance

1. The permittee has a continuing duty to comply with all terms and conditions of this permit. All emissions authorized herein shall be consistent with the terms and conditions of this permit and the Rules for the Control of Air Pollution in Idaho. The emissions of any pollutant in excess of the limitations specified herein, or noncompliance with any other condition or limitation contained in this permit, shall constitute a violation of this permit and the Rules for the Control of Air Pollution in Idaho, and the Environmental Protection and Health Act, Idaho Code §39-101, et seq.

[Idaho Code §39-101, et seq.]

2. The permittee shall at all times (except as provided in the Rules for the Control of Air Pollution in Idaho) maintain in good working order and operate as efficiently as practicable, all treatment or control facilities or systems installed or used to achieve compliance with the terms and conditions of this permit and other applicable Idaho laws for the control of air pollution.

[IDAPA 58.01.01.211, 5/1/94]

3. Nothing in this permit is intended to relieve or exempt the permittee from the responsibility to comply with all applicable local, state, or federal statutes, rules and regulations.

[IDAPA 58.01.01.212.01, 5/1/94]

Inspection and Entry

4. Upon presentation of credentials, the permittee shall allow DEQ or an authorized representative of DEQ to do the following:
 - a. Enter upon the permittee's premises where an emissions source is located or emissions related activity is conducted, or where records are kept under conditions of this permit;
 - b. Have access to and copy, at reasonable times, any records that are kept under the conditions of this permit;
 - c. Inspect at reasonable times any facilities, equipment (including monitoring and air pollution control equipment), practices, or operations regulated or required under this permit; and
 - d. As authorized by the Idaho Environmental Protection and Health Act, sample or monitor, at reasonable times, substances or parameters for the purpose of determining or ensuring compliance with this permit or applicable requirements.

[Idaho Code §39-108]

Construction and Operation Notification

5. The permittee shall furnish DEQ written notifications as follows in accordance with IDAPA 58.01.01.211:
 - a. A notification of the date of initiation of construction, within five working days after occurrence;

AIR QUALITY PERMIT TO CONSTRUCT NUMBER: P-2006.0060

Permittee:	Treasure Valley Forest Products	Facility ID No. 001-00208
Location:	Boise, Idaho	

- b. A notification of the date of any suspension of construction, if such suspension lasts for one year or more;
- c. A notification of the anticipated date of initial start-up of the stationary source or facility not more than sixty days or less than thirty days prior to such date;
- d. A notification of the actual date of initial start-up of the stationary source or facility within fifteen days after such date; and
- e. A notification of the initial date of achieving the maximum production rate, within five working days after occurrence - production rate and date.

[IDAPA 58.01.01.211, 5/1/94]

Performance Testing

- 6. If performance testing (air emissions source test) is required by this permit, the permittee shall provide notice of intent to test to DEQ at least 15 days prior to the scheduled test date or shorter time period as approved by DEQ. DEQ may, at its option, have an observer present at any emissions tests conducted on a source. DEQ requests that such testing not be performed on weekends or state holidays.

All performance testing shall be conducted in accordance with the procedures in IDAPA 58.01.01.157. Without prior DEQ approval, any alternative testing is conducted solely at the permittee's risk. If the permittee fails to obtain prior written approval by DEQ for any testing deviations, DEQ may determine that the testing does not satisfy the testing requirements. Therefore, at least 30 days prior to conducting any performance test, the permittee is encouraged to submit a performance test protocol to DEQ for approval. The written protocol shall include a description of the test method(s) to be used, an explanation of any or unusual circumstances regarding the proposed test, and the proposed test schedule for conducting and reporting the test.

Within 30 days following the date in which a performance test required by this permit is concluded, the permittee shall submit to DEQ a performance test report. The written report shall include a description of the process, identification of the test method(s) used, equipment used, all process operating data collected during the test period, and test results, as well as raw test data and associated documentation, including any approved test protocol.

[IDAPA 58.01.01.157, 4/5/00]

Monitoring and Recordkeeping

- 7. The permittee shall maintain sufficient records to ensure compliance with all of the terms and conditions of this permit. Records of monitoring information shall include, but not be limited to the following: (a) the date, place, and times of sampling or measurements; (b) the date analyses were performed; (c) the company or entity that performed the analyses; (d) the analytical techniques or methods used; (e) the results of such analyses; and (f) the operating conditions existing at the time of sampling or measurement. All monitoring records and support information shall be retained for a period of at least five years from the date of the monitoring sample, measurement, report, or application. Supporting information includes, but is not limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation and copies of all reports required by this permit. All records required to be maintained by this permit shall be made available in either hard copy or electronic format to DEQ representatives upon request.

[IDAPA 58.01.01.211, 5/1/94]

AIR QUALITY PERMIT TO CONSTRUCT NUMBER: P-2006.0060

Permittee:	Treasure Valley Forest Products	Facility ID No. 001-00208
Location:	Boise, Idaho	

Excess Emissions

8. The permittee shall comply with the procedures and requirements of IDAPA 58.01.01.130-136 for excess emissions due to startup, shutdown, scheduled maintenance, safety measures, upsets and breakdowns.

[IDAPA 58.01.01.130-136, 4/5/00]

Certification

9. All documents submitted to DEQ, including, but not limited to, records, monitoring data, supporting information, requests for confidential treatment, testing reports, or compliance certification shall contain a certification by a responsible official. The certification shall state that, based on information and belief formed after reasonable inquiry, the statements and information in the document(s) are true, accurate, and complete.

[IDAPA 58.01.01.123, 5/1/94]

False Statements

10. No person shall knowingly make any false statement, representation, or certification in any form, notice, or report required under this permit, or any applicable rule or order in force pursuant thereto.

[IDAPA 58.01.01.125, 3/23/98]

Tampering

11. No person shall knowingly render inaccurate any monitoring device or method required under this permit or any applicable rule or order in force pursuant thereto.

[IDAPA 58.01.01.126, 3/23/98]

Transferability

12. This permit is transferable in accordance with procedures listed in IDAPA 58.01.01.209.06.

[IDAPA 58.01.01.209.06, 4/11/06]

Severability

13. The provisions of this permit are severable, and if any provision of this permit to any circumstance is held invalid, the application of such provision to other circumstances, and the remainder of this permit, shall not be affected thereby.