



STATE OF IDAHO  
DEPARTMENT OF  
ENVIRONMENTAL QUALITY

1410 North Hilton • Boise, Idaho 83706 • (208) 373-0502

C.L. "Butch" Otter, Governor  
Toni Hardesty, Director

October 9, 2008

**Certified Mail No. 7190 0596 0014 0000 4103**

Tim Wright  
President  
C. Wright Construction, Inc.  
1320 South Black Cat Road  
Meridian, Idaho 83642

RE: Facility ID No. 001-00019, C. Wright Construction, Inc., Meridian  
Final Tier II Operating Permit Letter

Dear Mr. Wright:

The Department of Environmental Quality (DEQ) is issuing Tier II Operating Permit No. T2- 2008.0054 to C. Wright Construction, Inc., for the rock crushing and hot mix asphalt production plant located at Meridian, in accordance with IDAPA 58.01.01.400 through 406, Rules for the Control of Air Pollution in Idaho (Rules).

The enclosed Tier II operating permit is based on the information contained in your permit application and on the relevant comments received during the public comment period. This Tier II permit is effective immediately and replaces your previous permit issued on May 13, 2005, the terms and conditions of which no longer apply. This permit does not release C. Wright Construction, Inc. from compliance with all other applicable federal, state, or local laws, regulations, permits, or ordinances. Please note that this permit expires five years after the issuance date.

In accordance with IDAPA 58.01.01.407, DEQ has assessed the emissions for this permit and determined that a Tier II processing fee of \$2,500 will be due. A fee invoice will be sent to you from the DEQ fiscal office shortly. Failure to submit a Tier II operating permit processing fee within 45 days of receipt of the fee invoice will result in a monthly accrual of interest in the amount of 12% per annum on the outstanding balance until the fee is paid in full.

In order to fully understand the compliance requirements of this permit, DEQ highly recommends that you schedule a meeting with Tom Krinke, Air Quality Compliance Officer, at 208-373-0550 to review and discuss the terms and conditions of this permit. Should you choose to schedule this meeting, DEQ recommends the following representatives attend the meeting: your facility's plant manager, responsible official, environmental contact, and any other staff responsible for day-to-day compliance with permit conditions.

C. Wright Construction Inc., Meridian  
October 9, 2008  
Page 2 of 3

Pursuant to IDAPA 58.01.23, you, as well as any other entity, may have the right to appeal this final agency action within 35 days of the date of this decision. However, prior to filing a petition for a contested case, I encourage you to contact Robert Baldwin at 208-373-0502 or [robert.baldwin@deq.idaho.gov](mailto:robert.baldwin@deq.idaho.gov) to address any questions or concerns you may have with the enclosed permit.

Sincerely,

A handwritten signature in cursive script that reads "Mike Simon".

Mike Simon  
Stationary Source Manager  
Air Quality Division

MS/REB/hp

Permit No. T2-2008.0054

Enclosure

✂-----

Please make checks payable to: Department of Environmental Quality. Please write your permit number on the check and remit the fee and this information to the following:

Idaho Department of Environmental Quality  
Fiscal Office – Air Quality  
1410 N. Hilton, Boise, ID 83706-1255

Amount Enclosed: \$ \_\_\_\_\_.

Check No.: \_\_\_\_\_

<b>DEPARTMENT USE ONLY:</b>			
<b>Facility</b>	C. Wright Construction, Inc.	<b>Facility ID:</b>	001-00019
<b>Project</b>	Rock Crushing and Hot Mix Asphalt Plant	<b>Permit No.:</b>	T2-2008.0054
<b>Fee Type:</b>	Tier II Processing Fee	<b>Fee Amount:</b>	\$ 2,500.00
<b>Routing Instructions: Copy Air Program upon receipt of fee.</b>			

✂-----



**Air Quality  
TIER II OPERATING PERMIT**

**State of Idaho  
Department of Environmental Quality**

**PERMIT No.:** T2-2008.0054  
**FACILITY ID No.:** 001-00019  
**AQCR:** 64    **CLASS:**SM    **ZONE:** 11  
**SIC:** 1442/2951    **NAICS:** 212321/324121  
**UTM COORDINATE (km):** 544.0 , 4826.0

**1. PERMITTEE**

C. Wright Construction, Inc.

**2. PROJECT**

Tier II Operating Permit Renewal – Northern Ada County PM<sub>10</sub> Maintenance Plan

**3. MAILING ADDRESS**

1320 South Black Cat Road

**CITY**

Meridian

**STATE**

ID

**ZIP**

83642

**4. FACILITY CONTACT**

Tim Wright

**TITLE**

President

**TELEPHONE**

(208) 888-1307

**5. RESPONSIBLE OFFICIAL**

Tim Wright

**TITLE**

President

**TELEPHONE**

(208) 888-1307

**6. EXACT PLANT LOCATION**

1320 South Black Cat Road, Meridian, Idaho

**COUNTY**

Ada

**7. GENERAL NATURE OF BUSINESS & KINDS OF PRODUCTS**

Sand, Gravel, and crushed stone production, and hot-mix asphalt

**8. PERMIT AUTHORITY**

This permit is issued according to the Rules for the Control of Air Pollution in Idaho, IDAPA 58.01.01.400 through 410, and pertains only to emissions of air contaminants regulated by the state of Idaho and to the sources specifically allowed to be operated by this permit.

This permit has been granted on the basis of design information presented with its application. Changes in design, equipment or operations may be considered a modification. Modifications are subject to DEQ review in accordance with IDAPA 58.01.01.200 through 228 of the Rules for the Control of Air Pollution in Idaho.

**ROBERT BALDWIN, PERMIT WRITER  
DEPARTMENT OF ENVIRONMENTAL QUALITY**

**MIKE SIMON, STATIONARY SOURCE PROGRAM MANAGER  
DEPARTMENT OF ENVIRONMENTAL QUALITY**

<b>Date Issued:</b>	October 9, 2008
<b>Date Modified/Revised:</b>	
<b>Date Expires:</b>	October 9, 2013

## Table of Contents

ACRONYMS, UNITS, AND CHEMICAL NOMENCLATURE .....	3
1. TIER II OPERATING PERMIT SCOPE.....	4
2. FACILITY-WIDE CONDITIONS.....	5
3. HOT-MIX ASPHALT PLANT.....	8
4. ASSOCIATED PROCESS EMISSIONS.....	10
5. SUMMARY OF EMISSION RATE LIMITS.....	11
6. TIER II PERMIT TO OPERATE GENERAL PROVISIONS.....	12

## Acronyms, Units, and Chemical Nomenclature

acfm	actual cubic feet per minute
AIRS	Aerometric Information Retrieval System
AQCR	Air Quality Control Region
CFR	Code of Federal Regulations
CO	carbon monoxide
DEQ	Department of Environmental Quality
dscf	dry standard cubic feet
EPA	U.S. Environmental Protection Agency
°F	degrees Fahrenheit
ft	feet
gr	grain (1 lb = 7,000 grains)
gr/dscf	grains per dry standard cubic foot
IDAPA	a numbering designation for all administrative rules in Idaho promulgated in accordance with the Idaho Administrative Procedures Act
in	inches
km	kilometer
lb/hr	pounds per hour
NO <sub>x</sub>	nitrogen oxides
NSPS	New Source Performance Standards
O&M	operations and maintenance
PERF	Portable Equipment Relocation Form
PM	particulate matter
PM <sub>10</sub>	particulate matter with an aerodynamic diameter less than or equal to a nominal 10 micrometers
SIC	Standard Industrial Classification
SM	synthetic minor
SO <sub>2</sub>	sulfur dioxide
T/hr	tons per hour
T/yr	tons per year
UTM	Universal Transverse Mercator
VOC	volatile organic compound

**AIR QUALITY TIER II OPERATING PERMIT NUMBER: T2-2008.0054**

**Permittee:** C. Wright Construction, Inc.  
**Location:** Meridian, Idaho

**Facility ID No. 001-00019**

**1. TIER II OPERATING PERMIT SCOPE**

***Purpose***

- 1.1 The purpose of this permit is renewal of the Tier II operating permit and to limit the PM<sub>10</sub> emissions from this facility as part of the compliance strategy for the Northern Ada County PM<sub>10</sub> Maintenance Plan.
- 1.2 This Tier II operating permit renewal replaces the following permit, the terms and conditions of which shall no longer apply:
  - Tier II Operating Permit No. T2-030055, issued May 13, 2005

***Regulated Sources***

- 1.3 Table 1.1 lists all sources of regulated emissions in this permit.

**Table 1.1 SUMMARY OF REGULATED SOURCES**

Permit Section	Source Description	Emissions Control
3	<u>Hot-mix Asphalt Plant</u> Manufacturer: Barber Green Manufactured Date: 1950 Rated capacity: 106 T/hr Stack diameter: 24 in X 27 in Stack height: 12 ft Exhaust stack operating temperature: 155°F Exhaust gas flow rate: 18,300 acfm Fuel type: natural gas	<u>Wet Scrubber</u> Manufacturer: Unkown Efficiency: Unkown for PM <sub>10</sub>
4	Emissions associated with mined and processed river deposits	Reasonable water application

**AIR QUALITY TIER II OPERATING PERMIT NUMBER: T2-2008.0054**

**Permittee:** C. Wright Construction, Inc.

**Location:** Meridian, Idaho

**Facility ID No. 001-00019**

## **2. FACILITY-WIDE CONDITIONS**

### ***Fugitive Emissions***

- 2.1 All reasonable precautions shall be taken to prevent PM from becoming airborne in accordance with IDAPA 58.01.01.650-651. In determining what is reasonable, consideration will be given to factors such as the proximity of dust-emitting operations to human habitations and/or activities and atmospheric conditions that might affect the movement of particulate matter. Some of the reasonable precautions include, but are not limited to, the following:
- Use, where practical, of water or chemicals for control of dust in the demolition of existing buildings or structures, construction operations, the grading of roads, or the clearing of lands.
  - Application, where practical, of asphalt, oil, water, or suitable chemicals to, or covering of, dirt roads, material stockpiles, and other surfaces which can create dust.
  - Installation and use, where practical, of hoods, fans, and fabric filters or equivalent systems to enclose and vent the handling of dusty materials. Adequate containment methods should be employed during sandblasting or other operations.
  - Covering, where practical, of open-bodied trucks transporting materials likely to give rise to airborne dusts.
  - Paving of roadways and their maintenance in a clean condition, where practical.
  - Prompt removal of earth or other stored material from streets, where practical.
- 2.2 The permittee shall monitor and maintain records of the frequency and the method(s) used (i.e., water, chemical dust suppressants, etc.) to reasonably control fugitive emissions.
- 2.3 The permittee shall maintain records of all fugitive dust complaints received. The permittee shall take appropriate corrective action as expeditiously as practicable after receipt of a valid complaint. The records shall include, at a minimum, the date that each complaint was received and a description of the following: the complaint, the permittee's assessment of the validity of the complaint, any corrective action taken, and the date the corrective action was taken.
- 2.4 The permittee shall conduct a monthly facility-wide inspection of potential sources of fugitive emissions, during daylight hours and under normal operating conditions to ensure that the methods used to reasonably control fugitive emissions are effective. If fugitive emissions are not being reasonably controlled, the permittee shall take corrective action as expeditiously as practicable. The permittee shall maintain records of the results of each fugitive emissions inspection. The records shall include, at a minimum, the date of each inspection and a description of the following: the permittee's assessment of the conditions existing at the time fugitive emissions were present (If observed), any corrective action taken in response to the fugitive emissions, and the date the corrective action was taken.

**AIR QUALITY TIER II OPERATING PERMIT NUMBER: T2-2008.0054**

**Permittee:** C. Wright Construction, Inc.

**Facility ID No.** 001-00019

**Location:** Meridian, Idaho

***Odors***

- 2.5 The permittee shall not allow, suffer, cause, or permit the emission of odorous gases, liquids, or solids to the atmosphere in such quantities as to cause air pollution.
- 2.6 The permittee shall maintain records of all odor complaints received. If the complaint has merit, the permittee shall take appropriate corrective action as expeditiously as practicable. The records shall include, at a minimum, the date that each complaint was received and a description of the following: the complaint, the permittee's assessment of the validity of the complaint, any corrective action taken, and the date the corrective action was taken.

***Visible Emissions***

- 2.7 The permittee shall not discharge any air pollutant to the atmosphere from any point of emission for a period or periods aggregating more than three minutes in any 60-minute period which is greater than 20% opacity as determined by procedures contained in IDAPA 58.01.01.625. These provisions shall not apply when the presence of uncombined water, NO<sub>x</sub>, and/or chlorine gas is the only reason for the failure of the emission to comply with the requirements of this section.
- 2.8 The permittee shall conduct a monthly facility-wide inspection of potential sources of visible emissions, during daylight hours and under normal operating conditions. The visible emissions inspection shall consist of a see/no see evaluation for each potential source. If any visible emissions are present from any point of emission, the permittee shall either take appropriate corrective action as expeditiously as practicable, or perform a Method 9 opacity test in accordance with the procedures outlined in IDAPA 58.01.01.625. A minimum of 30 observations shall be recorded when conducting the opacity test. If opacity is greater than 20% for a period or periods aggregating more than three minutes in any 60-minute period, the permittee shall take all necessary corrective action and report the exceedance in accordance with IDAPA 58.01.01.130-136. The permittee shall maintain records of the results of each visible emissions inspection and each opacity test when conducted. The records shall include, at a minimum, the date and results of each inspection and test and a description of the following: the permittee's assessment of the conditions existing at the time visible emissions are present (if observed), any corrective action taken in response to the visible emissions, and the date corrective action was taken.

***Open Burning***

- 2.9 The permittee shall comply with the requirements of the Rules for Control of Open Burning, IDAPA 58.01.01.600-616.

**AIR QUALITY TIER II OPERATING PERMIT NUMBER: T2-2008.0054**

**Permittee:** C. Wright Construction, Inc.

**Location:** Meridian, Idaho

**Facility ID No.** 001-00019

***Reports and Certifications***

- 2.10 Any reporting required by this permit, **with the exception of a Portable Equipment Registration and Relocation form**, shall be submitted to the following address:

Air Quality Permit Compliance  
Department of Environmental Quality  
Boise Regional Office  
1445 N. Orchard  
Boise, ID 83706  
Phone: (208) 373-0550  
Fax: (208) 373-0287

***Fuel-burning Equipment***

- 2.11 The permittee shall not discharge to the atmosphere from any fuel-burning equipment PM in excess of 0.015 gr/dscf of effluent gas corrected to 3% oxygen by volume for gas, 0.050 gr/dscf of effluent gas corrected to 3% oxygen by volume for liquid, 0.050 gr/dscf of effluent gas corrected to 8% oxygen by volume for coal, and 0.080 gr/dscf of effluent gas corrected to 8% oxygen by volume for wood products.

**AIR QUALITY TIER II OPERATING PERMIT NUMBER: T2-2008.0054**

<b>Permittee:</b>	C. Wright Construction, Inc.
<b>Location:</b>	Meridian, Idaho

**Facility ID No. 001-00019**

**3. HOT-MIX ASPHALT PLANT**

**3.1 Process Description**

A hot-mix asphalt plant combines dried aggregates and hot oil to produce asphaltic concrete.

**3.2 Emission Control Description**

This hot-mix asphalt plant's emissions are controlled by a wet scrubber.

**Table 3.1 HOT-MIX ASPHALT PLANT**

Emissions Unit / Process	Emissions Control Device	Emissions Point
Hot-mix asphalt plant	Wet scrubber	Scrubber stack outlet

***Emissions Limits***

**3.3 Emission Limits**

The PM<sub>10</sub> emissions from the hot-mix asphalt plant's scrubber stack shall not exceed any corresponding emissions rate limits listed in Table 3.2.

**Table 3.2 EMISSIONS LIMITS**

Source Description	PM <sub>10</sub>	
	lb/hr <sup>a</sup>	T/yr <sup>b</sup>
Hot-mix asphalt plant's scrubber stack	4.86	1.80

<sup>a</sup> an average pound per hour

<sup>b</sup> tons per consecutive 12-month period

***Operating Requirements***

**3.4 Production Rate**

The asphalt production shall not exceed 80,000 tons per any consecutive 12-month period.

**3.5 Operating Hours**

The permittee shall not operate the hot-mix asphalt plant for more than 12 hours in any calendar day.

**3.6 Hot-Mix Asphalt Plant Burner Fuel**

The permittee shall combust natural gas exclusively in the hot-mix asphalt plant's burner.

**3.7 O & M Manual**

The permittee shall have developed an Operation & Maintenance (O&M) manual for the wet scrubber that describes the procedures followed to comply with General Provision 6.2. The O&M manual shall remain onsite at all times and shall be made available to DEQ representatives upon request. A copy of the O&M manual shall be provided to DEQ in accordance with Permit Condition 2.10.

**AIR QUALITY TIER II OPERATING PERMIT NUMBER: T2-2008.0054**

**Permittee:** C. Wright Construction, Inc.

**Facility ID No. 001-00019**

**Location:** Meridian, Idaho

**3.8 PM<sub>10</sub> Performance Testing Requirement**

At least once during the term of this permit, the permittee shall conduct a performance test in accordance with the test methods and procedures contained in IDAPA 58.01.01.157 to measure PM<sub>10</sub> emissions from the hot-mix asphalt plant exhaust stack to demonstrate compliance with Permit Condition 3.3 and General Provision 6.

***Monitoring and Recordkeeping Requirements***

**3.9 Operating Parameter Monitoring and Recordkeeping Requirements**

The permittee shall monitor and record the following information. Records of this information shall be maintained in accordance with General Provision 9.

3.9.1 The amount of asphalt produced monthly and annually. Monthly production shall be summed for the previous consecutive 12-month period to demonstrate compliance with Permit Condition 3.4.

3.9.2 Startup and shutdown of the hot-mix asphalt plant each day the plant operates to demonstrate compliance with Permit Condition 3.5.

**AIR QUALITY TIER II OPERATING PERMIT NUMBER: T2-2008.0054**

**Permittee:** C. Wright Construction, Inc.

**Location:** Meridian, Idaho

**Facility ID No. 001-00019**

**4. ASSOCIATED PROCESS EMISSIONS**

**4.1 Process Description**

A hot-mix asphalt plant combines dried aggregates and hot oil to produce asphaltic concrete.

**Table 4.1 HOT –MIX ASPHALT PLANT**

Emissions Unit / Process	Emissions Control Device
Associated process emissions	Reasonable Control

***Emissions Limits***

**4.2 Emission Limits**

The PM<sub>10</sub> emissions from sand and gravel transfers, crushers, screens, vehicle traffic and associated processes shall not exceed 31 tons per any consecutive 12-month period

***Operating Requirements***

**4.3 Sand and Gravel Mining**

River deposits that are mined shall not exceed 729,000 tons per any consecutive 12-month period.

**4.4 Processed Material**

River deposits that are processed (crushed, screened, transferred, etc.) shall not exceed 461,000 tons per any consecutive 12-month period.

**4.5 Skimmer Screen and Stand-alone Screen Deck NSPS Opacity Limit**

- The PM emissions from the NSPS affected skimmer screen deck (1986 project) and the stand-alone screen deck (1997 project) shall not exhibit greater than 10% opacity as required by 40 CFR 60.672(b).
- Opacity shall be determined using procedures specified in IDAPA 58.01.01.625.04.

***Monitoring and Recordkeeping Requirements***

**4.6** The permittee shall monitor and record the following information. Records of this information shall be maintained in accordance with General Provision 7.

**4.6.1** The total amount of river deposits mined monthly and annually. Monthly throughput shall be summed over the previous consecutive 12-month period to demonstrate compliance with Permit Condition 4.3. The total amount of river deposits mined is defined as the amount that is mined for use by the permittee plus the amount that is mined and sold to the general public, contractors, etc.

**AIR QUALITY TIER II OPERATING PERMIT NUMBER: T2-2008.0054**

<b>Permittee:</b>	C. Wright Construction, Inc.
<b>Location:</b>	Meridian, Idaho

**Facility ID No. 001-00019**

4.6.2 The total amount of river deposits processed by the permittee monthly and annually. Monthly throughput shall be summed over the previous 12-month period to demonstrate compliance with Permit Condition 4.4.

**5. SUMMARY OF EMISSION RATE LIMITS**

Table 5.1 provides a summary of all emission rate limits required by this permit.

**Table 5.1 SUMMARY OF EMISSION RATE LIMITS**

<b>C. Wright Construction Inc., Meridian Emission Limits<sup>a</sup> – Hourly (lb/hr), and Annual<sup>b</sup> (T/yr)</b>		
<b>Source Description</b>	<b>Hourly PM<sub>10</sub> Emissions lb/hr</b>	<b>Annual PM<sub>10</sub> Emissions T/yr</b>
Hot-mix asphalt plant's scrubber stack	4.86	1.8
All associated process emissions (fugitives included)	--	31

- <sup>a</sup> As determined by a pollutant-specific EPA reference method, a DEQ-approved alternative, or as determined by DEQ's emissions estimation methods used in this permit analysis.
- <sup>b</sup> As determined by multiplying the actual or allowable (if actual is not available) pound per hour emission rate by the allowable hours per year that the process(es) may operate(s), or by actual annual production rates.
- <sup>c</sup> Includes condensibles

**AIR QUALITY TIER II OPERATING PERMIT NUMBER: T2-2008.0054**

**Permittee:** C. Wright Construction, Inc.

**Location:** Meridian, Idaho

**Facility ID No.** 001-00019

**6. TIER II PERMIT TO OPERATE GENERAL PROVISIONS**

***General Compliance***

1. The permittee has a continuing duty to comply with all terms and conditions of this permit. All emissions authorized herein shall be consistent with the terms and conditions of this permit and the Rules for the Control of Air Pollution in Idaho. The emissions of any pollutant in excess of the limitations specified herein, or noncompliance with any other condition or limitation contained in this permit, shall constitute a violation of this permit and the Rules for the Control of Air Pollution in Idaho, and the Environmental Protection and Health Act, Idaho Code §39-101, et seq.  

**[Idaho Code §39-101, et seq.]**
2. The permittee shall at all times (except as provided in the Rules for the Control of Air Pollution in Idaho) maintain in good working order and operate as efficiently as practicable, all treatment or control facilities or systems installed or used to achieve compliance with the terms and conditions of this permit and other applicable Idaho laws for the control of air pollution.  

**[IDAPA 58.01.01.211, 5/1/94]**
3. Nothing in this permit is intended to relieve or exempt the permittee from the responsibility to comply with all applicable local, state, or federal statutes, rules and regulations.  

**[IDAPA 58.01.01.212.01, 5/1/94]**

***Inspection and Entry***

4. Upon presentation of credentials, the permittee shall allow DEQ or an authorized representative of DEQ to do the following:
  - a. Enter upon the permittee's premises where an emissions source is located or emissions related activity is conducted, or where records are kept under conditions of this permit;
  - b. Have access to and copy, at reasonable times, any records that are kept under the conditions of this permit;
  - c. Inspect at reasonable times any facilities, equipment (including monitoring and air pollution control equipment), practices, or operations regulated or required under this permit; and
  - d. As authorized by the Idaho Environmental Protection and Health Act, sample or monitor, at reasonable times, substances or parameters for the purpose of determining or ensuring compliance with this permit or applicable requirements.

**[Idaho Code §39-108]**

***Construction and Operation Notification***

5. The permittee shall furnish DEQ written notifications as follows in accordance with IDAPA 58.01.01.211:
  - a. A notification of the date of initiation of construction, within five working days after occurrence;
  - b. A notification of the date of any suspension of construction, if such suspension lasts for one year or more;
  - c. A notification of the anticipated date of initial start-up of the stationary source or facility not more than sixty days or less than thirty days prior to such date;

**AIR QUALITY TIER II OPERATING PERMIT NUMBER: T2-2008.0054**

**Permittee:** C. Wright Construction, Inc.  
**Location:** Meridian, Idaho

**Facility ID No.** 001-00019

- d. A notification of the actual date of initial start-up of the stationary source or facility within fifteen days after such date; and
- e. A notification of the initial date of achieving the maximum production rate, within five working days after occurrence - production rate and date.

**[IDAPA 58.01.01.211, 5/1/94]**

***Performance Testing***

- 6. If performance testing (air emissions source test) is required by this permit, the permittee shall provide notice of intent to test to DEQ at least 15 days prior to the scheduled test date or shorter time period as approved by DEQ. DEQ may, at its option, have an observer present at any emissions tests conducted on a source. DEQ requests that such testing not be performed on weekends or state holidays.

All performance testing shall be conducted in accordance with the procedures in IDAPA 58.01.01.157. Without prior DEQ approval, any alternative testing is conducted solely at the permittee's risk. If the permittee fails to obtain prior written approval by DEQ for any testing deviations, DEQ may determine that the testing does not satisfy the testing requirements. Therefore, at least 30 days prior to conducting any performance test, the permittee is encouraged to submit a performance test protocol to DEQ for approval. The written protocol shall include a description of the test method(s) to be used, an explanation of any or unusual circumstances regarding the proposed test, and the proposed test schedule for conducting and reporting the test.

Within 30 days following the date in which a performance test required by this permit is concluded, the permittee shall submit to DEQ a performance test report. The written report shall include a description of the process, identification of the test method(s) used, equipment used, all process operating data collected during the test period, and test results, as well as raw test data and associated documentation, including any approved test protocol.

**[IDAPA 58.01.01.157, 4/5/00]**

***Monitoring and Recordkeeping***

- 7. The permittee shall maintain sufficient records to ensure compliance with all of the terms and conditions of this permit. Records of monitoring information shall include, but not be limited to the following: (a) the date, place, and times of sampling or measurements; (b) the date analyses were performed; (c) the company or entity that performed the analyses; (d) the analytical techniques or methods used; (e) the results of such analyses; and (f) the operating conditions existing at the time of sampling or measurement. All monitoring records and support information shall be retained for a period of at least five years from the date of the monitoring sample, measurement, report, or application. Supporting information includes, but is not limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation and copies of all reports required by this permit. All records required to be maintained by this permit shall be made available in either hard copy or electronic format to DEQ representatives upon request.

**[IDAPA 58.01.01.211, 5/1/94]**

***Excess Emissions***

- 8. The permittee shall comply with the procedures and requirements of IDAPA 58.01.01.130-136 for excess emissions due to startup, shutdown, scheduled maintenance, safety measures, upsets and breakdowns.

**[IDAPA 58.01.01.130-136, 4/5/00]**

**AIR QUALITY TIER II OPERATING PERMIT NUMBER: T2-2008.0054**

**Permittee:** C. Wright Construction, Inc.

**Location:** Meridian, Idaho

**Facility ID No.** 001-00019

***Certification***

9. All documents submitted to DEQ, including, but not limited to, records, monitoring data, supporting information, requests for confidential treatment, testing reports, or compliance certification shall contain a certification by a responsible official. The certification shall state that, based on information and belief formed after reasonable inquiry, the statements and information in the document(s) are true, accurate, and complete.

**[IDAPA 58.01.01.123, 5/1/94]**

***False Statements***

10. No person shall knowingly make any false statement, representation, or certification in any form, notice, or report required under this permit, or any applicable rule or order in force pursuant thereto.

**[IDAPA 58.01.01.125, 3/23/98]**

***Tampering***

11. No person shall knowingly render inaccurate any monitoring device or method required under this permit or any applicable rule or order in force pursuant thereto.

**[IDAPA 58.01.01.126, 3/23/98]**

***Transferability***

12. This permit is transferable in accordance with procedures listed in IDAPA 58.01.01.209.06.

**[IDAPA 58.01.01.209.06, 4/11/06]**

***Severability***

13. The provisions of this permit are severable, and if any provision of this permit to any circumstance is held invalid, the application of such provision to other circumstances, and the remainder of this permit, shall not be affected thereby.

**[IDAPA 58.01.01.322.15.h, 5/1/94; 40 CFR 70.6(a)(5)]**