



STATE OF IDAHO
DEPARTMENT OF
ENVIRONMENTAL QUALITY

1410 North Hilton • Boise, Idaho 83706 • (208) 373-0502
www.deq.idaho.gov

C.L. "Butch" Otter, Governor
John H. Tippetts, Director

May 6, 2016

The Honorable Nathan Leigh, Mayor
City of Parma
P.O. Box 608
Parma, Idaho 83660

RE: Categorical exclusion for the Parma Wastewater Improvements (WWG 320-2008-3)

Dear Mayor Leigh:

The Idaho Department of Environmental Quality (DEQ) has completed a review of the environmental information for the Parma Wastewater Improvements and has issued a categorical exclusion (Cat Ex) determination. A Cat Ex exempts the referenced project from further substantive environmental review requirements because no environmental effects were found. Enclosed is a signed copy of the Cat Ex for the referenced project.

DEQ has requested that the *Western Canyon Chronicle*, newspaper of record for the city, publish the enclosed Cat Ex legal notice for the referenced project one time on May 12, 2016. The legal notice will explain how the public can obtain copies of the full Cat Ex.

The City of Parma should keep a copy of the Cat Ex and the legal notice as published for their records. No required public comment or waiting period is required after notification of a Cat Ex. Following publication of the legal notice, you may proceed with the closure of the DEQ planning grant.

Kevin Ryan at the DEQ Boise regional office, (208) 373-0184, is your local DEQ contact on the referenced project. Please keep him informed of progress on the project.

Sincerely,

A handwritten signature in blue ink that reads "Barry N. Burnell".

Barry N. Burnell
Water Quality Division Administrator

BNB:MLM:dls

Enclosures

c: MaryAnna Peavey, DEQ State Office (TRIM)
Charlie Parkins, DEQ State Office (TRIM)
Kevin Ryan, P.E., DEQ Boise Regional Office (TRIM)
Russell R. Brooks, P.E., Pharmer Engineering (rbrooks@pharmereng.com)
Chris Melander, Horrocks Engineering (chrism@horrocks.com)
Dennis J. Porter, Idaho Department of Commerce (Dennis.Porter@commerce.idaho.gov)
Kent Erickson, USDA (kent.Erickson@id.usda.gov)

April 6, 2016

Categorical Exclusion Determination for the Proposed

Parma Wastewater Improvements, Canyon County, Parma, Idaho

The Idaho Department of Environmental Quality (DEQ) has conducted an environmental review and analysis of the June 25, 2015 *Wastewater Facility Plan* and the categorical exclusion support documents for the City of Parma in accordance with state procedures for implementing an environmental review under the State Environmental Review Process (SERP), “Rules for Administration of Wastewater Treatment Facility Grants” (IDAPA 58.01.04), and “Rules for Administration of Water Pollution Control Loans” (IDAPA 58.01.12). DEQ has determined that this project does not involve any extraordinary circumstances requiring additional environmental analysis and documentation and is therefore eligible for a categorical exclusion (Cat Ex). Accordingly, the project is exempted from further substantive environmental review requirements under the SERP.

Project Description: The proposed improvements include:

- Inspection and repair of damaged sewer mains.
- Remove stormwater connection to existing manholes.
- Add dechlorinator to existing wastewater treatment plant.

DEQ has determined that this project is consistent with criteria for issuing a Cat Ex for the following reasons:

- The proposed facility improvements are solely directed toward minor rehabilitation of existing facilities, functional replacement of equipment, or the construction of new ancillary facilities adjacent or appurtenant to existing facilities.
- The facility improvements will not provide the capacity to serve a population that is projected to grow at a rate 25% in excess of the 20-year population growth rate expectations for the state as a whole according to the Idaho Division of Financial Management projections, and is not expected to change the current system’s population by greater than 500 estimated residential units.
- There will be no significant effect on the quality of the human environment either individually, cumulatively over time, or in conjunction with other federal, state, local, or private actions as a result of this project, including the related Parma Main Street Drainage Project.
- There will be no direct or indirect affects to (a) cultural resource sites; (b) endangered or threatened species or their habitats; (c) essential fish habitat; (d) environmentally important natural resource areas such as floodplains, wetlands, wild and scenic rivers, important farmlands, aquifer recharge zones; or (e) other resource areas identified in DEQ’s guidance.
- The alternative selected by the City of Parma for construction is cost-effective and has not caused significant public controversy.

Short-term impacts may occur during project construction that includes temporary disruption of the collection system, increased noise, increased dust pollution, increased potential for stormwater runoff, and disruption of localized traffic conditions. The project contractor is responsible for managing the temporary disruptions of the system as follows:

- Air Quality: Temporary dust pollution impacts will be controlled as a condition of the construction specifications in accordance with the “Rules for the Control of Air Pollution in Idaho” (IDAPA 58.01.01.651). IDAPA 58.01.01.651 states that reasonable precautions shall be taken for dust control and suppression by using water or chemicals, applying dust suppressants, covering trucks, paving, and removing materials. In addition to the rule requirements, DEQ recommends that a dust prevention and control plan be implemented during construction of the project that includes best management practices

(BMPs) to minimize dust pollution for fugitive dust control. Emergency generators must comply with Reciprocating Internal Combustion Engines National Emission Standards for Hazardous Air Pollutants.

- Cultural Resources: If archeological artifacts (such as beads, arrow heads, pottery, fabric, grave goods, glass, metal fragments, or other human-made objects that appear to predate 1960) or human remains (such as bones, bone fragments, or teeth) are inadvertently discovered during construction, ground disturbing activities shall cease and the State Historical Preservation Officer (SHPO), Shoshone-Bannock Tribe, Shoshone-Paiute Tribe, and Burns-Paiute General Council shall be notified. Mitigation measures will be implemented as directed by SHPO and the tribe(s), and work will not resume at the discovery site without their consent.
- Stormwater: Stormwater runoff shall be handled through an Environmental Protection Agency Stormwater Construction General permit and the development of a Stormwater Pollution Prevention Plan (SWPPP). The SWPPP and stormwater BMPs will be implemented prior to, during, and after project construction to reduce the potential for erosion from runoff.
- Noise impacts from the project construction will be reduced by restricting work hours to reasonable times identified in the construction specifications.
- Implement any other appropriate BMPs, wherever possible, to avoid or minimize impacts from other construction activities.

Overall, completion of the proposed project will have long-term positive effects by improving wastewater treatment.

The documentation to support this decision is on file and available for public review at the following locations:

Idaho Department of Environmental Quality
Water Quality Division
1410 North Hilton
Boise, Idaho 83706
Grant/loan SERP contact: Mike May (208) 373-0406

Idaho Department of Environmental Quality
Boise Regional Office
1445 North Orchard
Boise, Idaho 83706
Regional Office contact: Kevin Ryan (208) 373-0184

A one-time publication is required in the newspaper of record. DEQ has requested the *Western Canyon Chronicle* publish the Cat Ex legal notice for Parma Wastewater Improvements one time on May 6, 2016. The legal notice will inform the public that the proposed project has received a Cat Ex, which excludes the project from further environmental review.

The Cat Ex and published legal notice should be made part of the final planning document for this project.



Barry N. Burnell
Water Quality Division Administrator

LEGAL NOTICE OF CATEGORICAL EXCLUSION FOR THE
PARMA WASTEWATER IMPROVEMENTS

The Idaho Department of Environmental Quality (DEQ) has determined that the proposed Parma Wastewater Improvements for the City of Parma, Canyon County, Idaho, conforms to the State Environmental Review Process (SERP), “Rules for Administration of Wastewater Treatment Facility Grants” (IDAPA 58.01.04), and “Rules for Administration of Water Pollution Control Loans” (IDAPA 58.01.12) by which the project is eligible for a categorical exclusion. Accordingly, the project is exempted from further substantive environmental review requirements.

Project Description: The proposed improvements include:

- Inspection and repair of damaged sewer mains.
- Remove stormwater connection to existing manholes.
- Add dechlorinator to existing wastewater treatment plant.

Copies of the notice of categorical exclusion and the information upon which it is based are available for public review at the following locations:

Idaho Department of Environmental Quality
Water Quality Division
1410 North Hilton
Boise, Idaho 83706
Grant/loan SERP contact: Mike May (208) 373-0406

Idaho Department of Environmental Quality
Boise Regional Office
1445 North Orchard
Boise, Idaho 83706
Regional Office contact: Kevin Ryan (208) 373-0184