

## References Cited

- Alaoui Mhamdi, B., S. M. Raoui, M. Alaoui Mhamdi, and K. Derraz. 2003. Bacterial alkaline phosphatase activity at the water sediment interface in the Sahela reservoir. *Revue des Sciences de L'eau* 16(3):305-316.
- American Geologic Institute. 1962. Dictionary of geologic terms. Garden City, NY: Doubleday and Company. 545 p.
- Armantrout, N. B., compiler. 1998. Glossary of aquatic habitat inventory terminology. Bethesda, MD: American Fisheries Society. 136 p.
- Baca, R. G., M. W. Lorenzen, R. D. Mudd, and L. V. Kimmel. 1974. A generalized water quality model for eutrophic lakes and reservoirs. Report of Battelle Pacific Northwest Laboratories to Environmental Protection Agency, Office of Research and Monitoring, Washington, D. C.
- Baldwin, J., B. Wicherski, C. Cody, and R. Taylor. 2004. Evaluation of water quality impacts associated with FMC and Simplot phosphate ore processing facilities, Pocatello, Idaho. Idaho Department of Environmental Quality, Technical Services Division, Ground Water Quality Technical Report No. 21, Boise.
- Batt, P. E. 1996. Governor Philip E. Batt's Idaho bull trout conservation plan. Boise, ID: State of Idaho, Office of the Governor. 20 p + appendices.
- Brennan, T. S., A. K. Lehmann, A. M. Campbell, I. O'Dell, and S. E. Beattie. 2003. Water resources data, Idaho, Water Year 2002. U. S. Geological Survey, Water-Data Report ID-02-1, Boise, ID.
- Bureau of Reclamation. 1921. Annual project history, the Minidoka Project. Bureau of Reclamation, Record Group 115, Denver, CO.
- Bureau of Reclamation. 1974. Project history, the Minidoka Project. Bureau of Reclamation, Record Group 115, Denver, CO.
- Bureau of Reclamation. 1980. Annual project history, the Minidoka Project. Bureau of Reclamation, Record Group 115, Denver, CO.
- Bureau of Reclamation. 2001. Lake Lowell water quality management appraisal study. Bureau of Reclamation, Pacific Northwest Regional Office, Boise, ID.
- Bureau of Reclamation. 2002. Snake River at Fort Hall, Idaho, bank erosion study. Report to Shoshone-Bannock Indian Tribes, Fort Hall, ID.
- Bushnell, V. C. 1969. Eutrophication investigation of American Falls Reservoir, 1968 - 1969. Pacific Northwest Region, Bureau of Reclamation, in cooperation with Idaho Department of Health and Welfare and Idaho Department Fish and Game, Boise.
- Clark, G. M. 1994. Assessment of selected constituents in surface water of the upper Snake River Basin, Idaho and western Wyoming, Water Years 1975-1989. U. S. Geological Survey, Water Resources Investigations Report 93-4229, Boise, ID.
- Clark, G. M. 1997. Assessment of nutrients, suspended sediment, and pesticides in surface water of the upper Snake River Basin, Idaho and western Wyoming, Water Years 1991-

## American Falls Subbasin Assessment and TMDL • March 2009

1995. U. S. Geological Survey, Water Resources Investigations Report 97-4020, Boise, ID.
- Clean Water Act (Federal water pollution control act), U.S.C. § 1251-1387 (1972).
- Cope, B. 2004a. Draft water quality assessment of American Falls Reservoir. Environmental Protection Agency, Region 10 Office of Environmental Assessment, Seattle, WA.
- Cope, B. 2004b. Memorandum to Tracy Chellis (EPA) re: water quality modeling evaluation to American Falls Total Maximum Daily Load targets. Environmental Protection Agency, Region 10 Office of Environmental Assessment, Seattle, WA.
- Cusimano, R. F., S. Hood, and J. Liu. 2002. Quality assurance project plan: Lake Whatcom TMDL study. Environmental Assessment Program, Washington State Department of Ecology, Olympia.
- DEQ (Department of Environmental Quality). nda. Water quality standards and wastewater treatment requirements. Idaho Department of Environmental Quality, Boise.
- DEQ (Department of Environmental Quality). 2000a. 1998 303(d) list. Idaho Department of Environmental Quality, Boise.
- DEQ (Department of Environmental Quality). 2000b. Little Lost River Subbasin TMDL. Idaho Falls Regional Office, Idaho Department of Environmental Quality, Idaho Falls.
- DEQ (Department of Environmental Quality). 2001a. Nitrates in ground water: a continuing issue for Idaho citizens. Idaho Department of Environmental Quality, Boise.
- DEQ (Department of Environmental Quality). 2001b. Portneuf River TMDL: water body assessment and total maximum daily load and addendum. Pocatello Regional Office, Idaho Department of Environmental Quality, Pocatello.
- DEQ (Department of Environmental Quality). 2001c. Blackfoot River TMDL: water body assessment and total maximum daily load and addendum. Pocatello Regional Office, Idaho Department of Environmental Quality, Pocatello.
- DEQ (Department of Environmental Quality). 2001d. Palisades subbasin assessment and total maximum daily load allocation. Idaho Falls Regional Office, Idaho Department of Environmental Quality, Idaho Falls.
- Division of Environmental Quality. 1999. Lower Boise River TMDL: Subbasin Assessment, Total Maximum Daily Loads. Idaho Division of Environmental Quality, Boise.
- Ecosystem Research Institute. 1995. Lower Bear River water quality management plan. Report to Bear River Resource Conservation and Development Project, Logan, UT.
- EIFAC (European Inland Fisheries Advisory Commission). 1964. Water quality criteria for European freshwater fish. Report on finely divided solids and inland fisheries. EIFAC (European Inland Fisheries Advisory Commission) Technical Paper 1.
- EPA (Environmental Protection Agency). 1986. Quality criteria for water, 1986. EPA, Report 440/5-86-001, Washington, D. C.
- EPA (Environmental Protection Agency). 1991. Guidance for water quality-based decisions: the TMDL process. EPA, Report 440/4-91-001, Washington, D. C.

- EPA (Environmental Protection Agency). 1996. Biological criteria: technical guidance for streams and small rivers. EPA 822-B-96-001. Washington, DC: U.S. Environmental Protection Agency, Office of Water. 162 p.
- EPA (Environmental Protection Agency). 1997. Guidelines for preparation of the comprehensive state water quality assessments (305(b) reports) and electronic updates: supplement. EPA-841-B-97-002B. Washington, DC: U.S. Environmental Protection Agency. 105 p.
- EPA (Environmental Protection Agency). 2000. Ambient water quality criteria recommendations: rivers and streams in nutrient ecoregion III. U. S. Environmental Protection Agency, EPA 822-B-00-016, Washington, D. C.
- EPA (Environmental Protection Agency). 2001. Ambient water quality criteria recommendations: lakes and reservoirs in nutrient ecoregion III. U. S. Environmental Protection Agency, EPA 822-B-01-008, Washington, D. C.
- EPA (Environmental Protection Agency), Bureau of Land Management, U. S. Forest Service, Natural Resources Conservation Service, U. S. Geological Survey, and Idaho Department of Environmental Quality. 2000. Ecoregions of Idaho (maps and characteristics of level III ecoregions in Idaho). Produced by Environmental Protection Agency, Bureau of Land Management, U. S. Forest Service, Natural Resources Conservation Service, U. S. Geological Survey, and Idaho Department of Environmental Quality.
- Essig, D. A., and C. A. Mebane. 2002. Memorandum of 3 January 2002 to DEQ water quality staff regarding temperature frequency of exceedance calculation procedure, revised. Idaho Department of Environmental Quality, Boise.
- Grafe, C. S., C. A. Mebane, M. J. McIntyre, D. A. Essig, D. H. Brandt, and D. T. Mosier. 2002. The Idaho Department of Environmental Quality water body assessment guidance, 2nd ed. Idaho Department of Environmental Quality, Boise.
- Greenborg, A. E., L. S. Clescevi, A. D. Eaton, editors. 1992. Standard methods for the examination of water and wastewater, 18th edition. Washington, DC: American Public Health Association. 900 p.
- Haith, D. A., R. Mandel, and R. S. Wu. 1996. GWLF: Generalized Watershed Loading Functions, Version 2.0, User's Manual. Department of Agricultural & Biological Engineering. Cornell University, Ithaca, NY.
- Hatzenbuehler, R. 2002. The settlement of southeastern Idaho before 1900. In R. W. Van Kirk, J. M. Capurso, and B. L. Gamett (editors). Proceedings of the Sinks Symposium: Exploring the Origin and Management of Fishes in the Sinks Drainages of Southeast Idaho. Idaho Chapter/American Fisheries Society, Pocatello, ID. Pages 14, 15.
- Heimer, J. T. 1989. American Falls Reservoir studies. Idaho Department of Fish and Game, Lake and Reservoir Investigations, Project F-71-R-11, Boise.
- Hoag, J. C., and H. Short. 1992. Use of willow and cottonwood cuttings for vegetating shorelines and riparian areas. Natural Resources Conservation Service, Plant Materials Center, Riparian/Wetland Project Information Series Number 3, Aberdeen, ID.

- Hughes, R. M. 1995. Defining acceptable biological status by comparing with reference condition. In: Davis WS, Simon TP, editors. Biological assessment and criteria: tools for water resource planning. Boca Raton, FL: CRC Press. p 31-48.
- Idaho Code § 39.3611. Development and implementation of total maximum daily load or equivalent processes.
- Idaho Code § 3615. Creation of watershed advisory groups.
- IDAPA 58.01.02. Idaho water quality standards and wastewater treatment requirements.
- IDEQ (Idaho Department of Environmental Quality) and ODEQ (Oregon Department of Environmental Quality). 2001. Draft Snake River – Hells Canyon Total Maximum Daily Load (TMDL). Idaho Department of Environmental Quality, Boise, and Oregon Department of Environmental Quality, LaGrande.
- IDEQ (Idaho Department of Environmental Quality) and ODEQ (Oregon Department of Environmental Quality). 2004. Snake River – Hells Canyon Total Maximum Daily Load (TMDL). Idaho Department of Environmental Quality, Boise, and Oregon Department of Environmental Quality, Pendleton.
- Johnson, D. W., J. C. Kent, and D. K. Campbell. 1977. Availability and concentration of pollutants from American Falls Reservoir sediments to forage and predaceous fishes. University of Idaho, Idaho Water Resources Research Institute, Technical Completion Report, Project A-043-IDA, Moscow.
- Joy, J., and B. Patterson. 1997. A suspended sediment and DDT total maximum daily load evaluation report for the Yakima River. Washington State Department of Ecology, Publication 97-321, Olympia.
- Karr, J. R. 1991. Biological integrity: a long-neglected aspect of water resource management. *Ecological Applications* 1:66-84.
- Kjelstrom, L. C. 1995. Streamflow gains and losses in the Snake River and ground-water budgets for the Snake River Plain, Idaho and eastern Oregon. U. S. Geological Survey, Professional Paper 1408-C, Boise, ID.
- Link, P. K., and E. C. Phoenix. 1996. Rocks, rails and trails, 2nd edition. Idaho Museum of Natural History, Pocatello. 194 pages
- Lock, A., D. Pearson, and G. Spiers. 2003. In-situ sediment/water interface reactions experiment examining the aerobic and anaerobic mobility of Ni, Cu, and PO<sub>4</sub> in Kelly Lake, Sudbury, Ontario. Co-operative Freshwater Ecology Unit and Centre for Environmental Monitoring, Laurentian University, Sudbury, Ontario.
- Low, W. H., and W. H. Mullins. 1990. Reconnaissance investigation of water quality, bottom sediment, and biota associated with irrigation drainage in the American Falls Reservoir area, Idaho, 1988-89. U. S. Geological Survey, Water Resources Investigations Report 90-4120, Boise, ID.
- Manny, B. A., R. G. Wetzel, and W. C. Johnson. 1975. Annual contribution of carbon, nitrogen, and phosphorus by migrant Canada geese to a hardwater lake. *Verhandlungen der Internationalen Vereinigung für Theoretische und Angewandte Limnologie* 19:949-951.

- Manny, B. A., W. C. Johnson, and R. G. Wetzel. 1994. Nutrient additions by waterfowl to lakes and reservoirs: predicting their effects on productivity and water quality. *Hydrobiologia* 279/280:121-132.
- Maret, T. R. 1997. Characteristics of fish assemblages and related environmental variables for streams of the upper Snake River Basin, Idaho and western Wyoming. U. S. Geological Survey, 1993-95. Water Resources Investigations Report 97-4087, Boise, ID.
- Maret, T. R., and D. S. Ott. 1997. Organochlorine compounds in fish tissue and bed sediment in the upper Snake River Basin, Idaho and western Wyoming, 1992-94. U. S. Geological Survey, Water-Resources Investigations Report 97-4080, Boise, ID.
- Maret, T. R., and D. S. Ott. 2003. Assessment of fish assemblages and minimum sampling effort required to determine biotic integrity of large rivers in southern Idaho, 2002. U. S. Geological Survey, Water-Resources Investigations Report 03-4274, Boise, ID.
- Marion, L., P. Clergeau, L. Brient, and G. Bertru. 1994. The importance of avian-contributed nitrogen (N) and phosphorus (P) to Lake Grand-Lieu, France. *Hydrobiologia* 279/280:133-147.
- NAS/NAE (National Academy of Science and National Academy of Engineering). 1973. Water quality criteria, 1972. U. S. Government Printing Office, Washington, D. C. 594 pages.
- NDEQ (Nebraska Department of Environmental Quality). 2001. Methodology for water body assessment and developing the 2002 section 303(d) list of impaired water bodies for Nebraska. Nebraska Department of Environmental Quality, Planning Unit, Water Quality Division, Lincoln.
- NDEQ (Nebraska Department of Environmental Quality). 2003. Total maximum daily loads for Standing Bear Lake – Douglas County, Nebraska. Nebraska Department of Environmental Quality, Planning Unit, Water Quality Division, Lincoln.
- NRCS (Natural Resources Conservation Service). 1999. A procedure to estimate the response of aquatic systems to changes in phosphorus and nitrogen inputs. U. S. Department of Agriculture, Natural Resources Conservation Service, National Water and Climate Center, Washington, D. C.
- NYCDEP (New York City Department of Environmental Protection). 1999. Development of a water quality guidance value for Phase II Total Maximum Daily Loads (TMDLs) in the New York City reservoirs. Department of Environmental Protection, New York, NY.
- Omernik, J. M., and A. L. Gallant. 1986. Ecoregions of the Pacific Northwest. U. S. Environmental Protection Agency, Report 600/3-86/033, Corvallis, OR.
- Ott, D. S. 1997. Selected organic compounds and trace elements in water, bed sediment, and aquatic organisms, upper Snake River Basin, Idaho and western Wyoming, Water Years 1992-94. U. S. Geological Survey, Open-File Report 97-18, Boise, ID.
- Person, J. L. 1989. Environmental science investigations. 15 October 2003. URL: <<http://www.psaalgae.org/education/lab%20methods/PALMER.pdf>>.
- Poulson, N., M. Poulson, J. C. Hoag, J. Stark, S. Howser, and A. Funk. 2001. The Fairview wetland project, water quality report. Report to Idaho State University, Pocatello.

- Poulson, N., M. Poulson, M. Watwood, and S. Howser. 2003. Nutrient and sediment loading of the southwest portion of the American Falls Reservoir on the Snake River in eastern Idaho. Report to Idaho Department of Environmental Quality, Pocatello.
- PSOMAS. 2002. Deer Creek Reservoir drainage: TMDL study. Report of PSOMAS to Utah Department of Environmental Quality, Salt Lake City.
- Rand, G. W., editor. 1995. Fundamentals of aquatic toxicology: effects, environmental fate, and risk assessment, second edition. Washington, DC: Taylor and Francis. 1125 p.
- Rose, F. L., and G. W. Minshall. 1972. A pilot program to determine the effect of selected nutrients (dissolved organics, phosphorus, and nitrogen) on nuisance algal growth in American Falls Reservoir. University of Idaho, Water Resources Research Institute, Research Technical Completion Report, Project A-039-IDA, Moscow.
- Rosgen, D. L. 1996. Applied River Morphology. Wildland Hydrology Books, Pagosa Springs, CO.
- Sampson, R. W., T. W. Stevenson, and J. M. Castro. 2001. The Snake River from Ferry Butte to American Falls Reservoir - changes and trends in stream form and function. Report of Natural Resources Conservation Service to Shoshone-Bannock Tribes, Fort Hall, ID.
- Shumar, M. L., and J. E. Anderson. 1986. Water relations of two subspecies of big sagebrush on sand dunes in southeastern Idaho. Northwest Science 60:179-185
- Spinazola, J. M., and B. D. Higgs. 1998. Water resources of Bannock Creek basin, southeastern Idaho. U. S. Geological Survey, Water-Resources Investigations Report 97-4231, Boise, ID.
- Stene, E. A. 1997. The Minidoka project, 5th draft. 4 August 2003. URL: <<http://www.usbr.gov/dataweb/html/minidoka1.html>>.
- Strahler, A. N. 1957. Quantitative analysis of watershed geomorphology. American Geophysical Union Transactions 38:913-920.
- Teuscher, D. 1999. Zooplankton Quality Index. Idaho Department of Fish and Game, Hatchery Trout Evaluations, Project F-73-R-20, Boise.
- USDA (U. S. Department of Agriculture). 1986. Potential native vegetation map of Idaho. USDA, Map 4-4-39,838, Washington, D. C.
- USFS (U. S. Forest Service). 2001. 2001 cutthroat trout distribution survey report Crystal Creek. Caribou-Targhee National Forest, Westside Ranger District, Summary Memo, August 7, 2001.
- USGS (U. S. Geological Survey). 1987. Hydrologic unit maps. Denver, CO: United States Geological Survey, Water Supply Paper 2294, Washington, D. C.
- Water Pollution Control Federation. 1987. The Clean Water Act of 1987. Alexandria, VA: Water Pollution Control Federation. 318 p.
- Water Quality Act of 1987, Public Law 100-4 (1987).
- Water quality planning and management, 40 CFR 130.

Young, G. L. 1988. Testing shrubs for intermountain reservoir. Paper given at Annual Meeting International Erosion Control Association, Vancouver, British Columbia. Natural Resources Conservation Service, Plant Materials Center, Aberdeen, ID.

Web sites

Agriculture and Agri-Food Canada (Web site). 12 January 2005. URL:

<[http://www.agr.gc.ca/pfra/water/pwqproblem\\_e.htm](http://www.agr.gc.ca/pfra/water/pwqproblem_e.htm)>

Bureau of Reclamation (Web site a). 4 August 2003. URL:

<<http://www.usbr.gov/dataweb/dams/id00274.htm>>.

Bureau of Reclamation (Web site b). 4 August 2003. URL:

<<http://www.usbr.gov/dataweb/html/minidoka.html>>.

Bureau of Reclamation (Web site c). 3 October 2003. URL:

<<http://www.usbr.gov/pn/hydromet/select.html>>.

Cherry Creek Basin Water Quality Authority (Web site). 12 January 2005. URL:

<[http://www.cherrycreekbasin.org/cc\\_plan2003.asp](http://www.cherrycreekbasin.org/cc_plan2003.asp)>.

EPA (Environmental Protection Agency; Web site a). 12 October 2003. URL:

<<http://www.epa.gov/enviro/index.html>>.

Idaho Department of Commerce (Web site). 24 July 2003.

<<http://www.idoc.state.id.us/data/census/index.html>>.

Idaho Department of Labor (Web site). 24 July 2003.

<<http://www.labor.state.id.us/lmi/pubs/profilemenu.htm>>.

Idaho Power Company (Web site). 23 February 2004. URL:

<<http://www.co.power.id.us/fire-mitigation/DRAFT-Profile%20Section-10-16-03.pdf>>.

Idaho Public Television (Web site). 4 August 2003. URL: <[http://www.idahoptv.org/](http://www.idahoptv.org/dialogue4kids/season4/dams/americanfalls.html)

[dialogue4kids/season4/dams/americanfalls.html](http://www.idahoptv.org/dialogue4kids/season4/dams/americanfalls.html)>.

INL (Idaho National Laboratory) Environmental Surveillance, Education and Research Program (Web site). 26 February 2004. URL: <<http://www.stoller-eser.com/Flora/vegetation.htm>>.

Kansas Department of Health and Environment (Web site). 12 January 2005. URL:

<<http://www.kdhe.state.ks.us/tmdl/mctmdl.htm>>.

NDEP (Nevada Division of Environmental Protection) Bureau of Water Quality Planning, Water Quality Standards Branch (Web site). 5 May 2004. URL:

<<http://ndep.nv.gov/bwqp/stdsw.htm>>.

UNEP (United Nations Environment Programme) International Environmental Technology Centre, Newsletter and Technical Publications (Web site). 11 March 2004. URL:

<<http://www.unep.or.jp/ietc/publications/techpublications/techpub-11/1-4-1.asp>>.

USGS (U. S. Geological Survey) (Web site). 2 October 2003. URL:

<<http://nwis.waterdata.usgs.gov/usa/nwis/discharge>>.

Western Regional Climate Center (Web site a). 23 July 2003. URL:  
<<http://www.wrcc.dri.edu/summary/climsmid.html>>.

Western Regional Climate Center (Web site b). 23 July 2003. URL:  
<<http://www.wrcc.dri.edu/htmlfiles/westcomp.sun.html>>.

Western Regional Climate Center (Web site c). 21 March 2004. URL:  
<<http://www.wrcc.dri.edu/cgi-bin/cliMAIN.pl?idpoca>>.

### **GIS Coverages**

Restriction of liability: Neither the state of Idaho nor the Department of Environmental Quality, nor any of their employees make any warranty, express or implied, or assume any legal liability or responsibility for the accuracy, completeness or usefulness of any information or data provided. Metadata is provided for all data sets, and no data should be used without first reading and understanding its limitations. The data could include technical inaccuracies or typographical errors. The Department of Environmental Quality may update, modify, or revise the data used at any time, without notice.

## Glossary

<b>305(b)</b>	Refers to section 305 subsection “b” of the Clean Water Act. 305(b) generally describes a report of each state’s water quality, and is the principle means by which the U.S. Environmental Protection Agency, Congress, and the public evaluate whether U.S. waters meet water quality standards, the progress made in maintaining and restoring water quality, and the extent of the remaining problems.
<b>303(d), §303(d)</b>	Refers to section 303 subsection “d” of the Clean Water Act. 303(d) requires states to develop a list of water bodies that do not meet water quality standards. This section also requires total maximum daily loads (TMDLs) be prepared for listed waters. Both the list and the TMDLs are subject to U.S. Environmental Protection Agency approval.
<b>Acre-Foot</b>	A volume of water that would cover an acre to a depth of one foot. Often used to quantify reservoir storage and the annual discharge of large rivers.
<b>Adsorption</b>	The adhesion of one substance to the surface of another. Clays, for example, can adsorb phosphorus and organic molecules
<b>Aeration</b>	A process by which water becomes charged with air directly from the atmosphere. Dissolved gases, such as oxygen, are then available for reactions in water.
<b>Aerobic</b>	Describes life, processes, or conditions that require the presence of oxygen.
<b>ADB (Assessment Database)</b>	The ADB is a relational database application designed for the U.S. Environmental Protection Agency for tracking water quality assessment data, such as use attainment and causes and sources of impairment. States need to track this information and many other types of assessment data for thousands of water bodies, and integrate it into meaningful reports. The ADB is designed to make this process accurate, straightforward, and user-friendly for participating states, territories, tribes, and basin commissions.
<b>Adfluvial</b>	Describes fish whose life history involves seasonal migration from lakes to streams for spawning.

<b>Adjunct</b>	In the context of water quality, adjunct refers to areas directly adjacent to focal or refuge habitats that have been degraded by human or natural disturbances and do not presently support high diversity or abundance of native species.
<b>Alevin</b>	A newly hatched, incompletely developed fish (usually a salmonid) still in nest or inactive on the bottom of a water body, living off stored yolk.
<b>Algae</b>	Non-vascular (without water-conducting tissue) aquatic plants that occur as single cells, colonies, or filaments.
<b>Alluvium</b>	Unconsolidated recent stream deposition.
<b>Ambient</b>	General conditions in the environment. In the context of water quality, ambient waters are those representative of general conditions, not associated with episodic perturbations, or specific disturbances such as a wastewater outfall (Armantrout 1998, EPA 1996).
<b>Anadromous</b>	Fish, such as salmon and sea-run trout, that live part or the majority of their lives in the salt water but return to fresh water to spawn.
<b>Anaerobic</b>	Describes the processes that occur in the absence of molecular oxygen and describes the condition of water that is devoid of molecular oxygen.
<b>Anoxia</b>	The condition of oxygen absence or deficiency.
<b>Anthropogenic</b>	Relating to, or resulting from, the influence of human beings on nature.
<b>Antidegradation</b>	Refers to the U.S. Environmental Protection Agency's interpretation of the Clean Water Act goal that states and tribes maintain, as well as restore, water quality. This applies to waters that meet or are of higher water quality than required by state standards. State rules provide that the quality of those high quality waters may be lowered only to allow important social or economic development and only after adequate public participation (IDAPA 58.01.02.051). In all cases, the existing beneficial uses must be maintained. State rules further define lowered water quality to be 1) a measurable change, 2) a change adverse to a use, and 3) a change in a pollutant relevant to the water's uses (IDAPA 58.01.02.003.61).
<b>Aquatic</b>	Occurring, growing, or living in water.
<b>Aquifer</b>	An underground, water-bearing layer or stratum of permeable rock, sand, or gravel capable of yielding of water to wells or springs.

<b>Assemblage (aquatic)</b>	An association of interacting populations of organisms in a given water body; for example, a fish assemblage, or a benthic macroinvertebrate assemblage (also see Community) (EPA 1996).
<b>Assimilative Capacity</b>	The ability to process or dissipate pollutants without ill effect to beneficial uses.
<b>Autotrophic</b>	An organism is considered autotrophic if it uses carbon dioxide as its main source of carbon. This most commonly happens through photosynthesis.
<b>Batholith</b>	A large body of intrusive igneous rock that has more than 40 square miles of surface exposure and no known floor. A batholith usually consists of coarse-grained rocks such as granite.
<b>Bedload</b>	Material (generally sand-sized or larger sediment) that is carried along the streambed by rolling or bouncing.
<b>Beneficial Use</b>	Any of the various uses of water, including, but not limited to, aquatic biota, recreation, water supply, wildlife habitat, and aesthetics, which are recognized in water quality standards.
<b>Beneficial Use Reconnaissance Program (BURP)</b>	A program for conducting systematic biological and physical habitat surveys of water bodies in Idaho. BURP protocols address lakes, reservoirs, and wadeable streams and rivers
<b>Benthic</b>	Pertaining to or living on or in the bottom sediments of a water body
<b>Benthic Organic Matter.</b>	The organic matter on the bottom of a water body.
<b>Benthos</b>	Organisms living in and on the bottom sediments of lakes and streams. Originally, the term meant the lake bottom, but it is now applied almost uniformly to the animals associated with the lake and stream bottoms.
<b>Best Management Practices (BMPs)</b>	Structural, nonstructural, and managerial techniques that are effective and practical means to control nonpoint source pollutants.
<b>Best Professional Judgment</b>	A conclusion and/or interpretation derived by a trained and/or technically competent individual by applying interpretation and synthesizing information.
<b>Biochemical Oxygen Demand (BOD)</b>	The amount of dissolved oxygen used by organisms during the decomposition (respiration) of organic matter, expressed as mass of oxygen per volume of water, over some specified period.

<b>Biological Integrity</b>	1) The condition of an aquatic community inhabiting unimpaired water bodies of a specified habitat as measured by an evaluation of multiple attributes of the aquatic biota (EPA 1996). 2) The ability of an aquatic ecosystem to support and maintain a balanced, integrated, adaptive community of organisms having a species composition, diversity, and functional organization comparable to the natural habitats of a region (Karr 1991).
<b>Biomass</b>	The weight of biological matter. Standing crop is the amount of biomass (e.g., fish or algae) in a body of water at a given time. Often expressed as grams per square meter.
<b>Biota</b>	The animal and plant life of a given region.
<b>Biotic</b>	A term applied to the living components of an area.
<b>Clean Water Act (CWA)</b>	The Federal Water Pollution Control Act (commonly known as the Clean Water Act), as last reauthorized by the Water Quality Act of 1987, establishes a process for states to use to develop information on, and control the quality of, the nation's water resources.
<b>Coliform Bacteria</b>	A group of bacteria predominantly inhabiting the intestines of humans and animals but also found in soil. Coliform bacteria are commonly used as indicators of the possible presence of pathogenic organisms (also see Fecal Coliform Bacteria).
<b>Colluvium</b>	Material transported to a site by gravity.
<b>Community</b>	A group of interacting organisms living together in a given place.
<b>Conductivity</b>	The ability of an aqueous solution to carry electric current, expressed in micro ( $\mu$ ) mhos/cm at 25 °C. Conductivity is affected by dissolved solids and is used as an indirect measure of total dissolved solids in a water sample.
<b>Cretaceous</b>	The final period of the Mesozoic era (after the Jurassic and before the Tertiary period of the Cenozoic era), thought to have covered the span of time between 135 and 65 million years ago.
<b>Criteria</b>	In the context of water quality, numeric or descriptive factors taken into account in setting standards for various pollutants. These factors are used to determine limits on allowable concentration levels, and to limit the number of violations per year. EPA develops criteria guidance; states establish criteria.

<b>Cubic Feet per Second</b>	A unit of measure for the rate of flow or discharge of water. One cubic foot per second is the rate of flow of a stream with a cross-section of one square foot flowing at a mean velocity of one foot per second. At a steady rate, once cubic foot per second is equal to 448.8 gallons per minute and 10,984 acre-feet per day.
<b>Cultural Eutrophication</b>	The process of eutrophication that has been accelerated by human-caused influences. Usually seen as an increase in nutrient loading (also see Eutrophication).
<b>Culturally Induced Erosion</b>	Erosion caused by increased runoff or wind action due to the work of humans in deforestation, cultivation of the land, overgrazing, and disturbance of natural drainages; the excess of erosion over the normal for an area (also see Erosion).
<b>Debris Torrent</b>	The sudden down slope movement of soil, rock, and vegetation on steep slopes, often caused by saturation from heavy rains.
<b>Decomposition</b>	The breakdown of organic molecules (e.g., sugar) to inorganic molecules (e.g., carbon dioxide and water) through biological and non biological processes.
<b>Depth Fines</b>	Percent by weight of particles of small size within a vertical core of volume of a streambed or lake bottom sediment. The upper size threshold for fine sediment for fisheries purposes varies from 0.8 to 6.5 mm depending on the observer and methodology used. The depth sampled varies but is typically about one foot (30 cm).
<b>Designated Uses</b>	Those water uses identified in state water quality standards that must be achieved and maintained as required under the Clean Water Act.
<b>Discharge</b>	The amount of water flowing in the stream channel at the time of measurement. Usually expressed as cubic feet per second (cfs).
<b>Dissolved Oxygen (DO)</b>	The oxygen dissolved in water. Adequate DO is vital to fish and other aquatic life.
<b>Disturbance</b>	Any event or series of events that disrupts ecosystem, community, or population structure and alters the physical environment.
<b>E. coli</b>	Short for Escherichia Coli, E. coli are a group of bacteria that are a subspecies of coliform bacteria. Most E. coli are essential to the healthy life of all warm-blooded animals, including humans. Their presence is often indicative of fecal contamination.

<b>Ecology</b>	The scientific study of relationships between organisms and their environment; also defined as the study of the structure and function of nature.
<b>Ecological Indicator</b>	A characteristic of an ecosystem that is related to, or derived from, a measure of a biotic or abiotic variable that can provide quantitative information on ecological structure and function. An indicator can contribute to a measure of integrity and sustainability. Ecological indicators are often used within the multimetric index framework.
<b>Ecological Integrity</b>	The condition of an unimpaired ecosystem as measured by combined chemical, physical (including habitat), and biological attributes (EPA 1996).
<b>Ecosystem</b>	The interacting system of a biological community and its non-living (abiotic) environmental surroundings.
<b>Effluent</b>	A discharge of untreated, partially treated, or treated wastewater into a receiving water body.
<b>Endangered Species</b>	Animals, birds, fish, plants, or other living organisms threatened with imminent extinction. Requirements for declaring a species as endangered are contained in the Endangered Species Act.
<b>Environment</b>	The complete range of external conditions, physical and biological, that affect a particular organism or community.
<b>Eocene</b>	An epoch of the early Tertiary period, after the Paleocene and before the Oligocene.
<b>Eolian</b>	Windblown, referring to the process of erosion, transport, and deposition of material by the wind.
<b>Ephemeral Stream</b>	A stream or portion of a stream that flows only in direct response to precipitation. It receives little or no water from springs and no long continued supply from melting snow or other sources. Its channel is at all times above the water table. (American Geologic Institute 1962).
<b>Erosion</b>	The wearing away of areas of the earth's surface by water, wind, ice, and other forces.
<b>Eutrophic</b>	From Greek for "well nourished," this describes a highly productive body of water in which nutrients do not limit algal growth. It is typified by high algal densities and low clarity.

<b>Eutrophication</b>	1) Natural process of maturing (aging) in a body of water. 2) The natural and human-influenced process of enrichment with nutrients, especially nitrogen and phosphorus, leading to an increased production of organic matter.
<b>Exceedance</b>	A violation (according to DEQ policy) of the pollutant levels permitted by water quality criteria.
<b>Existing Beneficial Use or Existing Use</b>	A beneficial use actually attained in waters on or after November 28, 1975, whether or not the use is designated for the waters in Idaho's Water Quality Standards and Wastewater Treatment Requirements (IDAPA 58.01.02).
<b>Exotic Species</b>	A species that is not native (indigenous) to a region.
<b>Extrapolation</b>	Estimation of unknown values by extending or projecting from known values.
<b>Fauna</b>	Animal life, especially animals characteristic of a region, period, or special environment.
<b>Fecal Coliform Bacteria</b>	Bacteria found in the intestinal tracts of all warm-blooded animals or mammals. Their presence in water is an indicator of pollution and possible contamination by pathogens (also see Coliform Bacteria).
<b>Fecal Streptococci</b>	A species of spherical bacteria including pathogenic strains found in the intestines of warm-blooded animals.
<b>Feedback Loop</b>	In the context of watershed management planning, a feedback loop is a process that provides for tracking progress toward goals and revising actions according to that progress.
<b>Fixed-Location Monitoring</b>	Sampling or measuring environmental conditions continuously or repeatedly at the same location.
<b>Flow</b>	See Discharge.
<b>Fluvial</b>	In fisheries, this describes fish whose life history takes place entirely in streams but migrate to smaller streams for spawning.
<b>Focal</b>	Critical areas supporting a mosaic of high quality habitats that sustain a diverse or unusually productive complement of native species.
<b>Fully Supporting</b>	In compliance with water quality standards and within the range of biological reference conditions for all designated and exiting beneficial uses as determined through the Water Body Assessment Guidance (Grafe et al. 2002).

<b>Fully Supporting Cold Water</b>	Reliable data indicate functioning, sustainable cold water biological assemblages (e.g., fish, macroinvertebrates, or algae), none of which have been modified significantly beyond the natural range of reference conditions (EPA 1997).
<b>Fully Supporting but Threatened</b>	An intermediate assessment category describing water bodies that fully support beneficial uses, but have a declining trend in water quality conditions, which if not addressed, will lead to a “not fully supporting” status.
<b>Geographical Information Systems (GIS)</b>	A georeferenced database.
<b>Geometric Mean</b>	A back-transformed mean of the logarithmically transformed numbers often used to describe highly variable, right-skewed data (a few large values), such as bacterial data.
<b>Grab Sample</b>	A single sample collected at a particular time and place. It may represent the composition of the water in that water column.
<b>Gradient</b>	The slope of the land, water, or streambed surface.
<b>Ground Water</b>	Water found beneath the soil surface saturating the layer in which it is located. Most ground water originates as rainfall, is free to move under the influence of gravity, and usually emerges again as streamflow.
<b>Growth Rate</b>	A measure of how quickly something living will develop and grow, such as the amount of new plant or animal tissue produced per a given unit of time, or number of individuals added to a population.
<b>Habitat</b>	The living place of an organism or community.
<b>Headwater</b>	The origin or beginning of a stream.
<b>Hydrologic Basin</b>	The area of land drained by a river system, a reach of a river and its tributaries in that reach, a closed basin, or a group of streams forming a drainage area (also see Watershed).
<b>Hydrologic Cycle</b>	The cycling of water from the atmosphere to the earth (precipitation) and back to the atmosphere (evaporation and plant transpiration). Atmospheric moisture, clouds, rainfall, runoff, surface water, ground water, and water infiltrated in soils are all part of the hydrologic cycle.

<b>Hydrologic Unit</b>	One of a nested series of numbered and named watersheds arising from a national standardization of watershed delineation. The initial 1974 effort (USGS 1987) described four levels (region, subregion, accounting unit, cataloging unit) of watersheds throughout the United States. The fourth level is uniquely identified by an eight-digit code built of two-digit fields for each level in the classification. Originally termed a cataloging unit, fourth field hydrologic units have been more commonly called subbasins. Fifth and sixth field hydrologic units have since been delineated for much of the country and are known as watershed and subwatersheds, respectively.
<b>Hydrologic Unit Code (HUC)</b>	The number assigned to a hydrologic unit. Often used to refer to fourth field hydrologic units.
<b>Hydrology</b>	The science dealing with the properties, distribution, and circulation of water.
<b>Impervious</b>	Describes a surface, such as pavement, that water cannot penetrate.
<b>Influent</b>	A tributary stream.
<b>Inorganic</b>	Materials not derived from biological sources.
<b>Instantaneous</b>	A condition or measurement at a moment (instant) in time.
<b>Intergravel Dissolved Oxygen</b>	The concentration of dissolved oxygen within spawning gravel. Consideration for determining spawning gravel includes species, water depth, velocity, and substrate.
<b>Intermittent Stream</b>	1) A stream that flows only part of the year, such as when the ground water table is high or when the stream receives water from springs or from surface sources such as melting snow in mountainous areas. The stream ceases to flow above the streambed when losses from evaporation or seepage exceed the available streamflow. 2) A stream that has a period of zero flow for at least one week during most years.
<b>Interstate Waters</b>	Waters that flow across or form part of state or international boundaries, including boundaries with Indian nations.
<b>Irrigation Return Flow</b>	Surface (and subsurface) water that leaves a field following the application of irrigation water and eventually flows into streams.
<b>Key Watershed</b>	A watershed that has been designated in Idaho Governor Batt's State of Idaho Bull Trout Conservation Plan (1996) as critical to the long-term persistence of regionally important trout populations.

<b>Knickpoint</b>	Any interruption or break of slope.
<b>Land Application</b>	A process or activity involving application of wastewater, surface water, or semi-liquid material to the land surface for the purpose of treatment, pollutant removal, or ground water recharge.
<b>Limiting Factor</b>	A chemical or physical condition that determines the growth potential of an organism. This can result in a complete inhibition of growth, but typically results in less than maximum growth rates.
<b>Limnology</b>	The scientific study of fresh water, especially the history, geology, biology, physics, and chemistry of lakes.
<b>Load Allocation (LA)</b>	A portion of a water body's load capacity for a given pollutant that is given to a particular nonpoint source (by class, type, or geographic area).
<b>Load(ing)</b>	The quantity of a substance entering a receiving stream, usually expressed in pounds or kilograms per day or tons per year. Loading is the product of flow (discharge) and concentration.
<b>Loading Capacity (LC)</b>	A determination of how much pollutant a water body can receive over a given period without causing violations of state water quality standards. Upon allocation to various sources, and a margin of safety, it becomes a total maximum daily load.
<b>Loam</b>	Refers to a soil with a texture resulting from a relative balance of sand, silt, and clay. This balance imparts many desirable characteristics for agricultural use.
<b>Loess</b>	A uniform wind-blown deposit of silty material. Silty soils are among the most highly erodible.
<b>Lotic</b>	An aquatic system with flowing water such as a brook, stream, or river where the net flow of water is from the headwaters to the mouth.
<b>Luxury Consumption</b>	A phenomenon in which sufficient nutrients are available in either the sediments or the water column of a water body, such that aquatic plants take up and store an abundance in excess of the plants' current needs.
<b>Macroinvertebrate</b>	An invertebrate animal (without a backbone) large enough to be seen without magnification and retained by a 500µm mesh (U.S. #30) screen.

<b>Macrophytes</b>	Rooted and floating vascular aquatic plants, commonly referred to as water weeds. These plants usually flower and bear seeds. Some forms, such as duckweed and coontail ( <i>Ceratophyllum</i> sp.), are free-floating forms not rooted in sediment.
<b>Margin of Safety (MOS)</b>	An implicit or explicit portion of a water body's loading capacity set aside to allow the uncertainty about the relationship between the pollutant loads and the quality of the receiving water body. This is a required component of a total maximum daily load (TMDL) and is often incorporated into conservative assumptions used to develop the TMDL (generally within the calculations and/or models). The MOS is not allocated to any sources of pollution.
<b>Mass Wasting</b>	A general term for the down slope movement of soil and rock material under the direct influence of gravity.
<b>Mean</b>	Describes the central tendency of a set of numbers. The arithmetic mean (calculated by adding all items in a list, then dividing by the number of items) is the statistic most familiar to most people.
<b>Median</b>	The middle number in a sequence of numbers. If there is an even number of numbers, the median is the average of the two middle numbers. For example, 4 is the median of 1, 2, 4, 14, 16; and 6 is the median of 1, 2, 5, 7, 9, 11.
<b>Metric</b>	1) A discrete measure of something, such as an ecological indicator (e.g., number of distinct taxon). 2) The metric system of measurement.
<b>Milligrams per liter (mg/L)</b>	A unit of measure for concentration in water, essentially equivalent to parts per million (ppm).
<b>Million gallons per day (MGD)</b>	A unit of measure for the rate of discharge of water, often used to measure flow at wastewater treatment plants. One MGD is equal to 1.547 cubic feet per second.
<b>Miocene</b>	Of, relating to, or being an epoch of, the Tertiary between the Pliocene and the Oligocene periods, or the corresponding system of rocks.
<b>Monitoring</b>	A periodic or continuous measurement of the properties or conditions of some medium of interest, such as monitoring a water body.
<b>Mouth</b>	The location where flowing water enters into a larger water body.

<b>National Pollution Discharge Elimination System (NPDES)</b>	A national program established by the Clean Water Act for permitting point sources of pollution. Discharge of pollution from point sources is not allowed without a permit.
<b>Natural Condition</b>	A condition indistinguishable from that without human-caused disruptions.
<b>Nitrogen</b>	An element essential to plant growth, and thus is considered a nutrient.
<b>Nodal</b>	Areas that are separated from focal and adjunct habitats, but serve critical life history functions for individual native fish.
<b>Nonpoint Source</b>	A dispersed source of pollutants, generated from a geographical area when pollutants are dissolved or suspended in runoff and then delivered into waters of the state. Nonpoint sources are without a discernable point or origin. They include, but are not limited to, irrigated and non-irrigated lands used for grazing, crop production, and silviculture; rural roads; construction and mining sites; log storage or rafting; and recreation sites.
<b>Not Assessed (NA)</b>	A concept and an assessment category describing water bodies that have been studied, but are missing critical information needed to complete an assessment.
<b>Not Attainable</b>	A concept and an assessment category describing water bodies that demonstrate characteristics that make it unlikely that a beneficial use can be attained (e.g., a stream that is dry but designated for salmonid spawning).
<b>Not Fully Supporting</b>	Not in compliance with water quality standards or not within the range of biological reference conditions for any beneficial use as determined through the Water Body Assessment Guidance (Grafe et al. 2002).
<b>Not Fully Supporting Cold Water</b>	At least one biological assemblage has been significantly modified beyond the natural range of its reference condition (EPA 1997).
<b>Nuisance</b>	Anything, which is injurious to the public health or an obstruction to the free use, in the customary manner, of any waters of the state.
<b>Nutrient</b>	Any substance required by living things to grow. An element or its chemical forms essential to life, such as carbon, oxygen, nitrogen, and phosphorus. Commonly refers to those elements in short supply, such as nitrogen and phosphorus, which usually limit growth.

<b>Nutrient Cycling</b>	The flow of nutrients from one component of an ecosystem to another, as when macrophytes die and release nutrients that become available to algae (organic to inorganic phase and return).
<b>Oligotrophic</b>	The Greek term for “poorly nourished.” This describes a body of water in which productivity is low and nutrients are limiting to algal growth, as typified by low algal density and high clarity.
<b>Organic Matter</b>	Compounds manufactured by plants and animals that contain principally carbon.
<b>Orthophosphate</b>	A form of soluble inorganic phosphorus most readily used for algal growth.
<b>Oxygen-Demanding Materials</b>	Those materials, mainly organic matter, in a water body that consume oxygen during decomposition.
<b>Parameter</b>	A variable, measurable property whose value is a determinant of the characteristics of a system, such as temperature, dissolved oxygen, and fish populations are parameters of a stream or lake.
<b>Partitioning</b>	The sharing of limited resources by different races or species; use of different parts of the habitat, or the same habitat at different times. Also the separation of a chemical into two or more phases, such as partitioning of phosphorus between the water column and sediment.
<b>Pathogens</b>	Disease-producing organisms (e.g., bacteria, viruses, parasites).
<b>Perennial Stream</b>	A stream that flows year-around in most years.
<b>Periphyton</b>	Attached microflora (algae and diatoms) growing on the bottom of a water body or on submerged substrates, including larger plants.
<b>Pesticide</b>	Substances or mixtures of substances intended for preventing, destroying, repelling, or mitigating any pest. Also, any substance or mixture intended for use as a plant regulator, defoliant, or desiccant.
<b>pH</b>	The negative log <sub>10</sub> of the concentration of hydrogen ions, a measure which in water ranges from very acid (pH=1) to very alkaline (pH=14). A pH of 7 is neutral. Surface waters usually measure between pH 6 and 9.

<b>Phased TMDL</b>	A total maximum daily load (TMDL) that identifies interim load allocations and details further monitoring to gauge the success of management actions in achieving load reduction goals and the effect of actual load reductions on the water quality of a water body. Under a phased TMDL, a refinement of load allocations, wasteload allocations, and the margin of safety is planned at the outset.
<b>Phosphorus</b>	An element essential to plant growth, often in limited supply, and thus considered a nutrient.
<b>Physiochemical</b>	In the context of bioassessment, the term is commonly used to mean the physical and chemical factors of the water column that relate to aquatic biota. Examples in bioassessment usage include saturation of dissolved gases, temperature, pH, conductivity, dissolved or suspended solids, forms of nitrogen, and phosphorus. This term is used interchangeable with the terms “physical/chemical” and “physicochemical.”
<b>Plankton</b>	Microscopic algae (phytoplankton) and animals (zooplankton) that float freely in open water of lakes and oceans.
<b>Point Source</b>	A source of pollutants characterized by having a discrete conveyance, such as a pipe, ditch, or other identifiable “point” of discharge into a receiving water. Common point sources of pollution are industrial and municipal wastewater.
<b>Pollutant</b>	Generally, any substance introduced into the environment that adversely affects the usefulness of a resource or the health of humans, animals, or ecosystems.
<b>Pollution</b>	A very broad concept that encompasses human-caused changes in the environment, which alter the functioning of natural processes and produce undesirable environmental and health effects. This includes human-induced alteration of the physical, biological, chemical, and radiological integrity of water and other media.
<b>Population</b>	A group of interbreeding organisms occupying a particular space; the number of humans or other living creatures in a designated area.
<b>Pretreatment</b>	The reduction in the amount of pollutants, elimination of certain pollutants, or alteration of the nature of pollutant properties in wastewater prior to, or in lieu of, discharging or otherwise introducing such wastewater into a publicly owned wastewater treatment plant.

<b>Primary Productivity</b>	The rate at which algae and macrophytes fix carbon dioxide using light energy. Commonly measured as milligrams of carbon per square meter per hour.
<b>Protocol</b>	A series of formal steps for conducting a test or survey.
<b>Qualitative</b>	Descriptive of kind, type, or direction.
<b>Quality Assurance (QA)</b>	A program organized and designed to provide accurate and precise results. Included are the selection of proper technical methods, tests, or laboratory procedures; sample collection and preservation; the selection of limits; data evaluation; quality control; and personnel qualifications and training. The goal of QA is to assure the data provided are of the quality needed and claimed (Rand 1995, EPA 1996).
<b>Quality Control (QC)</b>	Routine application of specific actions required to provide information for the quality assurance program. Included are standardization, calibration, and replicate samples. QC is implemented at the field or bench level (Rand 1995, EPA 1996).
<b>Quantitative</b>	Descriptive of size, magnitude, or degree.
<b>Reach</b>	A stream section with fairly homogenous physical characteristics.
<b>Reconnaissance</b>	An exploratory or preliminary survey of an area.
<b>Reference</b>	A physical or chemical quantity whose value is known, and thus is used to calibrate or standardize instruments.
<b>Reference Condition</b>	1) A condition that fully supports applicable beneficial uses with little affect from human activity and represents the highest level of support attainable. 2) A benchmark for populations of aquatic ecosystems used to describe desired conditions in a biological assessment and acceptable or unacceptable departures from them. The reference condition can be determined through examining regional reference sites, historical conditions, quantitative models, and expert judgment (Hughes 1995).
<b>Reference Site</b>	A specific locality on a water body that is minimally impaired and is representative of reference conditions for similar water bodies.
<b>Representative Sample</b>	A portion of material or water that is as similar in content and consistency as possible to that in the larger body of material or water being sampled.
<b>Resident</b>	A term that describes fish that do not migrate.

<b>Respiration</b>	A process by which organic matter is oxidized by organisms, including plants, animals, and bacteria. The process converts organic matter to energy, carbon dioxide, water, and lesser constituents.
<b>Riffle</b>	A relatively shallow, gravelly area of a streambed with a locally fast current, recognized by surface choppiness. Also an area of higher streambed gradient and roughness.
<b>Riparian</b>	Associated with aquatic (stream, river, lake) habitats. Living or located on the bank of a water body.
<b>Riparian Habitat Conservation Area (RHCA)</b>	A U.S. Forest Service description of land within the following number of feet up-slope of each of the banks of streams: - 300 feet from perennial fish-bearing streams 150 feet from perennial non-fish-bearing streams 100 feet from intermittent streams, wetlands, and ponds in priority watersheds.
<b>River</b>	A large, natural, or human-modified stream that flows in a defined course or channel, or a series of diverging and converging channels.
<b>Runoff</b>	The portion of rainfall, melted snow, or irrigation water that flows across the surface, through shallow underground zones (interflow), and through ground water to create streams.
<b>Sediments</b>	Deposits of fragmented materials from weathered rocks and organic material that were suspended in, transported by, and eventually deposited by water or air.
<b>Settleable Solids</b>	The volume of material that settles out of one liter of water in one hour.
<b>Species</b>	1) A reproductively isolated aggregate of interbreeding organisms having common attributes and usually designated by a common name. 2) An organism belonging to such a category.
<b>Spring</b>	Ground water seeping out of the earth where the water table intersects the ground surface.
<b>Stagnation</b>	The absence of mixing in a water body.
<b>Stenothermal</b>	Unable to tolerate a wide temperature range.
<b>Stratification</b>	A Department of Environmental Quality classification method used to characterize comparable units (also called classes or strata).

<b>Stream</b>	A natural water course containing flowing water, at least part of the year. Together with dissolved and suspended materials, a stream normally supports communities of plants and animals within the channel and the riparian vegetation zone.
<b>Stream Order</b>	Hierarchical ordering of streams based on the degree of branching. A first-order stream is an unforked or unbranched stream. Under Strahler's (1957) system, higher order streams result from the joining of two streams of the same order.
<b>Storm Water Runoff</b>	Rainfall that quickly runs off the land after a storm. In developed watersheds the water flows off roofs and pavement into storm drains that may feed quickly and directly into the stream. The water often carries pollutants picked up from these surfaces.
<b>Stressors</b>	Physical, chemical, or biological entities that can induce adverse effects on ecosystems or human health.
<b>Subbasin</b>	A large watershed of several hundred thousand acres. This is the name commonly given to 4th field hydrologic units (also see Hydrologic Unit).
<b>Subbasin Assessment (SBA)</b>	A watershed-based problem assessment that is the first step in developing a total maximum daily load in Idaho.
<b>Subwatershed</b>	A smaller watershed area delineated within a larger watershed, often for purposes of describing and managing localized conditions. Also proposed for adoption as the formal name for 6th field hydrologic units.
<b>Surface Fines</b>	Sediments of small size deposited on the surface of a streambed or lake bottom. The upper size threshold for fine sediment for fisheries purposes varies from 0.8 to 605 mm depending on the observer and methodology used. Results are typically expressed as a percentage of observation points with fine sediment.
<b>Surface Runoff</b>	Precipitation, snow melt, or irrigation water in excess of what can infiltrate the soil surface and be stored in small surface depressions; a major transporter of nonpoint source pollutants in rivers, streams, and lakes. Surface runoff is also called overland flow.
<b>Surface Water</b>	All water naturally open to the atmosphere (rivers, lakes, reservoirs, streams, impoundments, seas, estuaries, etc.) and all springs, wells, or other collectors that are directly influenced by surface water.

<b>Suspended Sediments</b>	Fine material (usually sand size or smaller) that remains suspended by turbulence in the water column until deposited in areas of weaker current. These sediments cause turbidity and, when deposited, reduce living space within streambed gravels and can cover fish eggs or alevins.
<b>Taxon</b>	Any formal taxonomic unit or category of organisms (e.g., species, genus, family, order). The plural of taxon is taxa (Armantrout 1998).
<b>Tertiary</b>	An interval of geologic time lasting from 66.4 to 1.6 million years ago. It constitutes the first of two periods of the Cenozoic Era, the second being the Quaternary. The Tertiary has five subdivisions, which from oldest to youngest are the Paleocene, Eocene, Oligocene, Miocene, and Pliocene epochs.
<b>Thalweg</b>	The center of a stream's current, where most of the water flows.
<b>Threatened Species</b>	Species, determined by the U.S. Fish and Wildlife Service, which are likely to become endangered within the foreseeable future throughout all or a significant portion of their range.
<b>Total Maximum Daily Load (TMDL)</b>	A TMDL is a water body's loading capacity after it has been allocated among pollutant sources. It can be expressed on a time basis other than daily if appropriate. Sediment loads, for example, are often calculated on an annual basis. $TMDL = Loading\ Capacity = Load\ Allocation + Wasteload\ Allocation + Margin\ of\ Safety$ . In common usage, a TMDL also refers to the written document that contains the statement of loads and supporting analyses, often incorporating TMDLs for several water bodies and/or pollutants within a given watershed.
<b>Total Dissolved Solids</b>	Dry weight of all material in solution in a water sample as determined by evaporating and drying filtrate.
<b>Total Suspended Solids (TSS)</b>	The dry weight of material retained on a filter after filtration. Filter pore size and drying temperature can vary. American Public Health Association Standard Methods (Greenborg, Clescevi, and Eaton 1995) call for using a filter of 2.0 micron or smaller; a 0.45 micron filter is also often used. This method calls for drying at a temperature of 103-105 °C.

<b>Toxic Pollutants</b>	Materials that cause death, disease, or birth defects in organisms that ingest or absorb them. The quantities and exposures necessary to cause these effects can vary widely.
<b>Tributary</b>	A stream feeding into a larger stream or lake.
<b>Trophic State</b>	The level of growth or productivity of a lake as measured by phosphorus content, chlorophyll a concentrations, amount (biomass) of aquatic vegetation, algal abundance, and water clarity.
<b>Total Dissolved Solids</b>	Dry weight of all material in solution in a water sample as determined by evaporating and drying filtrate.
<b>Total Suspended Solids (TSS)</b>	The dry weight of material retained on a filter after filtration. Filter pore size and drying temperature can vary. American Public Health Association Standard Methods (Greenberg, Clescevi, and Eaton 1995) call for using a filter of 2.0 micron or smaller; a 0.45 micron filter is also often used. This method calls for drying at a temperature of 103-105 °C.
<b>Toxic Pollutants</b>	Materials that cause death, disease, or birth defects in organisms that ingest or absorb them. The quantities and exposures necessary to cause these effects can vary widely.
<b>Tributary</b>	A stream feeding into a larger stream or lake.
<b>Trophic State</b>	The level of growth or productivity of a lake as measured by phosphorus content, chlorophyll a concentrations, amount (biomass) of aquatic vegetation, algal abundance, and water clarity.
<b>Turbidity</b>	A measure of the extent to which light passing through water is scattered by fine suspended materials. The effect of turbidity depends on the size of the particles (the finer the particles, the greater the effect per unit weight) and the color of the particles.
<b>Vadose Zone</b>	The unsaturated region from the soil surface to the ground water table.
<b>Wasteload Allocation (WLA)</b>	The portion of receiving water's loading capacity that is allocated to one of its existing or future point sources of pollution. Wasteload allocations specify how much pollutant each point source may release to a water body.
<b>Water body</b>	A stream, river, lake, estuary, coastline, or other water feature, or portion thereof.

<b>Water Column</b>	Water between the interface with the air at the surface and the interface with the sediment layer at the bottom. The idea derives from a vertical series of measurements (oxygen, temperature, phosphorus) used to characterize water.
<b>Water Pollution</b>	Any alteration of the physical, thermal, chemical, biological, or radioactive properties of any waters of the state, or the discharge of any pollutant into the waters of the state, which will or is likely to create a nuisance or to render such waters harmful, detrimental, or injurious to public health, safety, or welfare; to fish and wildlife; or to domestic, commercial, industrial, recreational, aesthetic, or other beneficial uses.
<b>Water Quality</b>	A term used to describe the biological, chemical, and physical characteristics of water with respect to its suitability for a beneficial use.
<b>Water Quality Criteria</b>	Levels of water quality expected to render a body of water suitable for its designated uses. Criteria are based on specific levels of pollutants that would make the water harmful if used for drinking, swimming, farming, or industrial processes.
<b>Water Quality Limited</b>	A label that describes water bodies for which one or more water quality criterion is not met or beneficial uses are not fully supported. Water quality limited assessment units may or may not be on a §303(d) list.
<b>Water Quality Limited Segment (WQLS)</b>	Any segment placed on a state's §303(d) list for failure to meet applicable water quality standards, and/or is not expected to meet applicable water quality standards in the period prior to the next list. These segments are also referred to as "§303(d) listed."
<b>Water Quality Management Plan</b>	A state or area-wide waste treatment management plan developed and updated in accordance with the provisions of the Clean Water Act.
<b>Water Quality Modeling</b>	The prediction of the response of some characteristics of lake or stream water based on mathematical relations of input variables such as climate, streamflow, and inflow water quality.
<b>Water Quality Standards</b>	State-adopted and EPA-approved ambient standards for water bodies. The standards prescribe the use of the water body and establish the water quality criteria that must be met to protect designated uses.
<b>Water Table</b>	The upper surface of ground water; below this point, the soil is saturated with water.

<b>Watershed</b>	1) All the land, which contributes runoff to a common point in a drainage network, or to a lake outlet. Watersheds are infinitely nested, and any large watershed is composed of smaller “subwatersheds.” 2) The whole geographic region, which contributes water to a point of interest in a water body.
<b>Water Body Identification Number (WBID)</b>	A number that uniquely identifies a water body in Idaho, ties in to the Idaho Water Quality Standards and GIS information.
<b>Wetland</b>	An area that is at least some of the time saturated by surface or ground water so as to support with vegetation adapted to saturated soil conditions. Examples include swamps, bogs, fens, and marshes.
<b>Young of the Year</b>	Young fish born the year captured, evidence of spawning activity.

This page intentionally left blank for correct double-sided printing.

## Index

- aesthetics, xv, xvii, 2, 26, 28, 32, 124, 236, 238
- agricultural, xiv, xv, xvi, xvii, xix, xxii, xxiii, xxiv, xxvi, xxviii, 2, 5, 1, 8, 19, 20, 26, 28, 29, 68, 71, 105, 107, 108, 131, 236
- algae, xviii, xix, 31, 33, 37, 49, 72, 78, 84, 88, 93, 119, 125, 127, 129, 134, 135, 136, 140, 160, 228, 229, 238, 239
- ammonia, 29, 36, 65, 69, 82
- anadromous, 19
- anaerobic, 117
- anoxic, 78, 241
- aquaculture, 24, 105, 107
- aquatic biota, 78, 124, 125, 135
- aquatic life, xv, xvi, xvii, xix, xxii, xxiii, xxv, 2, 26, 27, 28, 29, 31, 49, 51, 55, 57, 62, 63, 72, 77, 79, 81, 82, 103, 112, 126, 229, 236, 238, 241, 242
- aquatic vegetation, xviii, 78, 140
- assessment unit, xiii, xv, xvii, xix, xxii, xxv, 26, 27, 28, 49, 77, 141
- bacteria, xvi, xvii, xviii, xxii, xxvi, 26, 28, 29, 57, 67, 71, 72, 77, 78, 79, 112, 125, 126, 128, 134, 137
- bacterial, 129
- bald eagle, 17
- bank stability, 12, 16, 67, 71, 72, 74, 81, 82, 103
- bathymetric, xxvi, 67
- beneficial use, xv, xvi, xvii, xviii, xix, xxii, xxiii, xxiv, xxv, xxvi, 2, 26, 27, 28, 29, 32, 45, 49, 51, 55, 57, 63, 67, 77, 78, 79, 80, 81, 82, 93, 95, 99, 102, 104, 106, 111, 112, 124, 128, 129, 133, 136, 141, 229, 230, 233, 235, 236, 237, 238, 239, 240, 241, 242
- Beneficial Use Reconnaissance Program  
BURP, xi, xvii, xix, xxii, xxiii, xxiv, xxv, 12, 15, 16, 17, 27, 28, 55, 57, 60, 62, 63, 81, 102, 104, 111, 112, 124, 229, 235
- Best Management Practices, xxvi, 83, 84, 101, 105, 106, 107, 110, 124
- biological integrity, xv, 1, 2, 3
- Bureau of Indian Affairs  
BIA, 19, 111
- Bureau of Land Management  
BLM, xi, 8, 12, 19, 111, 116
- Bureau of Reclamation  
BOR, i, xi, 5, 7, 19, 31, 32, 33, 34, 37, 46, 55, 57, 59, 62, 63, 68, 69, 71, 74, 83, 84, 111, 114, 120, 150, 196, 226, 230, 235, 237, 238, 241
- Canada geese, 69, 117
- canal, 9, 24, 63, 228, 229, 231, 234
- carp, 2
- cattle, 19
- cattle company, xviii, 24, 233
- chlorophyll a, xviii, xix, xxvii, 33, 34, 37, 38, 39, 40, 45, 49, 77, 78, 80, 84, 92, 93, 108, 112, 140, 228, 232, 233, 237, 238, 239, 241
- Clean Water Act  
CWA, xi, xv, 1, 29, 32, 79, 105, 115, 119, 122, 123, 125, 126, 133, 141
- Clean Water Act, Section 303(d), xv, 1
- Confined Animal Feeding Operation  
CAFO, xi, 233
- cormorant, 55
- cottonwood, 5, 9, 116
- cutthroat trout, 2, 119
- dairy, xviii, 24
- data gap, xxvii, 65, 67, 72, 80, 83, 84, 85, 107, 108, 242
- Department of Energy  
DOE, 19
- dichlorodiphenyl-trichloroethane  
DDT, 55, 117
- Discharge Monitoring Reports, xi, xix, 65, 66, 112, 178, 186, 187, 192
- dissolved oxygen  
DO, xi, xvii, xviii, xix, xxv, xxvii, 26, 28, 29, 31, 32, 33, 35, 45, 46, 47, 48, 49, 55, 67, 69, 77, 78, 79, 84, 85, 88, 92, 93, 108, 112, 124, 126, 130, 134, 153, 166, 236, 238, 239, 241
- ditch, 135
- domestic water supply, 26, 29, 239
- Douglas-fir, 5
- drought, xix, 32, 235, 237, 238, 241

- E. coli, xxii, 57, 67, 71, 79, 88, 126  
 ecoregion, 5, 81, 116, 239, 240  
 Ecosystem Research Institute, 81, 115  
 entisols, 5  
 epilimnion, 79  
 Essig, D, 51, 54, 116  
 European Inland Fisheries Advisory Commission  
     EIFAC, xi, 80, 115  
 European-American, 18  
 evapotranspiration, 9, 82, 87  
 exceedance, 45, 49, 51, 54, 55, 104, 112, 116, 128, 239  
 existing beneficial use, 26, 123  
 feces, 69  
 feedlot, xviii, 24  
 fish community, 57  
 fish kill, 32, 46, 49  
 flood control, 19  
 flow alteration, xvi, xvii, xviii, xix, 2, 26, 28, 49, 55, 77, 79  
 food processing, 26  
 game fish, 31  
 gas exploration, 105, 107  
 geese, 69, 70  
 Generalized Watershed Loading Functions  
     GWLF, xi, xxii, xxiii, 82, 87, 94, 98, 103, 112, 116  
 geofluvial, 106  
 Geographic Information System  
     GIS, xi, 3, 4, 21, 87, 121, 129, 142  
 Gold Book, 79, 240  
 golden currant, 5  
 Grafe, C, 29, 45, 57, 116, 128, 133  
 gray rabbitbrush, 5  
 greasewood, 5, 1  
 ground water discharge, 31, 82  
 ground water infiltration, 9  
 gulls, 69  
 historic fish community, 2  
 historic grazing practices, 71  
 hypolimnion, 45, 79  
 Idaho Department of Commerce, 20, 120  
 Idaho Department of Fish and Game  
     F&G, 46, 49, 70, 116, 119, 226, 236, 238  
 Idaho Department of Labor, 23, 120  
 Idaho Nonpoint Source Management Program, 105  
 Idaho Power Company, 4, 17, 62, 63, 120, 211, 226  
 Idaho Public Health Department, 31  
 Idaho Public Television  
     IPTV, 19, 120  
 Idaho Soil Conservation Commission  
     ISCC, xxvi, 226  
 Idaho Water Quality Standards, xvii, 26, 28, 77, 105, 106, 107, 142, 144  
 IDAPA 58.01.02., 29, 31, 45, 46, 48, 54, 79, 105, 110, 117, 123, 234  
 implementation, xxvi, xxvii, xxviii, xxix, 74, 83, 105, 106, 107, 108, 109, 110, 111, 117, 229, 231, 234, 242  
 implementation plan, xxvi, xxviii, 83, 106, 107, 108, 109, 111, 229, 231, 234, 242  
 income, 20  
 Indian ricegrass, 2  
 industries, xxvi, 20  
 industry, xxvi, 19  
 irrigation, xv, xxviii, 5, 9, 11, 18, 19, 26, 31, 55, 72, 108, 117, 130, 137, 138, 233  
 irrigation companies, 111  
 irrigation returns, 9  
 Kjelstrom, 5, 9, 117  
 land ownership, 8  
 land use, xv, xxvii, xxviii, 8, 19, 26, 68, 71, 83, 87, 89, 107, 109  
 legumes, 68  
 lentic, xix  
 liability, 121  
 limiting nutrient, xviii, 37, 49, 72, 79, 80, 83, 84, 228, 235, 241  
 load allocation, xi, xviii, xix, xxii, xxiii, xxiv, xxv, xxvi, xxvii, xxviii, xxix, 57, 76, 77, 79, 81, 82, 93, 94, 95, 98, 99, 102, 103, 104, 105, 107, 108, 109, 112, 135, 228, 230, 231, 235  
 load analysis, xv, 76, 82  
 load capacity, xi, 76, 78, 91, 98, 131  
 lodgepole pine, 5  
 longnose dace, 2  
 macrophytic, 78  
 mallard, 55

- manure, 68
- margin of safety
  - MOS, xi, xviii, 76, 77, 82, 102, 131, 132, 135
- maximum contaminant level
  - MCL, xi, 55
- Mebane, M, 51, 54, 116
- mercury, 55
- metalimnion, 79
- microbial, 78
- mollisols, 5, 1
- monitoring, xvii, xix, xxii, xxiii, xxiv, xxvi, xxvii, 12, 16, 17, 27, 28, 31, 51, 53, 54, 55, 56, 57, 62, 67, 68, 71, 72, 83, 84, 88, 98, 104, 105, 106, 107, 108, 110, 111, 132, 135, 176, 192, 229, 230, 231, 234, 240
- monthly flow, 6, 11, 58, 94
- morphology, 16
- narrative standard, 77
- National Pollutant Discharge Elimination System
  - NPDES, xi, xviii, xix, xxvi, 24, 32, 71, 74, 82, 97, 103, 104, 106, 107, 110, 133, 233
- National Water-Quality Assessment
  - NAWQA, xi, 2, 55
- natural background, xi, xxvi, 46, 48, 65, 76, 83, 230, 235, 240
- Natural Resources Conservation Service
  - NRCS, xi, 32, 37, 45, 74, 87, 111, 116, 118, 119, 120, 226, 239
- natural vegetation, 5, 1
- Nevada bluegrass, 2
- nitrate, xi, 37, 51, 63, 65, 68, 69, 87, 232
- nitrite, xi, 36, 51, 63, 65, 68, 87, 232
- nonpoint pollution, 26
- nonpoint source, xxvi, 68, 71, 76, 78, 82, 87, 98, 103, 104, 105, 106, 107, 110, 112, 124, 131, 138, 234
- numeric standard, 29, 30, 146
- numeric translator, 77, 81
- Oregon, xi, 45, 80, 117, 239
- organic nitrogen, 65, 69
- orthophosphorus, 33, 35, 37, 65
- Palmer Drought Index, 32
- pastureland, 19
- peregrine falcon, 17
- perennial grass, 5
- pesticide, 55
- pH, 29, 45, 134, 135
- phosphate, xii, 26, 33, 63, 114, 232
- phosphorus, xii, xvi, xviii, xix, xx, xxi, xxiii, xxiv, xxv, xxvi, xxvii, 31, 33, 37, 44, 49, 51, 57, 63, 65, 67, 68, 69, 70, 77, 78, 79, 80, 82, 84, 85, 87, 88, 92, 93, 94, 95, 96, 97, 98, 99, 101, 106, 107, 108, 112, 117, 118, 119, 122, 128, 133, 134, 135, 140, 141, 228, 232, 235, 236, 237, 239, 240, 241
- phytoplankton, 37, 41, 45, 80, 84, 135, 160, 229, 236, 239
- pool-to-riffle ratio, 12
- precipitation, 5, 31, 67, 82, 86, 87, 106, 127, 129
- presumed use, 31
- public health and welfare, 2
- quality assurance project plan
  - QAPP, xii, 67, 88
- rainbow trout, 2
- rainfall erosivity coefficient, 87
- recharge, 131, 231
- red osier dogwood, 5
- redside shiner, 2
- refugia, 46, 48, 49
- road construction, 105, 107
- Rosgen, 16, 119
- runoff, xvi, xix, xx, xxi, xxv, 5, 8, 31, 51, 52, 57, 78, 79, 82, 83, 86, 87, 95, 97, 103, 106, 112, 126, 129, 133, 138, 142, 190
- Russian olive, 5
- sagebrush, 5, 1, 119
- salmonid spawning, xv, xvi, xix, xxiii, xxv, 2, 26, 29, 31, 77, 78, 81, 112, 133
- saltbush, 5, 1
- sculpin, 2
- Secchi, 45, 157
- Section 303(d), xi, xv, xvii, xx, xxi, xxii, xxiii, xxiv, xxv, 1, 13, 26, 28, 49, 55, 57, 62, 71, 72, 77, 78, 81, 98, 104, 112, 115, 118, 122, 141, 229, 234
- sedge, 16

- sediment, xvi, xvii, xviii, xix, xx, xxi, xxii, xxiii, xxiv, xxv, xxvi, xxvii, 2, 9, 12, 26, 28, 32, 33, 49, 51, 55, 57, 62, 63, 65, 67, 68, 69, 71, 72, 74, 76, 77, 78, 79, 80, 81, 82, 83, 84, 87, 94, 96, 97, 101, 102, 103, 104, 106, 112, 114, 117, 118, 119, 124, 126, 132, 134, 138, 141, 179, 182, 229, 230, 231, 234, 235
- selenium, 55
- septic, xvi, 32, 68, 87
- s-ethyl dipropylthiocarbamate  
EPTC (Eptam), xi, 55
- sinuosity, 9, 16, 84
- snowberry, 5
- Soil Conservation Commission  
SCC, 105, 107, 111
- spiny hopsage, 5
- stormwater, xiv, xvi, xviii, xix, xx, xxi, xxv, 51, 74, 86, 95, 97, 103, 112, 190
- subbasin assessment, xv, 1, 2, 71, 84, 115
- sumac, 5
- surface fines, 16, 17, 62
- surrogate, xviii, 76, 240
- swimmable and fishable, 1
- tectonic, 12
- temperature, xxv, 4, 2, 16, 29, 31, 46, 47, 48, 49, 51, 53, 54, 55, 67, 78, 84, 85, 87, 104, 112, 116, 134, 135, 137, 139, 140, 141, 153, 166, 176
- thick-spiked wheatgrass, 2
- threatened or endangered, xii, 2, 17, 19, 127, 139
- threetip sagebrush, 5
- threshold, 49, 51, 77, 80, 126, 138, 239
- total maximum daily load  
TMDL, xii, xiv, xv, xix, xxii, xxiv, xxv, xxvi, xxvii, xxviii, xxix, 1, 2, 29, 57, 67, 71, 72, 76, 78, 79, 80, 82, 83, 84, 88, 91, 92, 93, 95, 98, 99, 102, 103, 104, 106, 107, 108, 109, 110, 111, 115, 117, 119, 122, 131, 132, 135, 138, 139, 226, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242
- total phosphate, 69
- total phosphorus, xii, xviii, xix, xxii, xxiii, xxiv, xxv, xxvii, 33, 37, 51, 57, 62, 63, 65, 68, 70, 79, 80, 82, 85, 87, 88, 91, 92, 93, 95, 96, 97, 98, 99, 101, 108, 228, 232, 235, 236, 237, 239, 240, 241
- total suspended solids  
TSS, xii, 51, 63, 65, 80, 81, 84, 87, 100, 103, 104, 139, 140, 186, 232
- toxic substance, 29
- Tribal, 18, 111
- Tribe, 18
- tribes, xv, 1, 18, 122, 123
- U.S. Department of Agriculture  
USDA, xii, 5, 119
- U.S. Environmental Protection Agency  
EPA, 1, 3, i, xi, xxviii, xxix, 1, 2, 5, 2, 19, 24, 26, 37, 45, 49, 51, 57, 74, 77, 79, 80, 81, 84, 101, 104, 105, 106, 108, 109, 111, 114, 115, 116, 118, 120, 122, 123, 124, 125, 127, 129, 133, 136, 141, 226, 232, 234, 238, 239, 240, 241
- U.S. Forest Service  
USFS, xii, 8, 12, 16, 19, 57, 111, 116, 119, 137
- U.S. Geological Survey  
USGS, xii, xix, xx, xxi, 2, 6, 8, 9, 11, 31, 49, 50, 51, 52, 53, 54, 55, 57, 58, 67, 84, 86, 94, 95, 99, 102, 114, 115, 116, 117, 118, 119, 120, 130, 172, 173, 176, 179, 182, 232, 235, 236, 239
- Universal Soil Loss Equation, xi, 16, 87
- unsaturated zone, 87
- Utah juniper, 5
- volcanism, 12
- Washington, 3, 80, 114, 115, 116, 117, 118, 119
- wasteload allocation, xii, xviii, xix, xx, xxi, xxv, xxvii, xxviii, xxix, 76, 82, 95, 97, 99, 104, 106, 107, 108, 109, 110, 112, 135, 228, 230, 236, 240
- wastewater treatment plant, xii, xix, xx, xxi, xxiii, 65, 68, 82, 83, 95, 97, 99, 104, 186, 228, 229  
WWTP, xii, xiv, xvi, xviii, xix, xx, xxi, xxiii, xxiv, xxv, xxvi, 49, 51, 65, 66, 68, 82, 83, 95, 97, 99, 104, 106, 132, 135, 186, 187, 192, 228, 229, 237
- Wastewater Treatment Rules, 77

**American Falls Subbasin Assessment and TMDL • March 2009**

Water Body Assessment Guidance  
    WBAG, 29, 128, 133  
water diversion, 9  
Water Pollution Control Federation, 1, 119  
Water Quality Act, xxvii, xxviii, 107, 108,  
    119, 125  
water quality assessment unit, xv  
water quality standard, xv, xviii, xix, xxii,  
    xxv, xxvii, xxix, 1, 2, 3, 26, 29, 30, 31,  
    45, 46, 47, 48, 49, 51, 54, 55, 57, 67, 76,  
    77, 79, 81, 82, 84, 88, 93, 95, 102, 104,  
    105, 107, 109, 110, 112, 117, 122, 124,  
    126, 128, 131, 133, 141, 238, 241  
waterbird, 55  
waterfowl, xix, 69, 118  
Western Regional Climate Center  
    WRCC, 87, 121  
western wheatgrass, 2  
whitefish, 2  
willow, 9, 116  
Xeric West ecoregion, 45